

**HOST ADAPTERS TESTED**

AHA@-1540/2/F/P  
 AHA@-1640  
 AHA@-1740/2/4  
 AHA@-2740/2/4/T/W  
 AHA@-2840/2VL  
 AHA@-2940/4/W

**1776, Inc.**

*1776 DISK ARRAY SOFTWARE*

1776 Disk Array Software™ enhances system availability and disk performance under UNIX (on AT® bus, EISA and Micro Channel® systems) by providing on-line storage management, mirroring, striping, RAID arrays and dual-computer fault tolerance using Adaptec® intelligent host adapters. 1776 software achieves maximum performance and dependable recovery from disk errors, due to its built-in device driver written specifically for Adaptec SCSI host adapters.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Australia, Germany, South Africa, USA

**PERIPHERALS SUPPORTED**

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
SCO ODT 3.0		•			•				•				
SCO OpenSe 5.0		•			•				•				
UNIX-SCO 3.2.2		•			•				•				
UNIX-SCO 3.2.4		•			•				•				

**8632 SOUTH SEPULVEDA BOULEVARD • LOS ANGELES, CA 90045 •**

PHONE (310) 215-1776

E-MAIL

FAX (310) 216-1107

URL <http://1776soft.com/adaptec.htm>

**HOST ADAPTERS TESTED**

AHA@-1540/2/F/P  
 AHA@-1640  
 AHA@-1740/2/4  
 AHA@-2740/2/4/T/W  
 AHA@-2840/2VL  
 AHA@-2940/4/W

**1776, Inc.**

*1776 MULTI HOST SOFTWARE*

1776 Multi-Host provides a new higher level of high-availability using Adaptec® host adapters under SCO operating systems. Two systems are connected so that if one fails, the other takes over. Also, the user load can be shared between the two systems for higher performance. This is done by connecting the servers to a common SCSI bus and thus share common disk storage. If one system should fail, the other can take over its operations automatically and almost instantly, and have immediate access to up-to-date user data. By including fault-tolerant device drivers designed specifically for Adaptec host adapters, a very high level of reliability is achieved.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Australia, Germany, South Africa, USA

**PERIPHERALS SUPPORTED**

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
<b>UNIX-SCO 3.2.4</b>		•			•				•				
<b>SCO ODT 3.0</b>		•			•				•				
<b>SCO OpenSe 5.0</b>		•			•				•				
<b>UNIX-SCO 3.2.2</b>		•			•				•				

**8632 SOUTH SEPULVEDA BOULEVARD • LOS ANGELES, CA 90045 •**

PHONE (310) 215-1776

E-MAIL

FAX (310) 216-1107

URL <http://1776soft.com/adaptec.htm>

**HOST ADAPTERS TESTED**

- AHA@-1540/2/F/P
- AHA@-2740/2/4/T/W
- AHA@-2840/2VL
- AHA@-2940/4/W
- AHA@-2940AU
- AHA@-3940/W
- AHA@-3980/5/W

# Adaptec, Inc.

*ADAPTEC® CI/O™*

With easy to use Adaptec® CI/O™ software, managers can monitor all SCSI peripheral devices connected to servers by Adaptec® host adapters.

Using Adaptec® CI/O™ software on any Windows® client, managers can remotely monitor the I/O performance of any server on the network from a single central location. Managers can install the latest device drivers from a remote location as well.

Adaptec® CI/O™ software automatically detects failure of any SCSI device on a network server and notifies the manager immediately. With a clear view of I/O traffic, managers can spot bottlenecks and act quickly to balance I/O loads to optimize performance among SCSI devices. Adaptec® CI/O™ improves the manageability of any size network--from a single server to a global network.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
NetWare	3.12+	•	•	•	•	•	•	•	•	•	•	•	•

**691 S MILPITAS BLVD • MILPITAS, CA • USA**

PHONE 1-800-934-2766

TOLL FREE 1-800-934-2766

E-MAIL sales@adaptec.com

FAX 408-262-2533

URL http://www.adaptec.com



**HOST ADAPTERS TESTED**

AHA@-1520/2  
 AHA@-1540/2/F/P  
 AHA@-1640

**Corel Corporation***CORELRAID*

CorelRAID™, a software solution for data security, is a cost-effective way to safeguard your network data. At a fraction of the cost of proprietary hardware solutions, CorelRAID provides fault-tolerant network performance with minimum disk space overhead.

CorelRAID supports RAID levels 4 and 5 in the NetWare 3.11 environment. With a minimum of three SCSI hard drives and any ASPI-compatible SCSI controller, you can install several arrays in minutes. If a drive failure occurs, arrays are repaired with no downtime using either the “hot swap” or “hot standby” features.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

NetWare

**1600 CARLING AVENUE • OTTAWA, ONTARIO K1Z 8R7 • CANADA**

PHONE (613) 728-8200

TOLL FREE (800) 836-7274

E-MAIL

FAX (613) 728-9790

URL

**HOST ADAPTERS TESTED**

- AHA@-1510
- AHA@-1520/2
- AHA@-1740/2/4
- AHA@-2740/2/4/T/W
- AHA@-2840/2VL
- AHA@-2940/4/W

# Delphi Data

## RAIDER EO ARRAYS

The RAIDer™ series of disk arrays and EO disk arrays provide unique hardware solutions for desktop to mainframe computer systems. Configurations include RAID 0, 1, or 1+ and 10+. Our patented concurrent backup can copy data to tape or optical media without the need to shutdown running applications.

The RAIDer series of JukeBox arrays have configurations including one (1) or more JukeBox mechanisms. A single SCSI ID can control a mirrored set of mechanisms providing transparent redundancy. Tape backup of a JukeBox can be performed offline or concurrently during normal operation.

All systems include an integrated data cache, up to 256Mb per CacheBox, which greatly improves performance.

**LANGUAGE(S) SUPPORTED**

English, French, German, Italian, Spanish, and Russian

**PRODUCTS AVAILABLE IN**

Canada, England, Germany, Holland, USA, Western Europe

**PERIPHERALS SUPPORTED**

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
LANMan	•	•	•	•	•	•			•				
NetWare	•	•	•	•	•	•			•				
OS/2	•	•	•	•	•	•			•				
UNIX	•	•	•	•	•	•			•				
Vines	•	•	•	•	•	•			•				
DOS	•	•	•	•	•	•			•				
Windows®	•	•	•	•	•	•			•				

**9069 CAJALCO ROAD • CORONA, CA 91719 •**

PHONE (909) 279-7955  
 FAX (909) 279-7957

TOLL FREE (800) -DELPHI5

E-MAIL 76470.1544@compuserve.com  
 URL

**HOST ADAPTERS TESTED**

- AHA@-1510
- AHA@-1520/2
- AHA@-1740/2/4
- AHA@-2740/2/4/T/W
- AHA@-2840/2VL
- AHA@-2940/4/W

# Delphi Data

## RAIDER JUKEBOX ARRAYS

The RAIDER™ series of disk arrays and EO disk arrays provide unique hardware solutions for desktop to mainframe computer systems. Configurations include RAID 0, 1, or 1+ and 10+. Our patented concurrent backup can copy data to tape or optical media without the need to shutdown running applications.

The RAIDER series of JukeBox arrays have configurations including one (1) or more JukeBox mechanisms. A single SCSI ID can control a mirrored set of mechanisms providing transparent redundancy. Tape backup of a JukeBox can be performed offline or concurrently during normal operation.

All systems include an integrated data cache, up to 256Mb per CacheBox, which greatly improves performance.

**LANGUAGE(S) SUPPORTED**

English, French, German, Italian, Spanish, and Russian

**PRODUCTS AVAILABLE IN**

Canada, England, Germany, Holland, USA, Western Europe

**PERIPHERALS SUPPORTED**

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
<b>Windows®</b>		•			•								
<b>Vines</b>	•	•	•	•	•	•			•				
<b>UNIX</b>	•	•	•	•	•	•			•				
<b>OS/2</b>	•	•	•	•	•	•			•				
<b>NetWare</b>	•	•	•	•	•	•			•				
<b>DOS</b>		•			•								
<b>LANMan</b>	•	•	•	•	•	•			•				

**9069 CAJALCO ROAD • CORONA, CA 91719 •**

PHONE (909) 279-7955 TOLL FREE (800) -DELPHI5 E-MAIL 76470.1544@compuserve.com  
 FAX (909) 279-7957 URL

**HOST ADAPTERS TESTED**

- AHA@-1510
- AHA@-1520/2
- AHA@-1740/2/4
- AHA@-2740/2/4/T/W
- AHA@-2840/2VL
- AHA@-2940/4/W

# Delphi Data

*RAIDER CACHEBOX ARRAYS*  
*RAIDER WRITABLE CD ARRAYS*

The RAIDer™ series of disk arrays and EO disk arrays provide unique hardware solutions for desktop to mainframe computer systems. Configurations include RAID 0, 1, or 1+ and 10+. Our patented concurrent backup can copy data to tape or optical media without the need to shutdown running applications.

The RAIDer series of JukeBox arrays have configurations including one (1) or more JukeBox mechanisms. A single SCSI ID can control a mirrored set of mechanisms providing transparent redundancy. Tape backup of a JukeBox can be performed offline or concurrently during normal operation.

All systems include an integrated data cache, up to 256 Mb per CacheBox, which greatly improves performance.

**LANGUAGE(S) SUPPORTED**

English, French, German, Italian, Spanish, and Russian

**PRODUCTS AVAILABLE IN**

Canada, England, Germany, Holland, USA, Western Europe

**PERIPHERALS SUPPORTED**

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
NetWare	•	•	•	•	•	•			•				
Vines	•	•	•	•	•	•			•				
DOS	•	•	•	•	•	•			•				
LanMan	•	•	•	•	•	•			•				
OS/2	•	•	•	•	•	•			•				
Windows®	•	•	•	•	•	•			•				
UNIX	•	•	•	•	•	•			•				

**9069 CAJALCO ROAD • CORONA, CA 91719 •**

PHONE (909) 279-7955 TOLL FREE (800) -DELPHI5 E-MAIL 76470.1544@compuserve.com  
 FAX (909) 279-7957 URL



**HOST ADAPTERS TESTED**

AHA@-1540/2/F/P  
AHA@-1640  
AHA@-1740/2/4  
AHA@-2740/2/4/T/W  
AHA@-2840/2VL  
AHA@-2940/4/W

# Florida Datamation

## DATA ON DEMAND

Data On Demand is a fault tolerance disk array with user programmable RAID 0, 3 and 5. It supports up to 24GB with desk side and 96GB with rack mount. Features include hot swap data and power modules, and redundant fan and I/O control.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

USA

**PERIPHERALS SUPPORTED**

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

DOS	•
LanMan	•
QNX2	•
QNX4	•
THEOS	•
Vines	•
Windows®	•

**AMTEC CENTER 6405 CONGRESS AVE, SUITE 140 • BOCA RATON, FL 33487 •**

PHONE (407) 241-2966 TOLL FREE (800) 642-5938 E-MAIL sales@fdma.com  
FAX (407) 241-3108 URL

**HOST ADAPTERS TESTED**

AHA@-1520/2  
 AHA@-1540/2/F/P  
 AHA@-1740/2/4  
 AHA@-2740/2/4/T/W  
 AHA@-2940/4/W  
 AHA@-2940/4/U/UW

# HCL Hewlett Packard Ltd.

*BUSY BEE AND METEOR*

The HCL-Hewlett Packard Busy Bee and Meteor Systems are developed in India for use in the Indian market. They are highly scalable designs starting from home PC low-end configurations to large business UNIX and NetWare servers.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

India

**PERIPHERALS SUPPORTED**

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
<b>DOS</b>	•	•	•		•				•	•	•		
<b>NetWare</b>	•	•	•		•				•	•	•		
<b>Windows®</b>	•	•	•		•				•	•	•		
<b>UNIX</b>	•	•	•		•				•	•	•		
<b>OS/2</b>	•	•	•		•				•	•	•		

**E4, E5, E6 SECTOR 11 NOIDA • DIST GHAZIABAD, 201301 • INDIA**

PHONE 91-11-8531353

E-MAIL

FAX 91-11-8521113

URL

**HOST ADAPTERS TESTED**

AHA@-1640  
 AHA@-1740/2/4  
 AHA@-2740/2/4/T/W  
 AHA@-2940/4/W  
 AHA@-3940/W

**LANGUAGE(S) SUPPORTED****PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

## Legacy Storage Systems

*SMART ARRAY®, SMART ARRAY XE*

Legacy's SmartArray® family of disk array subsystems offer the best combination of performance and fault tolerance for mission-critical servers. Available as either a storage tower or rack-mount, SmartArray subsystems accommodate every major storage technology: hard disk, CD-ROM, and tape (DAT, QIC, and 8mm). Devices and power supplies are hot-swappable for zero-downtime applications. The advanced intelligent monitor displays device, power supply, temperature, and fan status. It also monitors RAID rebuilds and detects duplicate SCSI IDs. Visual and audio alarms indicate error conditions, and messages can be broadcast by MHS or SNMP, or via pager.

SmartArray supports up to 6 SCSI-3 Fast/Wide buses, and all major operating systems.

Canadian Corporate Headquarters  
 43 Riviera Drive  
 Markham, Ontario L3R 5J6  
 Canada  
 Tel: (905)475-1077  
 Fax: (905)475-1088

**138 RIVER ROAD SUITE 204 • ANDOVER, MA 01810 • USA**

PHONE (508) 681-8400

TOLL FREE (800) 966-6442

E-MAIL

FAX (508) 689-9004

URL

**HOST ADAPTERS TESTED**

AHA@-1540/2/F/P  
 AHA@-1740/2/4  
 AHA@-2740/2/4/T/W  
 AHA@-2940/4/W  
 AHA@-3940/W

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**


---

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

---

# Logicraft Information Systems

## *THE JUKEBOX MANAGER*

The Jukebox Manager™ option for Logicraft's LanCD™ network server software provides a versatile solution for networked access to archived CD-ROM storage. It is modular in design, hardware independent and non-vendor specific for jukebox support. Features include Document Image Management, static directory or platter caching and DDC (dynamic hard disk cache), asynchronous access, multiple jukebox support, Intelligent Optical Reader Selection, local on-line management, and support for up to 1280 platters and 56 readers per LanCD server. With up to 10 servers per client, each user could have access to more than 12 thousand CD-ROM discs.

**22 COTTON ROAD • NASHUA, NH 03063 •**

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL [sales@logicraft.com](mailto:sales@logicraft.com)

FAX (603) 880-7229

URL <http://www.logicraft.com>

**HOST ADAPTERS TESTED**

AHA@-1540/2/F/P  
 AHA@-1740/2/4  
 AHA@-2740/2/4/T/W  
 AHA@-2940/4/W  
 AHA@-3940/W

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**


---

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

---

# Logicraft Information Systems

*FASTCD™, LANCD*

FastCD™ is an option available with Logicraft's LanCD™ networking software for providing multiple concurrent access to CD-ROM applications in a multi-platform, multi-protocol networking environment. FastCD creates "virtual CD-ROM discs" on fast, high performance SCSI hard drives by caching the entire contents of a CD-ROM in its native format onto a FastCD partition of the hard disk, providing users with easy access to their CD-ROM applications at hard disk speeds up to 300 times faster than standard CD-ROM drives. FastCD software includes comprehensive status reports, multimedia support, and asynchronous disk access for higher throughput during multiple concurrent accessing.

**22 COTTON ROAD • NASHUA, NH 03063 •**

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL [sales@logiccraft.com](mailto:sales@logiccraft.com)

FAX (603) 880-7229

URL <http://www.logiccraft.com>

**HOST ADAPTERS TESTED**

AHA®-2740/2/4/T/W

# Logicraft Information Systems

*CDEXECUTIVE™ CD-ROM NETWORK SERVER*

The CDexecutive /XF5500 CD-ROM network server provides a turnkey solution for multiple concurrent accesses to CD-ROM applications in a multi-platform, multi-protocol environment. The Pentium™ based XF hardware architecture is bundled with Logicraft's high performance CDexecutive Management Center software that automatically monitors and manages CD-ROM applications as a background Windows NT™ service. Client support includes Windows® 95, Windows® for Workgroups, Macintosh® and NetWare clients. The XF server holds up to 14 SCSI devices and comes equipped with IDE hard drive, network interface card, floppy drive and SCSI host adapters. It runs at 120MHz, has 32MB of RAM and supports up to 56 SCSI devices.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**

---

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

---

**22 COTTON ROAD • NASHUA, NH 03063 •**

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL [sales@logicraft.com](mailto:sales@logicraft.com)

FAX (603) 880-7229

URL <http://www.logicraft.com>

**HOST ADAPTERS TESTED**

AHA@-1520/2  
 AHA@-1540/2/F/P  
 AHA@-1640  
 AHA@-1740/2/4  
 AHA@-2740/2/4/T/W  
 AHA@-2940/4/W  
 AHA@-3940/W

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

# Logicraft Information Systems

## *LANCD™ CD-ROM NETWORK SERVERS*

The LanCD/XF family of CD-ROM network servers provides a turnkey solution for multiple concurrent accesses to CD-ROM applications in a multi-platform, multi-protocol environment. The Pentium™ based XF hardware architecture is bundled with Logicraft's high-performance LanCD and FastCD™ software that supports DOS, Windows® and Windows® 95 clients. Optional support is available for Windows NT® and Macintosh clients. Each chassis holds up to 14 SCSI devices and comes equipped with IDE hard drive, network interface card, floppy drive and SCSI host adapters. The XF5300 runs at 75MHz, has 16MB of RAM and expands to 28 drives. The XF5500 runs at 120MHz, has 32MB and supports up to 56 drives.

**22 COTTON ROAD • NASHUA, NH 03063 •**

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL [sales@logiccraft.com](mailto:sales@logiccraft.com)

FAX (603) 880-7229

URL <http://www.logiccraft.com>

**HOST ADAPTERS TESTED**

AHA@-1510  
 AHA@-1520/2  
 AHA@-1540/2/F/P  
 AHA@-1640  
 AHA@-1740/2/4  
 AHA@-2740/2/4/T/W

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

USA

**PERIPHERALS SUPPORTED**

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

# Media Integration, Inc.

## *INTELLIGENT STORAGE*

Intelligent Storage™ is a fault-tolerant SCSI storage subsystem for hard disks, optical disks and tape drives. Features include distributed power with redundant, hot removable and replaceable power supplies and removable storage devices, including those with removable media. It provides the highest level of fault tolerant, redundant power and removability while continuing full operation. It will accept any standard 5.25" or 3.5" storage device.

**3949 RESEARCH PARK COURT SUITE 190 • SOQUEL, CA 95073 • USA**

PHONE (408) 475-9400

TOLL FREE (800) 824-7385

E-MAIL

FAX (408) 475-0110

URL



**HOST ADAPTERS TESTED**

AHA@-1540/2/F/P  
 AHA@-2840/2VL  
 AHA@-3940/W

# Optisys

*GLOBALNET*

GlobalNet™ storage servers provide Novell Network access to optical jukeboxes, including CD-ROM, Erasable and WORM (Write Once Read Many) technologies. Notable for its ease of installation, use and its speed.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
<b>Windows®</b>	•		•	•		•			•			•	
<b>DOS</b>	•		•	•		•			•			•	
<b>NetWare</b>	•		•	•		•			•			•	

**9250 NORTH 43RD AVENUE, SUITE 12 • GLENDALE, AZ 85302 •**

PHONE (602) 997-9699 TOLL FREE (800) 327-1271 E-MAIL  
 FAX (602) 944-4051 URL

**HOST ADAPTERS TESTED**

AHA@-2940/4/W

# Symbios Logic

*METASTOR*

MetaStor disk array products provide high performance RAID in addition to other features that contribute to continuous data availability.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

NetWare

•

Windows NT

•

**3718 N ROCK ROAD • WICHITA, KS 67226 • USA**

PHONE (316) 636-8000

TOLL FREE (800) 440-5606

E-MAIL

FAX (316) 636-8889

URL

**HOST ADAPTERS TESTED**

AHA@-1520/2  
 AHA@-1540/2/F/P  
 AHA@-1640  
 AHA@-1740/2/4  
 AHA@-2740/2/4/T/W  
 AHA@-2940/4/W  
 AHA@-3940/W

# Unitrol Data Protection Systems, In

## IMMUNITY

Immunity® Disk Mirroring Software v2.2 is a cost-effective RAID 1 product that provides system fault tolerance for DOS and Windows based PCs and LANs. The device driver duplicates (or mirrors) every “save” to two hard disks through one or two (duplexed) controllers/host adapters. If one of the hard disks fails, the device driver instantly re-routes all reads and writes to the remaining hard disk with no loss of time, defaults or data.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Canada  
 USA

**PERIPHERALS SUPPORTED**

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
<b>Windows® 3.0</b>			•									•	
<b>DOS 3.3</b>			•									•	

**777-1177 WEST HASTINGS STREET • VANCOUVER, BC V6E 2K3 • CANADA**

PHONE (604) 681-3611 TOLL FREE (800) 665-2212 E-MAIL  
 FAX (604) 681-3615 URL