

**HOST ADAPTERS TESTED**

- APA™-348
- APA™-358
- APA™-1460
- AVA™-1505
- AHA@-1510
- AVA™-1515
- AHA@-1520/2
- AHA@-1530/2P
- AHA@-1540/2/F/P
- AHA@-1640
- AHA@-1740/2/4
- AHA@-2740/2/4/T/W
- AHA@-2840/2VL
- AHA@-2920
- AHA@-2940/4/W
- AHA@-2940AU
- AHA@-3940/W
- AHA@-3940U/UW

**LANGUAGE(S) SUPPORTED**

English, French, German, Italian, Japanese, Portuguese, Spanish

**PRODUCTS AVAILABLE IN**

Worldwide

# Adaptec, Inc.

ADAPTEC® EZ-SCSI®

If you have, or are planning to add, SCSI peripherals like tape or disk drives, CD-ROM drives, recordable CD-R drives, magneto-optical drives, or scanners, Adaptec EZ-SCSI® software provides everything you need to manage and take full advantage of each device.

Adaptec EZ-SCSI software is a suite of 32-bit practical applications and power tools that are remarkably easy to install and use. Simple desktop controls give you immediate access to any function. A unique online tutorial explains everything you need to know about SCSI in easy-to-understand terms.

**Key benefits:**

- \* Easiest way to manage SCSI peripherals
- \* For Windows operating systems
- \* Includes these practical applications: Adaptec Easy-CD Backup™, QuickScan™, Audio CD player, Photo CD Viewer, CD Writer, and CD Copier
- \* Includes these powerful tools: SCSI Explorer™ (Power Management, SCSI Interrogator™, Read/Write Disk Cache tool), SCSI Tutor™, SCSI Bench™ and Drive Light™.

**PERIPHERALS SUPPORTED**

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
<b>Windows®95</b>	•		•		•	•							
<b>Windows® 3.1+</b>	•		•		•	•				•			
<b>Win for Wkgr 3.1+</b>	•		•		•	•				•			
<b>DOS 6.0</b>	•		•		•	•				•			
<b>Windows NT 3.51</b>	•		•							•			

**691 S MILPITAS BLVD • MILPITAS, CA • USA**

PHONE 1-800-934-2766

TOLL FREE 1-800-934-2766

E-MAIL sales@adaptec.com

FAX 408-262-2533

URL http://www.adaptec.com

**HOST ADAPTERS TESTED**

AHA@-1540/2/F/P

# Analogic Corporation

*DASM-VIP*

The DASM-VIP Video Image Processor combines a video frame grabber and a 33-Megaflop DSP into an external unit that attaches to a SCSI port. The DASM-VIP acquires, processes and displays 24-bit color or 8-bit monochrome video images. Imaging functions can run on the DSP using an on-board real-time operating system. The DASM-VIP is a cost-effective solution for commercial OEM and scientific applications. Captures at 30fps from RGB, NTSC, S-Video or RS-170 video sources. Supported on DOS, Windows and UNIX operating systems.

**LANGUAGE(S) SUPPORTED****PRODUCTS AVAILABLE IN**

Canada  
UK  
USA

**PERIPHERALS SUPPORTED**


---

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

---

**8 CENTENNIAL DRIVE • PEABODY, MASS 01960 • USA**

PHONE (508) 977-3000

E-MAIL

FAX (508) 977-6813

URL

**HOST ADAPTERS TESTED**

AHA@-1510  
 AHA@-1520/2  
 AHA@-1540/2/F/P  
 AHA@-1640  
 AHA@-1740/2/4  
 AHA@-2740/2/4/T/W

# Binary Image Pty Ltd.

*TELEMEDICINE*

Telemedicine is based on the 'genuine' Intel microcomputer and the Microsoft Windows operating system. It provides the ability to digitally capture, archive, transmit, network, enhance and print images from all diagnostic imaging modalities, including x-ray, pathology, C.T., ultrasound, M.R.I., and nuclear medicine.

**LANGUAGE(S) SUPPORTED**

English, and Arabic

**PRODUCTS AVAILABLE IN**

Australia, Saudi Arabia, USA

**PERIPHERALS SUPPORTED**

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
Win for Wkgr	•	•	•	•	•		•		•	•	•		
Windows NT	•	•	•	•	•		•		•	•	•		
Windows®95	•	•	•	•	•		•		•	•	•		
DOS 6.0						•		•					

**184 WARRIGAL ROAD • OAKLEIGH, VICTORIA 3166 • AUSTRALIA**

PHONE 61-3-9563-8699

E-MAIL [baker@melbpc.org.au](mailto:baker@melbpc.org.au)

FAX 61-3-9563-7446

URL

**HOST ADAPTERS TESTED**

- AVA™-1505
- AHA@-1510
- AVA™-1515
- AHA@-1520/2
- AHA@-1530/2P
- AHA@-1540/2/F/P
- AHA@-1640
- AHA@-1740/2/4
- AHA@-2740/2/4/T/W
- AHA@-2825VL
- AHA@-2840/2VL
- AHA@-2910A/Ai
- AHA@-2940/4/W
- AHA@-3940/W
- AHA@-3980/5/W

# Cirrus Technology, Inc.

*UNITE NET®*

Unite Net® is a PC LAN-based document/image management system and available for the Windows NT or OS/2 environment. Unite Net® is a complete solution for data capturing, purifying and storage management. Various optional components are available to direct the flow of data throughout the system such as OCR, COLD and Workflow.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

USA

**PERIPHERALS SUPPORTED**

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
<b>Windows NT</b>	•		•	•	•	•		•	•	•	•	•	•
<b>OS/2</b>	•		•	•	•	•		•	•	•	•	•	•

**5301 BUCKEYSTOWN PIKE, 4TH FLOOR • FREDERICK, MD 21704 • US**

PHONE (301)698-1900

E-MAIL sales@cirunite.com

FAX (301)698-1909

URL http://www.cirunite.com

**HOST ADAPTERS TESTED**

- AVA™-1505
- AHA@-1510
- AVA™-1515
- AHA@-1520/2
- AHA@-1530/2P
- AHA@-1540/2/F/P
- AHA@-1640
- AHA@-1740/2/4
- AHA@-2740/2/4/T/W
- AHA@-2825VL
- AHA@-2840/2VL
- AHA@-2910A/Ai
- AHA@-2940/4/W
- AHA@-3940/W
- AHA@-3980/5/W

# Cirrus Technology, Inc.

*UNITELITE®*

Unitelite is a folder and document management application designed for personal or small workgroup use. With UnitLite, users can scan, view, print and fax images. Many image formats are supported. Advanced features include zooming, rotating and annotation images.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

USA

**PERIPHERALS SUPPORTED**

---

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

---

OS/2

• • •

**5301 BUCKEYSTOWN PIKE, 4TH FLOOR • FREDERICK, MD 21704 • US**

PHONE (301)698-1900

E-MAIL [sales@cirunite.com](mailto:sales@cirunite.com)

FAX (301)698-1909

URL <http://www.cirunite.com>

**HOST ADAPTERS TESTED**

AHA@-1520/2  
 AHA@-1540/2/F/P  
 AHA@-1640

# Corel Corporation

## CORELSCSI PRO

CorelSCSI Pro® is a high-performance software product designed to maximize SCSI performance. CorelSCSI Pro provides: support for SCSI scanners to scan images into any TWAIN-compliant graphics program; a CD-ROM server application that allows network users to retrieve recently-accessed information with essentially no delay; and a utility that writes information to a compact disc using a CD-Recorder. These features and others are available using an intuitive and friendly interface.

**LANGUAGE(S) SUPPORTED**

English, French, German

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**

		CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
<b>Windows®</b>	<b>3.0+</b>	•	•	•	•	•		•	•		•			
<b>OS/2</b>	<b>2.0</b>	•		•	•				•					
<b>NetWare</b>	<b>3.11</b>	•		•	•		•		•					
<b>DOS</b>	<b>5.0</b>	•	•	•	•	•		•	•					

**1600 CARLING AVENUE • OTTAWA, ONTARIO K1Z 8R7 • CANADA**

PHONE (613) 728-8200 TOLL FREE (800) 836-7274 E-MAIL  
 FAX (613) 728-9790 URL

**HOST ADAPTERS TESTED**

- APA™-1460
- AHA@-1510
- AHA@-1520/2
- AHA@-1530/2P
- AHA@-1540/2/F/P
- AHA@-1640
- AHA@-2840/2VL
- AHA@-2940/4/W

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Worldwide

# Cornerstone Imaging, Inc. Storage

## MDMI

The Optical File System (OFS) for optical drives software package provides access to standalone and daisy-chained optical disk drives or rapidchangers under DOS- and PC-based networks, including all versions of NetWare, Banyan, 3Com®, LAN Manager, LANtastic, OS/2 2.x, 3.x and Warp, Windows 95 and Windows NT. MDMI supports most 5.25- and 12-inch optical disk drives. Data stored on optical disks using the OFS are transportable to jukebox versions of the Optical File System software. The software treats a single or entire daisy-chain of optical drives as one drive designator under Novell DOS and the network systems supported. Each side of an optical disk platter under the assigned drive letter then appears as a subdirectory and is fully accessible through normal operating system commands.

**PERIPHERALS SUPPORTED**

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
Windows®95	•		•	•		•		•					
Windows NT	•		•	•		•		•					
Windows®			•	•		•		•					
Vines			•	•		•		•					
OS/2	•		•	•		•		•					
NetWare	•		•	•		•		•					
LANMan			•	•		•		•					
DOS			•	•		•		•					

**1600 SOUTH MAIN STREET • WALNUT CREEK, CA 94596 •**

PHONE (510) 938-5340

E-MAIL

FAX (510) 938-5341

URL

**HOST ADAPTERS TESTED**

- APA™-1460
- AHA@-1510
- AHA@-1520/2
- AHA@-1540/2/F/P
- AHA@-1640
- AHA@-2840/2VL
- AHA@-2940/4/W

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Worldwide

# Cornerstone Imaging, Inc. Storage

*OJMI*

The Optical File System (OFS) for optical drives software package provides access to standalone and daisy-chained optical disk drives or rapidchangers under DOS- and PC-based networks, including all versions of NetWare, Banyan, 3Com®, LAN Manager, LANtastic, OS/2 2.x, 3.x and Warp, Windows 95 and Windows NT. MDMI supports most 5.25- and 12-inch optical disk drives. Data stored on optical disks using the OFS are transportable to jukebox versions of the Optical File System software. The software treats a single or entire daisy-chain of optical drives as one drive designator under Novell DOS and the network systems supported. Each side of an optical disk platter under the assigned drive letter then appears as a subdirectory and is fully accessible through normal operating system commands.

**PERIPHERALS SUPPORTED**

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
NetWare			•	•		•		•					
Windows®95			•	•		•		•					
Windows NT			•	•		•		•					
DOS			•	•		•		•					
OS/2	•		•	•		•		•					
Windows®			•	•		•		•					
LANMan			•	•		•		•					
Vines			•	•		•		•					

**1600 SOUTH MAIN STREET • WALNUT CREEK, CA 94596 •**

PHONE (510) 938-5340  
 FAX (510) 938-5341

E-MAIL  
 URL



**HOST ADAPTERS TESTED**

AHA@-1510  
 AHA@-1520/2  
 AHA@-1540/2/F/P  
 AHA@-1640

# Courtland Group, Inc.

## *COURTLAND INTELLIGENT IMAGE CACHING SYSTEM*

The Courtland Intelligent Image Caching System (IICS) is designed for multiuser and jukebox-based optical imaging systems. IICS eliminates the workflow bottlenecks which occur when there are multiple requests for images or when optical redirectors are needed. The IICS system performs three simultaneous tasks: operating as an image caching server, high-speed print server, and network FAX server. IICS operates on Courtland's popular Ultra PLUS and Ultra optical platforms in either DOS or Windows and interfaces with a wide range of optical drives and jukeboxes. IICS is also available in a 'remote' version for support of additional jukebox, faxing or high-speed printing locations.

**LANGUAGE(S) SUPPORTED**

Chinese, English, Spanish

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
<b>Windows®</b>	•		•	•		•	•	•	•		•		
<b>DOS</b>	•		•	•		•	•	•	•		•		

**10500 LITTLE PATUXENT PKWY SUITE 850 • COLUMBIA, MD 21044 • US**

PHONE (410) 730-7668

E-MAIL

FAX (410) 730-8271

URL

**HOST ADAPTERS TESTED**

APA™-348  
APA™-358  
AHA@-1510  
AHA@-1520/2  
AHA@-1540/2/F/P  
AHA@-1640  
AHA@-1740/2/4  
AHA@-2740/2/4/T/W  
AHA@-2840/2VL

# Danmar Systems, Inc.

## SCSISCAN

SCSISCAN™ software consists of an ASPI module which allows an HP ScanJet® Iic, HP ScanJet Iicx, or HP ScanJet IIP scanner to be controlled directly from an Adaptec® SCSI host adapter. The driver allows applications that are compatible with the HP driver and controller to be used with non-HP controllers. This design frees up a slot in the computer and also increases performance. The SCSISCAN driver uses only 4K of RAM and can be loaded into high memory (UMBs) using most popular memory managers. The retail price of the SCSISCAN software is \$89.95. An OS/2 version of the software is also available.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

USA

**PERIPHERALS SUPPORTED**

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

<b>Windows®</b>	•
<b>DOS</b>	•
<b>OS/2</b>	•

**6031 S.W. 128 COURT • MIAMI, FL 33183 •**

PHONE (305) 388-4671 E-MAIL  
FAX (305) 388-5326 URL

**HOST ADAPTERS TESTED**

AHA@-1540/2/F/P

# ECRM Inc.

## SCRIPTSETTER

The ECRM Scriptsetter product line encompasses a range of Postscript imagesetters starting at the entry-level VR30 at 12 inches wide. The top of the line is the Knockout which images up to 18 inches wide and includes productivity features such as built in registration punches and buffering for on-line film processing. The software Postscript RIP is available for the MAC, PoweMAC, Windows® and Windows® NT. (DEC Alpha and Intel)

**LANGUAGE(S) SUPPORTED**

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
<b>Windows®</b>		•									•		
<b>Macintosh</b>		•									•		

**554 CLARK ROAD • TEWKSBURY, MA 01876 • USA**

PHONE 1-800-537-3276

TOLL FREE 1-800-537-3276

E-MAIL @ecrm.com

FAX 508-851-7016

URL

**HOST ADAPTERS TESTED**

AHA@-1510

**Fast Forward Video***OUTLAW/BANDIT*

Bandit™, the first product in the Outlaw series, is a digital peripheral device that interfaces to a variety of host computers (PC, Macintosh, SGI, Amiga). Animators can transfer image files directly to Bandit via SCSI, then play the sequence in real time, eliminating the need for expensive single-frame VTRs and controllers. It uses JPEG compression.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

USA

**PERIPHERALS SUPPORTED**


---

 CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR
 

---

**18200-C WEST MCDURMOTT • IRVINE, CA 92714 • USA**

PHONE (714) 852-8404

E-MAIL

FAX (714) 852-1226

URL

**HOST ADAPTERS TESTED**

AHA@-1520/2  
 AHA@-1540/2/F/P

# Image Machines

## *IMAGECENTER*

IMageCenter is a full-featured imaging software for large-format documents. IMageCenter capabilities include raster editing, redlining, CAD overlays and batch processing of A-J size documents. IMageCenter offers easy integration of your favorite Adaptec SCSI device through their Advanced SCSI Programming Interface (ASPI). IMageCenter supports the Vidar TruScan and Contex FSS large-format scanners. IMageCenter also supports the Photomatrix & Vidar Aperture Card Scanners and high-speed, small-format scanners like the Fujitsu M3096GX. In addition, all TWAIN compatible scanners are supported.

**LANGUAGE(S) SUPPORTED**

English, French, German,  
 Norwegian, and Korean

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**

---

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

---

Windows®



**590 HERNDON PARKWAY • HERNDON, VA 20170 • USA**

PHONE 703-709-7475

E-MAIL

FAX 703-709-8966

URL [www.imagemachines.com](http://www.imagemachines.com)

**HOST ADAPTERS TESTED**

AVA™-1505  
 AHA@-1510  
 AVA™-1515  
 AHA@-1640  
 AHA@-1740/2/4  
 AHA@-2940/4/W

# Image Technologies Developments

*WISP-PS*

PostScript Level 2 interpreters and drivers for over 60 different colour and monochrome copiers/printers. Implementations using Fast and Wide SCSI offer considerably increased printing/scanning speeds compared with standard SCSI 1 & 2 interfaces, both are supported. Wisp-PS offers PrintServer capabilities thereby facilitating both multiple printing devices from a single PrintServer and sharing of SCSI printers for printing over both local and wide area networks. ITD specializes in writing device drivers for SCSI devices, be they printers or scanners under Windows 95 and NT and offers manufacturers and distributors programming expertise and advice on how to maximize the efficiency of their SCSI printing devices.

**LANGUAGE(S) SUPPORTED**

English, French, German

**PRODUCTS AVAILABLE IN**

Australia  
 China  
 Germany  
 Italy  
 Pacific Rim  
 UK  
 USA

**PERIPHERALS SUPPORTED**

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
<b>Windows® 3.11</b>										•	•		
<b>Windows NT</b>										•	•		
<b>Windows®95</b>										•	•		

**PYRAMID HOUSE 1 MARTINDALE ROAD • HOUNSLOW WEST, MIDDLESEX, TW4 7EW • UK**

PHONE 44-181-572-5900  
 FAX 44-181-572-5188

E-MAIL  
 URL

**HOST ADAPTERS TESTED**

AHA@-1510  
AHA@-1520/2  
AHA@-1540/2/F/P  
AHA@-1640  
AHA@-1740/2/4

# Image-In Incorporated

*IMAGE-IN COLOR PROFESSIONAL*

Image-In Color Professional offers the most advanced scanning, image editing and photo retouching tools available. Mask unique areas with the resize, add, subtract, intersect, and inverse options. Powerful tool options include control of size, shape and pressure (including Windows for Pen), spacing, fadeout, paint mode, repeat rate and tool edge with the right mouse button feature. Over 20 special effect and photographic filters are included. Color separate images. Over 50 scanners are supported, as well as Twain compliant scanners. Import images from the Kodak PhotoCD, as well as TIFF, PCX, BMP, GIF, TGA, and JPEG files. Supports the Kodak XL/7700 and XLT 7720 printers through a direct export module.

**LANGUAGE(S) SUPPORTED**

English, French, German

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

Windows NT

•

Windows®

•

**1820 GATEWAY DRIVE BUILDING 3, SUITE 370 • SAN MATEO, CA 94404 • USA**

PHONE (415) 358-8500

E-MAIL

FAX (415) 358-9535

URL

**HOST ADAPTERS TESTED**

AHA@-1520/2  
AHA@-1540/2/F/P

# Interlinear Technology, Inc.

## AEDIS

AEDIS (Agile Electronic Document Information Solution) is an open and distributed UNIX-based electronic data management system. Functions include file search, revision control, archiving, and access security. Document work-flow features include user-configurable review, approval, and routing procedures for documents, drawings of any size, faxes, photos, folders (groups of files), etc. AEDIS software modules integrate with a wide variety of commercially available hardware, relational databases, and off-the-shelf software packages. AEDIS utilizes client/server architecture, distributing data processing loads across TCP/IP networks, and supports X and MS Windows user interfaces. Compliant with the CALS, type II (TRIF) raster image standard.

**LANGUAGE(S) SUPPORTED**

English, French, Japanese, and Korean

**PRODUCTS AVAILABLE IN**

France  
Japan  
Korea  
USA

**PERIPHERALS SUPPORTED**

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
<b>DOS</b>													•
<b>UNIX</b>	•	•	•	•	•	•							•

**1420 HARBOR BAY PARKWAY SUITE 281 • ALAMEDA, CA 94502 • USA**

PHONE (510) 522-5077

E-MAIL [augie@ilt.com](mailto:augie@ilt.com)

FAX (510) 522-1228

URL



**HOST ADAPTERS TESTED**

AHA@-1520/2  
AHA@-1540/2/F/P  
AHA@-1640  
AHA@-1740/2/4

# Koch Software Industries, Inc.

## IMAGE AWL

ImageAWL® is a device- independent API for scanners, designed to provide a seamless union between imaging hardware and software. By policing the device in multitasking and multiuser environments, it relieves the device conflicts with multiple applications or users, and prevents system lock outs when these conflicts arise.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

USA

**PERIPHERALS SUPPORTED**

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
<b>OS/2</b> <b>2.0</b>													
<b>Windows®</b> <b>3.1</b>													
<b>Windows NT</b>													

**P.O. BOX 3194 1097 GLENCREST DRIVE • BANNINGTON, IL 60010 • USA**

PHONE (708) 304-5544  
FAX (708) 304-4624

E-MAIL  
URL

**HOST ADAPTERS TESTED**

AHA@-1510  
AHA@-1520/2  
AHA@-1540/2/F/P  
AHA@-1740/2/4

# Laser Today International, Inc.

## *LASERLINK*

LaserLink™ CJ-10 for Windows is an application specifically designed for Canon CJ-10 (CLC/10) digital color copier. The features include: scanning and printing 400 dpi full-page color images; built-in color correction to adjust RGB; contrast; brightness; and gamma for both scan and print. Support for popular industry image file formats includes: BMP, TIFF, Targa and PCX. The built-in page layout function supports multiple-image layout in one page.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Europe  
Japan  
Korea  
Taiwan  
USA

**PERIPHERALS SUPPORTED**

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

Windows®



**1924 OLD MIDDLEFIELD WAY • MOUNTAIN VIEW, CA 94043 • USA**

PHONE (415) 961-3015

E-MAIL

FAX (415) 961-7631

URL

**HOST ADAPTERS TESTED**

AHA@-1510  
AHA@-1520/2  
AHA@-1540/2/F/P  
AHA@-1740/2/4

# Laser Today International, Inc.

## *COLORLINK*

ColorLink™ for Windows is an application designed for the Canon CJ-10 (CLC-10) digital color copier. Capabilities include: scanning and printing 400-dpi color images, faxing color images from CJ-10 flat-bed scanner, video source or the image files from the hard disk in the computer. After receiving the color FAX, the software can print the image right away, save it to print later, etc. It supports TIFF, Targa, BMP, PCX and RGB file formats.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Europe  
Japan  
Korea  
Taiwan  
USA

**PERIPHERALS SUPPORTED**

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

Windows®



**1924 OLD MIDDLEFIELD WAY • MOUNTAIN VIEW, CA 94043 • USA**

PHONE (415) 961-3015

E-MAIL

FAX (415) 961-7631

URL

**HOST ADAPTERS TESTED**

AHA@-1540/2/F/P  
 AHA@-1740/2/4  
 AHA@-2740/2/4/T/W  
 AHA@-2940/4/W  
 AHA@-3940/W

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**


---

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

---

# Logicraft Information Systems

## *THE JUKEBOX MANAGER*

The Jukebox Manager™ option for Logicraft's LanCD™ network server software provides a versatile solution for networked access to archived CD-ROM storage. It is modular in design, hardware independent and non-vendor specific for jukebox support. Features include Document Image Management, static directory or platter caching and DDC (dynamic hard disk cache), asynchronous access, multiple jukebox support, Intelligent Optical Reader Selection, local on-line management, and support for up to 1280 platters and 56 readers per LanCD server. With up to 10 servers per client, each user could have access to more than 12 thousand CD-ROM discs.

**22 COTTON ROAD • NASHUA, NH 03063 •**

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL [sales@logicraft.com](mailto:sales@logicraft.com)

FAX (603) 880-7229

URL <http://www.logicraft.com>

**HOST ADAPTERS TESTED**

AHA@-1540/2/F/P  
 AHA@-1740/2/4  
 AHA@-2740/2/4/T/W  
 AHA@-2940/4/W  
 AHA@-3940/W

**Logicraft Information Systems**

*FASTCD™, LANCD*

FastCD™ is an option available with Logicraft's LanCD™ networking software for providing multiple concurrent access to CD-ROM applications in a multi-platform, multi-protocol networking environment. FastCD creates "virtual CD-ROM discs" on fast, high performance SCSI hard drives by caching the entire contents of a CD-ROM in its native format onto a FastCD partition of the hard disk, providing users with easy access to their CD-ROM applications at hard disk speeds up to 300 times faster than standard CD-ROM drives. FastCD software includes comprehensive status reports, multimedia support, and asynchronous disk access for higher throughput during multiple concurrent accessing.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**


---

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

---

**22 COTTON ROAD • NASHUA, NH 03063 •**

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL [sales@logiccraft.com](mailto:sales@logiccraft.com)

FAX (603) 880-7229

URL <http://www.logiccraft.com>

**HOST ADAPTERS TESTED**

AHA@-2740/2/4/T/W

**Logicraft Information Systems***CDEXECUTIVE™ CD-ROM NETWORK SERVER*

The CDexecutive /XF5500 CD-ROM network server provides a turnkey solution for multiple concurrent accesses to CD-ROM applications in a multi-platform, multi-protocol environment. The Pentium™ based XF hardware architecture is bundled with Logicraft's high performance CDexecutive Management Center software that automatically monitors and manages CD-ROM applications as a background Windows NT™ service. Client support includes Windows® 95, Windows® for Workgroups, Macintosh® and NetWare clients. The XF server holds up to 14 SCSI devices and comes equipped with IDE hard drive, network interface card, floppy drive and SCSI host adapters. It runs at 120MHz, has 32MB of RAM and supports up to 56 SCSI devices.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**


---

 CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR
 

---

**22 COTTON ROAD • NASHUA, NH 03063 •**

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL [sales@logicraft.com](mailto:sales@logicraft.com)

FAX (603) 880-7229

URL <http://www.logicraft.com>

**HOST ADAPTERS TESTED**

AHA@-1520/2  
 AHA@-1540/2/F/P  
 AHA@-1640  
 AHA@-1740/2/4  
 AHA@-2740/2/4/T/W  
 AHA@-2940/4/W  
 AHA@-3940/W

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

# Logicraft Information Systems

## *LANCD™ CD-ROM NETWORK SERVERS*

The LanCD/XF family of CD-ROM network servers provides a turnkey solution for multiple concurrent accesses to CD-ROM applications in a multi-platform, multi-protocol environment. The Pentium™ based XF hardware architecture is bundled with Logicraft's high-performance LanCD and FastCD™ software that supports DOS, Windows® and Windows® 95 clients. Optional support is available for Windows NT® and Macintosh clients. Each chassis holds up to 14 SCSI devices and comes equipped with IDE hard drive, network interface card, floppy drive and SCSI host adapters. The XF5300 runs at 75MHz, has 16MB of RAM and expands to 28 drives. The XF5500 runs at 120MHz, has 32MB and supports up to 56 drives.

**22 COTTON ROAD • NASHUA, NH 03063 •**

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL [sales@logiccraft.com](mailto:sales@logiccraft.com)

FAX (603) 880-7229

URL <http://www.logiccraft.com>

**HOST ADAPTERS TESTED**

AHA@-1520/2  
AHA@-1540/2/F/P  
AHA@-2940/4/W  
AHA@-2940/4/U/UW

# Lookout Geophysical Company

*SEISCOPE/SEASCOPE*

Subsurface geo-technical images (Seismic, sonar, ground penetrating radar, etc.) are processed and displayed in real time and written to SCSI tape drives (4mm, 8mm, DLT, 3480) and processed from tape after acquisition.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
<b>Windows®</b>		•			•						•	•	
<b>DOS</b>		•			•						•	•	

**433 PARK POINT DRIVE SUITE 250 • GOLDEN, CO 80401 • USA**

PHONE 303-526-5108

E-MAIL vgoebel@aol.com

FAX 303-526-5150

URL



**HOST ADAPTERS TESTED**

APA™-1460  
 AHA@-1520/2

# Lynx System Developers, Inc.

*FINISHLYNX*

FinishLynx™ is the first film-less, fully digital “photo-finish” system. FinishLynx is a SCSI peripheral which, when attached to your PC, allows the user to time and generate results for track & field, cycling, speedskating, horse racing, and other competitive events. On-screen image processing without developing film, along with instant integration into an entrant database allow users to generate results quickly and accurately. The high bandwidth of SCSI allows input from multiple image sources to be captured simultaneously and in real time. Use of the SCSI standard enables easy platform independence.

**LANGUAGE(S) SUPPORTED**

English, French, Spanish

**PRODUCTS AVAILABLE IN**

Canada  
 International  
 USA

**PERIPHERALS SUPPORTED**

---

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

---

<b>Windows®95</b>	•
<b>Windows NT</b>	•
<b>DOS</b>	•

**175 N NEW BOSTON STREET • WOBURN, MA 01801 • USA**

PHONE (617) 935-6959 TOLL FREE (800) 989-LYNX E-MAIL [info@finishlynx.com](mailto:info@finishlynx.com)  
 FAX (617) 938-0580 URL <http://www.finishlynx.com>

**HOST ADAPTERS TESTED**

AHA@-1540/2/F/P  
 AHA@-1640  
 AHA@-1740/2/4  
 AHA@-2740/2/4/T/W  
 AHA@-2940/4/W  
 AHA@-3940/W

# Maxoptix Corporation

*T4-2600*

The T4-2600 is a new 5.25" multifunction optical disk drive with 2.6GB capacity. It provides unlimited transportable storage at an excellent value, offering unparalleled reliability, a fast seek rate up to 4.0 MB/second transfer rate and with 1 read/write cache, it delivers an outstanding performance. The T4-2600 drive conforms to ISO specifications and accepts three ISO standard media formats - 2.6GB, 1.3GB and 650MB.

This drive is reliable, affordable and high performance. The media can be written and erased more than 10,000,000 times.

**LANGUAGE(S) SUPPORTED**

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
<b>DOS</b>		•			•								
<b>Windows®</b>		•			•								

**3342 GATEWAY BLVD. • FREMONT, CA 94538 • USA**

PHONE (510) 353-9700 TOLL FREE (800) 848-3092 E-MAIL  
 FAX (510) 353-1845 URL

**HOST ADAPTERS TESTED**

AHA@-1540/2/F/P  
 AHA@-1640  
 AHA@-1740/2/4  
 AHA@-2740/2/4/T/W  
 AHA@-2940/4/W  
 AHA@-3940/W

# Maxoptix Corporation

*MAXLYB*

The Maxoptix MaxLyb family of optical auto changers utilizes the T4-2600 drives to deliver high performance and reliable specifications. The MaxLyb family covers a wide range of capacities - 26GB to over 600GB, which ensures the most useful library is available for a variety of applications.

With the MaxLyb family of optical storage libraries, Maxoptix offers the widest selection of optical library solutions and fills the price-performance gaps left by other storage technologies. With the fastest on-line access to stored data and information, they are the logical choice for those who need top performance, demonstrated reliability and future expandability at competitive prices.

**LANGUAGE(S) SUPPORTED**

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**

---

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

---

**3342 GATEWAY BLVD. • FREMONT, CA 94538 • USA**

PHONE (510) 353-9700

TOLL FREE (800) 848-3092

E-MAIL

FAX (510) 353-1845

URL

**HOST ADAPTERS TESTED**

AHA@-1520/2  
AHA@-1540/2/F/P  
AHA@-1740/2/4  
AHA@-2740/2/4/T/W

# Optical Document Technologies

## *DOCUMANAGER*

DocuManager® is a document management solution. DocuManager software provides GUI-based document scanning, indexing, storage, and retrieval services. It has an optional set of image-enabling customization tools called KeyStuffer. Typically, the software is integrated with high performance hardware to provide a complete system. With DocuManager, customers transform paper documents into electronic images, and then create automated work processes or filing systems. The primary benefits of using DocuManager are significant cost savings and increased process productivity.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

USA

**PERIPHERALS SUPPORTED**

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
<b>Windows®</b>	•	•	•	•	•	•			•	•	•	•	

**8000 ANDERSON SQUARE SUITE 300 • AUSTIN, TX 78757 •**

PHONE 512-452-0505

E-MAIL

FAX 512-452-5084

URL

**HOST ADAPTERS TESTED**

AHA@-1520/2  
 AHA@-1540/2/F/P  
 AHA@-1740/2/4  
 AHA@-2740/2/4/T/W  
 AHA@-2940/4/W

# Optical Document Technologies

## JBC OPTICAL DISK MANAGER

JBC™ is a Windows NT based-application for optical jukebox control. JBC is an API-based system that provides highly optimized sector level writing to optical media. This provides outstanding system throughput regardless of the number of image files on the media. JBC manages all aspects of the storage and retrieval of data on optical media over networks and internetworks, including data queuing and distributed caching.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

USA

**PERIPHERALS SUPPORTED**

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
Windows®	•	•	•	•	•	•			•	•	•	•	
Windows NT	•	•	•	•	•	•			•	•	•	•	

**8000 ANDERSON SQUARE SUITE 300 • AUSTIN, TX 78757 •**

PHONE 512-452-0505  
 FAX 512-452-5084

E-MAIL  
 URL

**HOST ADAPTERS TESTED**

AHA@-1510  
 AVA™-1515  
 AHA@-1540/2/F/P  
 AHA@-2740/2/4/T/W  
 AHA@-2940/4/W

# Paabo Consulting Group AB

*JVC CD-R*

The JVC CD-R is a CD-ROM burner/reader for integration with PCG Software into PC -- networks or standalone machines. The JVC CD-R can be used directly for MPEG-1 compressed video recording. Playback is done over the SCSI interface.

**LANGUAGE(S) SUPPORTED**

English, Swedish

**PRODUCTS AVAILABLE IN**

Denmark  
 Norway  
 Sweden

**PERIPHERALS SUPPORTED**

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
<b>Windows NT</b>	•												•
<b>Windows®95</b>	•												•
<b>Windows®</b>													•
<b>DOS</b>	•												•

**P.O. BOX 6144 NYA TANNEFORSVAGEN 55 • S-58006 LINKOPING, • SWEDEN**

PHONE 46-13-100-500

E-MAIL [info@pcgab.se](mailto:info@pcgab.se)

FAX 46-13-103-013

URL <http://www.pcgab.se>

**HOST ADAPTERS TESTED**

AHA@-1520/2  
AHA@-1540/2/F/P

# Paperclip Imaging Software, Inc.

*PAPERCLIP*

PaperClip for Windows is a Windows-based software application for standalone-and network-based users. It provides an integrated solution to easily organize and manage a wide range of information, including word processing, spreadsheet and multimedia files, faxes, and scanned documents - all within a user-definable folder structure.

Users can retrieve documents and folders directly from any off-the-shelf or custom-built application, as well as via host-based terminal emulation programs. An intuitive file cabinet interface provides a seamless system to centrally store information scattered throughout directories and in file cabinets. Application files and scanned documents stored in PaperClip can be viewed on-the-fly, without manually launching the associated software.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

**PERIPHERALS SUPPORTED**

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
<b>DOS</b>	•			•		•				•	•		
<b>NetWare</b>			•			•			•		•		
<b>Windows®</b>	•			•						•	•		

**3 UNIVERSITY PLAZA • HACKENSACK, NJ 07601 •**

PHONE 201-487-3503

E-MAIL

FAX 201-487-0613

URL

**HOST ADAPTERS TESTED**

APA™-348  
AHA@-1540/2/F/P  
AHA@-2940/4/W

# Paperless Corporation

## *PAPERLESS FILER 2.3*

PaperLess Filer™ 2.3 electronic document storage software allows MS-DOS PC users to manage, display, print and FAX scanned document images. PF 2.3 software works with the user's PC to electronically file large quantities of paper or FAX documents. PF 2.3 uses intelligent software compression, enabling documents to be compressed while being scanned in order to reduce storage requirements. PF 2.3 can decompress and display documents instantly. Features include zoom, pan, and rotate on display; plain paper output; optical disk support; FAX board support; and TIFF/PCX file import/export. PF 2.3 supports all MS-DOS-compatible storage devices, and more than 20 different scanners.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

USA

**PERIPHERALS SUPPORTED**

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
<b>DOS</b>	•	•	•	•	•	•	•	•	•	•	•	•	•

**1750 NORTH COLLINS SUITE 104 • RICHARDSON, TX 75080 • US**

PHONE (214) 235-4008  
FAX (214) 680-2566

TOLL FREE (800) 658-6486

E-MAIL [paper@onramp.net](mailto:paper@onramp.net)  
URL <http://www.onramp.net/~paper>



**HOST ADAPTERS TESTED**

APA™-348  
AHA@-1540/2/F/P  
AHA@-2940/4/W

# Paperless Corporation

## *PAPERLESS FILER DOCUMENT IMAGING TOOLKIT*

PaperLess Filer™ Document Imaging Toolkit™ allows developers of Clipper, FoxPro and other application programs to add complete document imaging to their applications. The toolkit is a series of MS-DOS-compatible EXE files (modules) that perform various functions. These modules create, display or print compressed bi-tonal image files in Paperless Corporation's proprietary file format. They scan and compress document images on over 40 scanners. They also display document images in graphics mode; print document images on laser printers; and export/import TIFF, PCX and DCX images. Full network support and file sharing are provided.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

USA

**PERIPHERALS SUPPORTED**

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
<b>DOS</b>	•	•	•	•	•	•	•	•	•	•	•	•	•

**1750 NORTH COLLINS SUITE 104 • RICHARDSON, TX 75080 • US**

PHONE (214) 235-4008

TOLL FREE (800) 658-6486

E-MAIL [paper@onramp.net](mailto:paper@onramp.net)

FAX (214) 680-2566

URL <http://www.onramp.net/~paper>

**HOST ADAPTERS TESTED**

APA™-348  
 AHA@-1540/2/F/P  
 AHA@-2940/4/W

# Paperless Corporation

*PAPERLESS FILER DOCUMENT IMAGING TOOLKIT FOR WIN32*

PaperLess Filer™ 2.3 Document Imaging Toolkit for WIN32 allows developers of Windows NT and Windows 95 applications to add imaging capabilities quickly and easily. The Toolkit consists of OLE Custom Controls and Applications that may be called from any Windows 32 bit application. Offering both OLE Automation and OCX controls allows the developer to add powerful multi-threaded 32 bit imaging software without relying on 16 bit software.

Features include support of Fujitsu, Ricoh and other high speed SCSI scanners, as well as TWAIN based scanners. The Toolkit also includes Windows 95-style controls to display and print images under full application control. The high speed built-in compression and decompression software supports CCITT Group III and IV fax, as well as TIFF, DCX and Microsoft At-Work Fax file formats. Full network support and file sharing is supported.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

USA

**PERIPHERALS SUPPORTED**

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
<b>Windows NT</b>	•	•	•	•	•	•	•	•	•	•			
<b>Windows®95</b>	•	•	•	•	•	•	•	•	•	•			

**1750 NORTH COLLINS SUITE 104 • RICHARDSON, TX 75080 • US**

PHONE (214) 235-4008  
 FAX (214) 680-2566

TOLL FREE (800) 658-6486

E-MAIL [paper@onramp.net](mailto:paper@onramp.net)  
 URL <http://www.onramp.net/~paper>

**HOST ADAPTERS TESTED**

APA™-348  
AHA@-1540/2/F/P  
AHA@-2940/4/W

# Paperless Corporation

## *PAPERLESS FILER DOCUMENT VIEWER*

PaperLess Filer Document Viewer™ can scan, display and print document images. It can be run as a stand-alone application, as an in-place OLE object, or driven from another program using OLE Automation. Programs that support OLE can insert imaging objects by using PFDV. When invoked from OLE, PFDV adds its imaging capabilities to the application's menus and toolbars. PFDV supports SCSI scanners thru ASPI. Any number of different scan settings can be saved and loaded by type of document. PFDV features the Windows 95 style user interface; including dockable tool-bars, property sheets, drag and drop, context sensitive help and long file names.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

USA

**PERIPHERALS SUPPORTED**

---

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

---

**Windows®95**  
**Windows NT**

- 
- 

**1750 NORTH COLLINS SUITE 104 • RICHARDSON, TX 75080 • US**

PHONE (214) 235-4008

TOLL FREE (800) 658-6486

E-MAIL [paper@onramp.net](mailto:paper@onramp.net)

FAX (214) 680-2566

URL <http://www.onramp.net/~paper>

**HOST ADAPTERS TESTED**

AHA@-2940/4/U/UW  
AHA@-3940/W  
AHA@-3940U/UW

# Pioneer Hi-Fi (GB) Ltd.

*PIONEER*

Pioneer, the leading manufacturer of optical disc technology has developed a solution utilizing it's high storage CD-ROM autochanger. This solution provides stored video clips directly to designated PC's. The Video Browse Server enables users to view the whole of a video library on a PC. This application has a user friendly and logical GUI. The video clips never physically leave the library, hence no time lost tracing material. All of the video is held on CD-ROMs locked away in a 500 disk autochanger. Initially by the use of alphanumeric entries a search can be narrowed down to several titles. A selected title gives further indexed information on the clip and also more importantly at least two thumbnails. The chosen clip can then be viewed on a PC terminal. By selecting various clips the user automatically generates a clip list. This file can then be sent to the compiling station on the network. The compiling station then assembles the request on any chosen broadcast medium- D1, D2, D3, D5, Digital Betacam, Betacam, Disc etc.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

Windows NT

• • • • •

**1 LAMBOLLE PLACE • LONDON, NW34PD • ENGLAND**

PHONE 144-1717940888

E-MAIL

FAX 144-01753-789539

URL