

HOST ADAPTERS TESTED

- APA™-1460
- AVA™-1505
- AHA@-1510
- AVA™-1515
- AHA@-1520/2
- AHA@-1530/2P
- AHA@-1540/2/F/P
- AHA@-1640
- AHA@-1740/2/4
- AHA@-2740/2/4/T/W
- AHA@-2840/2VL
- AHA@-2940/4/W
- AHA@-3940/W

LANGUAGE(S) SUPPORTED

English, German, Japanese

PRODUCTS AVAILABLE IN

Worldwide

Digital Instrumentation Technology

TRANSFERPRO

TransferPro™ allows you to read and write Macintosh files directly from your PC. TransferPro is a fast and easy file transfer solution. TransferPro reads, writes and formats Macintosh media including SyQuest™, Bernoulli™, Iomega™ Zip, data shuttle drives, Pinnacle Micro™, Sony™, MOST™, Ricoh™ and other magneto-optical drives, SCSI hard drives and CD-ROM drives. TransferPro features graphics viewers and converters and a high quality, easy to use Windows-based installer with an automatic configuration feature. TransferPro is available for Windows, Windows 95 and Windows NT.

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
Windows NT	•		•			•	•						•
Windows®	•		•			•	•						•
Sun/OS	•		•		•	•	•						•
Solaris	•		•		•	•	•						•

127 EASTGATE DR. #20500 • LOS ALAMOS, NM 87544 •

PHONE (505) 662-1459

TOLL FREE (800) 467-1459

E-MAIL tpro-request@dit.com

FAX (505) 662-0897

URL <http://www.dit.com>

HOST ADAPTERS TESTED

AHA@-1540/2/F/P
 AHA@-1740/2/4
 AHA@-2740/2/4/T/W
 AHA@-2940/4/W
 AHA@-3940/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

Logicraft Information Systems

FASTCD™, LANCD

FastCD™ is an option available with Logicraft's LanCD™ networking software for providing multiple concurrent access to CD-ROM applications in a multi-platform, multi-protocol networking environment. FastCD creates "virtual CD-ROM discs" on fast, high performance SCSI hard drives by caching the entire contents of a CD-ROM in its native format onto a FastCD partition of the hard disk, providing users with easy access to their CD-ROM applications at hard disk speeds up to 300 times faster than standard CD-ROM drives. FastCD software includes comprehensive status reports, multimedia support, and asynchronous disk access for higher throughput during multiple concurrent accessing.

22 COTTON ROAD • NASHUA, NH 03063 •

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL sales@logiccraft.com

FAX (603) 880-7229

URL <http://www.logiccraft.com>

HOST ADAPTERS TESTED

AHA@-2740/2/4/T/W

Logicraft Information Systems*CDEXECUTIVE™ CD-ROM NETWORK SERVER*

The CDexecutive /XF5500 CD-ROM network server provides a turnkey solution for multiple concurrent accesses to CD-ROM applications in a multi-platform, multi-protocol environment. The Pentium™ based XF hardware architecture is bundled with Logicraft's high performance CDexecutive Management Center software that automatically monitors and manages CD-ROM applications as a background Windows NT™ service. Client support includes Windows® 95, Windows® for Workgroups, Macintosh® and NetWare clients. The XF server holds up to 14 SCSI devices and comes equipped with IDE hard drive, network interface card, floppy drive and SCSI host adapters. It runs at 120MHz, has 32MB of RAM and supports up to 56 SCSI devices.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

 CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

22 COTTON ROAD • NASHUA, NH 03063 •

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL sales@logicraft.com

FAX (603) 880-7229

URL <http://www.logicraft.com>

HOST ADAPTERS TESTED

AHA@-1520/2
 AHA@-1540/2/F/P
 AHA@-1640
 AHA@-1740/2/4
 AHA@-2740/2/4/T/W
 AHA@-2940/4/W
 AHA@-3940/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

Logicraft Information Systems

LANCD™ CD-ROM NETWORK SERVERS

The LanCD/XF family of CD-ROM network servers provides a turnkey solution for multiple concurrent accesses to CD-ROM applications in a multi-platform, multi-protocol environment. The Pentium™ based XF hardware architecture is bundled with Logicraft's high-performance LanCD and FastCD™ software that supports DOS, Windows® and Windows® 95 clients. Optional support is available for Windows NT® and Macintosh clients. Each chassis holds up to 14 SCSI devices and comes equipped with IDE hard drive, network interface card, floppy drive and SCSI host adapters. The XF5300 runs at 75MHz, has 16MB of RAM and expands to 28 drives. The XF5500 runs at 120MHz, has 32MB and supports up to 56 drives.

22 COTTON ROAD • NASHUA, NH 03063 •

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL sales@logiccraft.com

FAX (603) 880-7229

URL <http://www.logiccraft.com>