

**HOST ADAPTERS TESTED**

- AHA@-1540/2/F/P
- AHA@-2740/2/4/T/W
- AHA@-2840/2VL
- AHA@-2940/4/W
- AHA@-2940AU
- AHA@-3940/W
- AHA@-3980/5/W

# Adaptec, Inc.

*ADAPTEC® CI/O™*

With easy to use Adaptec® CI/O™ software, managers can monitor all SCSI peripheral devices connected to servers by Adaptec® host adapters.

Using Adaptec® CI/O™ software on any Windows® client, managers can remotely monitor the I/O performance of any server on the network from a single central location. Managers can install the latest device drivers from a remote location as well.

Adaptec® CI/O™ software automatically detects failure of any SCSI device on a network server and notifies the manager immediately. With a clear view of I/O traffic, managers can spot bottlenecks and act quickly to balance I/O loads to optimize performance among SCSI devices. Adaptec® CI/O™ improves the manageability of any size network--from a single server to a global network.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**

|         | CD-ROM | Tape | M-O | WORM | DAT | Jukebox | Floptical | Multifunction | Disk Array | Scanner | Printer | Disk/Hard Drive | CDR |
|---------|--------|------|-----|------|-----|---------|-----------|---------------|------------|---------|---------|-----------------|-----|
| NetWare | 3.12+  | •    | •   | •    | •   | •       | •         | •             | •          | •       | •       | •               | •   |

**691 S MILPITAS BLVD • MILPITAS, CA • USA**

PHONE 1-800-934-2766

TOLL FREE 1-800-934-2766

E-MAIL sales@adaptec.com

FAX 408-262-2533

URL http://www.adaptec.com

**HOST ADAPTERS TESTED**

AHA@-1540/2/F/P  
AHA@-1640  
AHA@-1740/2/4

**Florida Datamation**

*SBACKUP*

SBackup™ is a backup compatible SCSI tape backup software for QNX2. It supports DAT, 8mm and QIC format SCSI tape drives.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

USA

**PERIPHERALS SUPPORTED**

---

|             | CD-ROM | Tape | M-O | WORM | DAT | Jukebox | Floptical | Multifunction | Disk Array | Scanner | Printer | Disk/Hard Drive | CDR |
|-------------|--------|------|-----|------|-----|---------|-----------|---------------|------------|---------|---------|-----------------|-----|
| <b>QNX2</b> |        | •    |     |      | •   |         |           |               |            |         |         |                 |     |

---

**AMTEC CENTER 6405 CONGRESS AVE, SUITE 140 • BOCA RATON, FL 33487 •**

PHONE (407) 241-2966

TOLL FREE (800) 642-5938

E-MAIL sales@fdma.com

FAX (407) 241-3108

URL

**HOST ADAPTERS TESTED**

AHA@-1540/2/F/P  
 AHA@-1740/2/4  
 AHA@-2740/2/4/T/W  
 AHA@-2940/4/W  
 AHA@-3940/W

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**


---

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

---

# Logicraft Information Systems

## *THE JUKEBOX MANAGER*

The Jukebox Manager™ option for Logicraft's LanCD™ network server software provides a versatile solution for networked access to archived CD-ROM storage. It is modular in design, hardware independent and non-vendor specific for jukebox support. Features include Document Image Management, static directory or platter caching and DDC (dynamic hard disk cache), asynchronous access, multiple jukebox support, Intelligent Optical Reader Selection, local on-line management, and support for up to 1280 platters and 56 readers per LanCD server. With up to 10 servers per client, each user could have access to more than 12 thousand CD-ROM discs.

**22 COTTON ROAD • NASHUA, NH 03063 •**

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL [sales@logicraft.com](mailto:sales@logicraft.com)

FAX (603) 880-7229

URL <http://www.logicraft.com>

**HOST ADAPTERS TESTED**

AHA@-1540/2/F/P  
AHA@-1740/2/4  
AHA@-2740/2/4/T/W  
AHA@-2940/4/W  
AHA@-3940/W

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

## Logicraft Information Systems

*FASTCD™, LANCD*

FastCD™ is an option available with Logicraft's LanCD™ networking software for providing multiple concurrent access to CD-ROM applications in a multi-platform, multi-protocol networking environment. FastCD creates "virtual CD-ROM discs" on fast, high performance SCSI hard drives by caching the entire contents of a CD-ROM in its native format onto a FastCD partition of the hard disk, providing users with easy access to their CD-ROM applications at hard disk speeds up to 300 times faster than standard CD-ROM drives. FastCD software includes comprehensive status reports, multimedia support, and asynchronous disk access for higher throughput during multiple concurrent accessing.

**22 COTTON ROAD • NASHUA, NH 03063 •**

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL [sales@logiccraft.com](mailto:sales@logiccraft.com)

FAX (603) 880-7229

URL <http://www.logiccraft.com>

**HOST ADAPTERS TESTED**

AHA@-2740/2/4/T/W

**Logicraft Information Systems***CDEXECUTIVE™ CD-ROM NETWORK SERVER*

The CDexecutive /XF5500 CD-ROM network server provides a turnkey solution for multiple concurrent accesses to CD-ROM applications in a multi-platform, multi-protocol environment. The Pentium™ based XF hardware architecture is bundled with Logicraft's high performance CDexecutive Management Center software that automatically monitors and manages CD-ROM applications as a background Windows NT™ service. Client support includes Windows® 95, Windows® for Workgroups, Macintosh® and NetWare clients. The XF server holds up to 14 SCSI devices and comes equipped with IDE hard drive, network interface card, floppy drive and SCSI host adapters. It runs at 120MHz, has 32MB of RAM and supports up to 56 SCSI devices.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**


---

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

---

**22 COTTON ROAD • NASHUA, NH 03063 •**

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL [sales@logicraft.com](mailto:sales@logicraft.com)

FAX (603) 880-7229

URL <http://www.logicraft.com>

**HOST ADAPTERS TESTED**

AHA@-1520/2  
 AHA@-1540/2/F/P  
 AHA@-1640  
 AHA@-1740/2/4  
 AHA@-2740/2/4/T/W  
 AHA@-2940/4/W  
 AHA@-3940/W

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

# Logicraft Information Systems

## *LANCD™ CD-ROM NETWORK SERVERS*

The LanCD/XF family of CD-ROM network servers provides a turnkey solution for multiple concurrent accesses to CD-ROM applications in a multi-platform, multi-protocol environment. The Pentium™ based XF hardware architecture is bundled with Logicraft's high-performance LanCD and FastCD™ software that supports DOS, Windows® and Windows® 95 clients. Optional support is available for Windows NT® and Macintosh clients. Each chassis holds up to 14 SCSI devices and comes equipped with IDE hard drive, network interface card, floppy drive and SCSI host adapters. The XF5300 runs at 75MHz, has 16MB of RAM and expands to 28 drives. The XF5500 runs at 120MHz, has 32MB and supports up to 56 drives.

**22 COTTON ROAD • NASHUA, NH 03063 •**

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL [sales@logiccraft.com](mailto:sales@logiccraft.com)

FAX (603) 880-7229

URL <http://www.logiccraft.com>

**HOST ADAPTERS TESTED**

AHA@-1540/2/F/P  
 AHA@-1640  
 AHA@-1740/2/4  
 AHA@-2740/2/4/T/W  
 AHA@-2940/4/W  
 AHA@-3940/W

# Maxoptix Corporation

*T4-2600*

The T4-2600 is a new 5.25" multifunction optical disk drive with 2.6GB capacity. It provides unlimited transportable storage at an excellent value, offering unparalleled reliability, a fast seek rate up to 4.0 MB/second transfer rate and with 1 read/write cache, it delivers an outstanding performance. The T4-2600 drive conforms to ISO specifications and accepts three ISO standard media formats - 2.6GB, 1.3GB and 650MB.

This drive is reliable, affordable and high performance. The media can be written and erased more than 10,000,000 times.

**LANGUAGE(S) SUPPORTED**

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**

|                 | CD-ROM | Tape | M-O | WORM | DAT | Jukebox | Floptical | Multifunction | Disk Array | Scanner | Printer | Disk/Hard Drive | CDR |
|-----------------|--------|------|-----|------|-----|---------|-----------|---------------|------------|---------|---------|-----------------|-----|
| <b>Windows®</b> |        | •    |     |      | •   |         |           |               |            |         |         |                 |     |
| <b>DOS</b>      |        | •    |     |      | •   |         |           |               |            |         |         |                 |     |

**3342 GATEWAY BLVD. • FREMONT, CA 94538 • USA**

PHONE (510) 353-9700 TOLL FREE (800) 848-3092 E-MAIL  
 FAX (510) 353-1845 URL

**HOST ADAPTERS TESTED**

AHA@-1540/2/F/P  
 AHA@-1640  
 AHA@-1740/2/4  
 AHA@-2740/2/4/T/W  
 AHA@-2940/4/W  
 AHA@-3940/W

**LANGUAGE(S) SUPPORTED****PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

# Maxoptix Corporation

## MAXLYB

The Maxoptix MaxLyb family of optical auto changers utilizes the T4-2600 drives to deliver high performance and reliable specifications. The MaxLyb family covers a wide range of capacities - 26GB to over 600GB, which ensures the most useful library is available for a variety of applications.

With the MaxLyb family of optical storage libraries, Maxoptix offers the widest selection of optical library solutions and fills the price-performance gaps left by other storage technologies. With the fastest on-line access to stored data and information, they are the logical choice for those who need top performance, demonstrated reliability and future expandability at competitive prices.

**3342 GATEWAY BLVD. • FREMONT, CA 94538 • USA**

PHONE (510) 353-9700

TOLL FREE (800) 848-3092

E-MAIL

FAX (510) 353-1845

URL



**HOST ADAPTERS TESTED**

- AHA@-1510
- AHA@-1520/2
- AHA@-1530/2P
- AHA@-1540/2/F/P
- AHA@-1640
- AHA@-1740/2/4
- AHA@-2740/2/4/T/W
- AHA@-2825VL
- AHA@-2840/2VL
- AHA@-2940/4/W
- AHA@-3940/W
- AHA@-3980/5/W

**LANGUAGE(S) SUPPORTED**

English, German

**PRODUCTS AVAILABLE IN**

Canada, Europe, Far East, Pacific Rim, USA

**PERIPHERALS SUPPORTED**

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

|                   |       |   |
|-------------------|-------|---|
| <b>LanMan</b>     |       | • |
| <b>Macintosh</b>  | 7.0+  | • |
| <b>NetWare</b>    | 3.11+ | • |
| <b>Vines</b>      | 4.0+  | • |
| <b>Windows®</b>   | 3.0+  | • |
| <b>Windows®95</b> |       | • |
| <b>Windows NT</b> |       | • |
| <b>DOS</b>        | 3.1+  | • |

# Meridian Data, Inc.

## CD NET SOFTWARE

CD Net™ software provides shared LAN access to CD-ROMs, high performance, integrated data management tools, support for high-capacity configurations, and compatibility with all published CDs. These features result in lower cost, increased utilization of shared CD resources and easy operation. Versions available for use with Novell NetWare 3.12 & 4.1, Microsoft NT 3.51, Vines 4.0+, and MS-DOS based servers, with clients for Windows 95, Windows NT Workstation, Windows 3.x, MS-DOS, and Macintosh.

**5615 SCOTTS VALLEY DRIVE • SCOTTS VALLEY, CA 95066 •**

PHONE (408) 438-3100  
 FAX (408) 438-6816

TOLL FREE (800) 767-2537

E-MAIL [info@meridian-data.com](mailto:info@meridian-data.com)  
 URL <http://www.meridian-data.com>

**HOST ADAPTERS TESTED**

AHA@-1540/2/F/P  
 AHA@-1740/2/4  
 AHA@-2840/2VL  
 AHA@-2910A/Ai  
 AHA@-2940/4/W  
 AHA@-3940/W  
 AHA@-3980/5/W

**LANGUAGE(S) SUPPORTED**

English, Japanese

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

**Novell, Inc.***NETWARE*

Novell's® NetWare® network computing products manage and control the sharing of services, data and applications among computer workgroups, departmental networks and business-wide information systems. NetWare v4.1x provides interoperability, network services, high performance, reliability and security in a network operating system. It utilizes a 32-bit, multitasking architecture and supports DOS, Windows, Macintosh, OS/2 and UNIX workstations. In addition, NetWare v4.1x offers reliability features such as disk duplexing, read-after-write verification and disk mirroring.

**122 EAST 1700 SOUTH • PROVO, UT 84606 •**

PHONE 800-NETWARE

TOLL FREE 800-NETWARE

E-MAIL hbasup@novell.com

FAX (801)861-2665

URL www.novell.com

**HOST ADAPTERS TESTED**

AHA@-1540/2/F/P  
 AHA@-2840/2VL  
 AHA@-3940/W

# Optisys

*GLOBALNET*

GlobalNet™ storage servers provide Novell Network access to optical jukeboxes, including CD-ROM, Erasable and WORM (Write Once Read Many) technologies. Notable for its ease of installation, use and its speed.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**

|                 | CD-ROM | Tape | M-O | WORM | DAT | Jukebox | Floptical | Multifunction | Disk Array | Scanner | Printer | Disk/Hard Drive | CDR |
|-----------------|--------|------|-----|------|-----|---------|-----------|---------------|------------|---------|---------|-----------------|-----|
| <b>Windows®</b> | •      |      | •   | •    |     | •       |           |               | •          |         |         | •               |     |
| <b>DOS</b>      | •      |      | •   | •    |     | •       |           |               | •          |         |         | •               |     |
| <b>NetWare</b>  | •      |      | •   | •    |     | •       |           |               | •          |         |         | •               |     |

**9250 NORTH 43RD AVENUE, SUITE 12 • GLENDALE, AZ 85302 •**

PHONE (602) 997-9699 TOLL FREE (800) 327-1271 E-MAIL  
 FAX (602) 944-4051 URL

**HOST ADAPTERS TESTED**

AHA@-2940/4/U/UW  
AHA@-3940/W  
AHA@-3940U/UW

# Pioneer Hi-Fi (GB) Ltd.

*PIONEER*

Pioneer, the leading manufacturer of optical disc technology has developed a solution utilizing it's high storage CD-ROM autochanger. This solution provides stored video clips directly to designated PC's. The Video Browse Server enables users to view the whole of a video library on a PC. This application has a user friendly and logical GUI. The video clips never physically leave the library, hence no time lost tracing material. All of the video is held on CD-ROMs locked away in a 500 disk autochanger. Initially by the use of alphanumeric entries a search can be narrowed down to several titles. A selected title gives further indexed information on the clip and also more importantly at least two thumbnails. The chosen clip can then be viewed on a PC terminal. By selecting various clips the user automatically generates a clip list. This file can then be sent to the compiling station on the network. The compiling station then assembles the request on any chosen broadcast medium- D1, D2, D3, D5, Digital Betacam, Betacam, Disc etc.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

Windows NT

• • • • • • • • • •

**1 LAMBOLLE PLACE • LONDON, NW34PD • ENGLAND**

PHONE 144-1717940888

E-MAIL

FAX 144-01753-789539

URL

**HOST ADAPTERS TESTED**

AHA@-1520/2  
 AHA@-1540/2/F/P  
 AHA@-1640  
 AHA@-1740/2/4  
 AHA@-2740/2/4/T/W

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Canada  
 Germany  
 USA

**PERIPHERALS SUPPORTED**

|          | CD-ROM | Tape | M-O | WORM | DAT | Jukebox | Floptical | Multifunction | Disk Array | Scanner | Printer | Disk/Hard Drive | CDR |
|----------|--------|------|-----|------|-----|---------|-----------|---------------|------------|---------|---------|-----------------|-----|
| NetWare  | •      |      |     |      |     | •       |           |               |            |         |         |                 |     |
| DOS      | •      |      |     |      |     |         |           |               |            |         |         |                 |     |
| LanMan   | •      |      |     |      |     |         |           |               |            |         |         |                 |     |
| Windows® | •      |      |     |      |     |         |           |               |            |         |         |                 |     |
| Vines    | •      |      |     |      |     |         |           |               |            |         |         |                 |     |

# Reed Technology & Information Ser

## OPTI-NET

The OPTI-NET® product family lets users share information on CD-ROM discs over a local area network. Advanced performance features include server and workstation XMS caching and data prefetch coupled with sophisticated administration features such as remote management and license enforcement. OPTI-NET for MS-DOS supports both Novell and NetBIOS LANs.

OPTI-NET NLM allows the addition of CD-ROM drives onto a Novell NetWare 3.x or 4.x file server. This NetWare Loadable Module (NLM), certified by Novell Labs, extends the functionality of the file server by enhancing the ability to manage and administer CD-ROM drives. This is a fast powerful solution now enhanced for CD jukeboxes and multilingual language support.

OPTI-NET now provides a utility that fully automates CD-ROM applications for Windows clients accessing either a DOS or NLM CD-ROM server. After the initial installation and setup, end-users may launch networked CD-ROM titles by simply clicking on the desired program icon.

OPTI-NET's NLM version also supports the German, French, French Canadian and Spanish languages.

**20251 CENTURY BOULEVARD • GERMANTOWN, MD 20874 •**

PHONE (301) 428-3700

TOLL FREE (800) 922-9204

E-MAIL HelpDesk@ocs.com

FAX (301) 428-2903

URL

**HOST ADAPTERS TESTED**

AHA@-1540/2/F/P  
 AHA@-1740/2/4  
 AHA@-2740/2/4/T/W  
 AHA@-2840/2VL  
 AHA@-2940/4/W

# S&H Computer Systems, Inc.

*TSX-32*

TSX-32™ offers the power of real-time, multi-user UNIX operating system with the ease-of-use of DOS. It excels as an application server for DOS (16-bit & DPMI) and 32-bit applications, an NFS file server, a communication server and a printer server. TSX-32 supports up to 256 users and 400 concurrent tasks on a single PC. Or, up to 40 times that number on a TCP/IP LAN or WAN. Add the BBS engine for advanced remote access functionality. Add full Internet connectivity. See the TSX-BBS also listed in this guide.

**LANGUAGE(S) SUPPORTED**

English, French, German, Italian, Spanish

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**

|                 | CD-ROM | Tape | M-O | WORM | DAT | Jukebox | Floptical | Multifunction | Disk Array | Scanner | Printer | Disk/Hard Drive | CDR |
|-----------------|--------|------|-----|------|-----|---------|-----------|---------------|------------|---------|---------|-----------------|-----|
| <b>DOS</b>      |        | •    |     |      | •   |         |           |               |            |         |         |                 |     |
| <b>Windows®</b> |        | •    |     |      | •   |         |           |               |            |         |         |                 |     |

**1027 17TH AVENUE SOUTH • NASHVILLE, TN 37212 • USA**

PHONE (615) 327-3670  
 FAX (615) 321-5929

E-MAIL  
 URL

**HOST ADAPTERS TESTED**

AHA@-1520/2  
 AHA@-1540/2/F/P  
 AHA@-1740/2/4  
 AHA@-2740/2/4/T/W  
 AHA@-2840/2VL  
 AHA@-2940/4/W

# S&H Computer Systems, Inc.

*TSX-BBS*

TSX-BBS™ serves remote access connectivity needs ranging from those of a 2-line entertainment BBS to those of an entire corporation. It features full Internet support. TSX-BBS add-ins can be standard DOS applications, DBMSs and tools, as well as BBS “door” programs. It is configured to support one SYSOP and from two to 256 users on one PC. In addition, TSX-BBS can support hundreds of users spread across a TCP/IP LAN or WAN of TSX-BBS servers.

**LANGUAGE(S) SUPPORTED**

English, French, German, Italian, Norwegian, Portuguese, Swedish, Spanish

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**

|               | CD-ROM     | Tape | M-O | WORM | DAT | Jukebox | Floptical | Multifunction | Disk Array | Scanner | Printer | Disk/Hard Drive | CDR |
|---------------|------------|------|-----|------|-----|---------|-----------|---------------|------------|---------|---------|-----------------|-----|
| <b>TSX-32</b> | <b>4.2</b> | •    | •   | •    | •   | •       | •         |               | •          | •       |         |                 |     |

**1027 17TH AVENUE SOUTH • NASHVILLE, TN 37212 • USA**

PHONE (615) 327-3670

E-MAIL

FAX (615) 321-5929

URL

**HOST ADAPTERS TESTED**

AHA®-1740/2/4

# Silver Oak Systems, Inc.

*IRONCLAD*

IronClad® is a highly Windows-integrated security program which provides comprehensive protection for both standalone and networked PCs. IronClad provides both data-security (access control down to the file level, DES/proprietary encryption, keyboard locking, virus prevention, program/data auditing, boot protection, single sign-on and object reuse prevention) and application-security (auto application protection, piracy prevention, public access and file purging).

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Canada  
Europe  
USA

**PERIPHERALS SUPPORTED**

|                 | CD-ROM | Tape | M-O | WORM | DAT | Jukebox | Floptical | Multifunction | Disk Array | Scanner | Printer | Disk/Hard Drive | CDR |
|-----------------|--------|------|-----|------|-----|---------|-----------|---------------|------------|---------|---------|-----------------|-----|
| <b>DOS</b>      | •      | •    | •   | •    | •   | •       |           | •             |            | •       |         |                 |     |
| <b>Windows®</b> | •      | •    | •   | •    | •   | •       |           | •             |            | •       |         |                 |     |

**8209 CEDAR STREET • SILVER SPRING, MD 20910 • USA**

PHONE (301) 585-8641

E-MAIL

FAX (301) 588-6484

URL



**HOST ADAPTERS TESTED**

- AHA@-1510
- AHA@-1520/2
- AHA@-1530/2P
- AHA@-1540/2/F/P
- AHA@-1640
- AHA@-1740/2/4
- AHA@-2740/2/4/T/W
- AHA@-2840/2VL
- AHA@-2940/4/W
- AHA@-2940/4/U/UW

# SunSoft, Inc.

*SOLARIS 2.5 FOR X86*

Solaris leads the UNIX operating system market, running on an installed base of more than 2 million systems. It is the fastest, most secure and reliable 32-bit operating system for SPARC, Intel, and Power PC server and desktop systems.

Solaris provides a foundation for highly - integrated enterprise network environments, supporting multi-vendor interoperability and resource sharing. The operating system fits seamlessly into existing computing environments, providing the network management and configuration tools for customers' growing computing needs.

Solaris includes advanced technologies for multithreading, symmetric multiprocessing, integrated TCP/IP-based networking, and centralized network administration tools. And, recognizing the diversity of customer needs, Solaris comes in a series of configurations.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Worldwide

**PERIPHERALS SUPPORTED**

---

CD-ROM   Tape   M-O   WORM   DAT   Jukebox   Floptical   Multifunction   Disk Array   Scanner   Printer   Disk/Hard Drive   CDR

---

|                 |   |   |
|-----------------|---|---|
| <b>DOS</b>      | • | • |
| <b>Windows®</b> | • | • |

**2550 GARCIA AVENUE • MOUNTAIN VIEW, CA 94043 • USA**

PHONE (415) 960-3200

E-MAIL

FAX (415) 336-0555

URL <http://www.sun.com>

**HOST ADAPTERS TESTED**

AHA@-1540/2/F/P  
 AHA@-1640  
 AHA@-1740/2/4  
 AHA@-2740/2/4/T/W  
 AHA@-2940/4/W

# TAC Systems

## SCSI SHUTTLE

The TAC Systems SCSI Shuttle™ product allows users to access CD-ROMs on DOS/Windows based platforms. Also, our Novell based version installs on any Netware 3.x or 4.x file server without the use of additional drivers or software on the workstations.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

Canada  
 Japan  
 USA

**PERIPHERALS SUPPORTED**

|                         | CD-ROM | Tape | M-O | WORM | DAT | Jukebox | Floptical | Multifunction | Disk Array | Scanner | Printer | Disk/Hard Drive | CDR |
|-------------------------|--------|------|-----|------|-----|---------|-----------|---------------|------------|---------|---------|-----------------|-----|
| <b>DOS</b>              | •      |      |     |      |     | •       |           |               |            |         |         |                 |     |
| <b>NetWare 3.x, 4.x</b> | •      |      | •   |      |     | •       |           |               |            |         |         |                 |     |
| <b>Windows®</b>         | •      |      |     |      |     | •       |           |               |            |         |         |                 |     |

**1031 PUTMAN DRIVE • HUNTSVILLE, AL 35816 •**

PHONE (205) 721-1976 E-MAIL  
 FAX (205) 721-0242 URL

**HOST ADAPTERS TESTED**

AHA@-1510  
 AHA@-1520/2  
 AHA@-1540/2/F/P  
 AHA@-1640  
 AHA@-1740/2/4  
 AHA@-2740/2/4/T/W

# The Santa Cruz Operation, Inc.

*SCO/OPEN DESKTOP*

SCO Open Desktop combines the SCO UNIX System, an advanced GUI, networking, and DOS services in an integrated 32-bit, distributed client/server platform. Both the SCO UNIX System and SCO Open Desktop deliver unprecedented multi-user, multitasking performance on today's 386/486 ISA, EISA, Micro Channel, and multiprocessor systems (with SCO MPX).

**LANGUAGE(S) SUPPORTED**

**PRODUCTS AVAILABLE IN**

USA

**PERIPHERALS SUPPORTED**

|                 | CD-ROM | Tape | M-O | WORM | DAT | Jukebox | Floptical | Multifunction | Disk Array | Scanner | Printer | Disk/Hard Drive | CDR |
|-----------------|--------|------|-----|------|-----|---------|-----------|---------------|------------|---------|---------|-----------------|-----|
| <b>DOS</b>      |        | •    |     |      | •   |         |           |               |            |         |         |                 |     |
| <b>Windows®</b> |        | •    |     |      | •   |         |           |               |            |         |         |                 |     |

**400 ENCINAL STREET P.O. BOX 1900 • SANTA CRUZ, CA 95061 •**

PHONE (408) 425-7222 TOLL FREE (800) SCO-UNIX E-MAIL  
 FAX (408) 427-5432 URL

**HOST ADAPTERS TESTED**

AHA@-1540/2/F/P

# THEOS Software Corporation

## THEOS NETSERVER

THEOS NetServer® is a network operating system that integrates THEOS-based applications seamlessly with Novell and Microsoft platforms, including Windows for Workgroups 3.11, Windows 95 and Windows NT. As a dedicated application server, NetServer can support a mixed Client/Server environment of terminals and graphics workstations, offering centralized data security and fast file access.

The THEOS operating system is primarily used in vertical markets such as Dental, Veterinarian, Alarm Systems and Point-of-Sale.

**LANGUAGE(S) SUPPORTED**

English, French, German, Italian, Portuguese, Spanish

**PRODUCTS AVAILABLE IN**

France  
Germany  
Italy  
Spain

**PERIPHERALS SUPPORTED**

|            | CD-ROM | Tape | M-O | WORM | DAT | Jukebox | Floptical | Multifunction | Disk Array | Scanner | Printer | Disk/Hard Drive | CDR |
|------------|--------|------|-----|------|-----|---------|-----------|---------------|------------|---------|---------|-----------------|-----|
| THEOS NetS |        | •    |     |      | •   |         |           |               |            |         | •       |                 | •   |

**1801 OAKLAND BLVD SUITE 315 • WALNUT CREEK, CA 94596-7000 •**

PHONE (510) 935-1118 TOLL FREE 800-600-5660 E-MAIL [info@theos-software.com](mailto:info@theos-software.com)  
 FAX (510) 935-1177 URL <http://www.theos-software.com>

**HOST ADAPTERS TESTED**

AHA@-1540/2/F/P

# THEOS Software Corporation

*THEOS 32*

THEOS 32® is a 32-bit multiuser, multi-threaded, preemptive multitasking operating system. Optimized to run on 486 and Pentium based systems, THEOS can support over 200 users. Built-in features include: Windowing capabilities, RS-232 Communications tools, Tape Backup Utilities, SCSI support. Additional products include 32-bit C and BASIC development languages.

The THEOS operating system is primarily used in vertical markets such as Dental, Veterinarian, Alarm Systems and Point-of-Sale.

**LANGUAGE(S) SUPPORTED**

English, French, German, Italian, Portuguese, Spanish

**PRODUCTS AVAILABLE IN**

France  
Germany  
Italy  
Spain

**PERIPHERALS SUPPORTED**

|                 | CD-ROM | Tape | M-O | WORM | DAT | Jukebox | Floptical | Multifunction | Disk Array | Scanner | Printer | Disk/Hard Drive | CDR |
|-----------------|--------|------|-----|------|-----|---------|-----------|---------------|------------|---------|---------|-----------------|-----|
| <b>THEOS 32</b> |        | •    |     |      | •   |         |           |               |            |         | •       |                 | •   |

**1801 OAKLAND BLVD SUITE 315 • WALNUT CREEK, CA 94596-7000 •**

PHONE (510) 935-1118 TOLL FREE 800-600-5660 E-MAIL info@theos-software.com  
 FAX (510) 935-1177 URL http://www.theos-software.com

**HOST ADAPTERS TESTED**

AHA@-1540/2/F/P  
AHA@-1740/2/4  
AHA@-2740/2/4/T/W  
AHA@-2940/4/W  
AHA@-3940/W

# Traakan

*NETSERVER*

NetServer software connects storage and peripheral resources to TCP/IP-NFS networks quickly, easily, and economically. NetServer based NFS file servers provide local and remote tape backup, rapid-restart file volumes, and local and remote menu-driven administration. The streamlined firmware-like design manages terabytes of storage and delivers 1000+ SPEC-NFS operations per second. NetServer is available to qualified VARS/OEMS/ Integrators that service the Open Systems Market.

**LANGUAGE(S) SUPPORTED**

English

**PRODUCTS AVAILABLE IN**

USA, United Kingdom

**PERIPHERALS SUPPORTED**

|           | CD-ROM | Tape | M-O | WORM | DAT | Jukebox | Floptical | Multifunction | Disk Array | Scanner | Printer | Disk/Hard Drive | CDR |
|-----------|--------|------|-----|------|-----|---------|-----------|---------------|------------|---------|---------|-----------------|-----|
| NetServer |        | •    | •   |      | •   | •       |           |               | •          |         | •       |                 |     |

**111 MAIN STREET SUITE 5 • LOS ALTOS, CA 94022 •**

PHONE 415-961-0900

E-MAIL [info@traakan.com](mailto:info@traakan.com)

FAX 415-941-0914

URL <http://www.traakan.com>