

HOST ADAPTERS TESTED

APA™-348
APA™-358
APA™-1460
AHA@-1510
AHA@-1520/2
AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2840/2VL

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

USA

ADS International, Inc.

DOCKMASTER M4SKF & M5SKF

The DockMaster® M4SKF and M5SKF Series of “hot” removable docking kits are ideal for data security, on-line backup, data transportation and disk array applications. The DockMaster docking kit product is protected by U.S. patent #4,941,841. ADS International is the patent-authorized marketer of these products.

434 CLOVERLEAF DRIVE • BALDWIN PARK, CA 91706 • USA

PHONE (818) 369-2332

E-MAIL

FAX (818) 855-5059

URL

HOST ADAPTERS TESTED

APA™-348
APA™-358
APA™-1460
AHA@-1510
AHA@-1520/2
AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2840/2VL

ADS International, Inc.

ADS1000 & ADS4000

The ADS1000 & ADS4000 are two of the highest performance RAID controllers on the market. Data transfer rates exceed 3 MB/sec and can support up to 35 HDDs. Maximum capacity is 300 GB.

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

USA

434 CLOVERLEAF DRIVE • BALDWIN PARK, CA 91706 • USA

PHONE (818) 369-2332

FAX (818) 855-5059

E-MAIL

URL

HOST ADAPTERS TESTED

AVA™-1505
AHA@-1510
AVA™-1515
AHA@-1520/2
AHA@-1530/2P
AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2840/2VL
AHA@-2940/4/W
AHA@-3940/W

LANGUAGE(S) SUPPORTED

English, French, German, Italian,
Spanish

PRODUCTS AVAILABLE IN

Worldwide

AGFA

AGFA SCANNERS

From desktop to highend scanning solutions, all scanners packed with easy to use and professional imaging tools.

SEPTESTRAAT 27 • MORTSEL, 2640 • BELGIUM

PHONE 32-3-444-3987

FAX 32-3-444-4240

E-MAIL fotolook@eps.agfa.be

URL

HOST ADAPTERS TESTED

APA™-348
 APA™-1460
 AVA™-1505
 AHA@-1510
 AVA™-1515
 AHA@-1520/2
 AHA@-1530/2P
 AHA@-1540/2/F/P
 AHA@-1640
 AHA@-1740/2/4
 AHA@-2740/2/4/T/W
 AHA@-2840/2VL
 AHA@-2940/4/W
 AHA@-3940/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

USA

Chi Corporation

OUTRIGHT

OutRight™ SCSI Software Package for NineTrack and 3480, 3490 (IDRC), and 3490E tape drive is designed to reliably expand the data storage and interchange of power PCs. Add the OutRight for DOS or Windows software package to a PC and have a universal interface for data backup, archiving and transfer. Using the package, PC users have the flexibility to access on-site or off-site IBM, Unisys®, DEC® and numerous other mainframes, mini computers, and PCs. OutRight for DOS and Windows also supports 4mm, 8mm, and DLT tape drives.

31200 CARTER STREET • SOLON, OH 44139 • USA

PHONE (216) 349-8605

TOLL FREE (800) 828-0599

E-MAIL

FAX (216) 349-8609

URL

HOST ADAPTERS TESTED

AHA@-1510
AHA@-1520/2
AHA@-1530/2P
AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4
AHA@-2840/2VL

LANGUAGE(S) SUPPORTED**PRODUCTS AVAILABLE IN**

Europe
UK
USA

Digi-Data

MODEL Z

Digi-Data's Model Z is an intelligent disk controller designed to manage an array of up to 35 SCSI disk drives in a RAID 0 (striping), RAID 3 (parallel transfer) or RAID 5 (independent transfer) mode of operation. The Model Z provides a high-bandwidth, Fast and Wide SCSI-2 connection to the host, and a Fast SCSI-2 connection to the disk drives.

8580 DORSEY RUN ROAD • JESSUP, MD 20794 •

PHONE (301) 498-0200

TOLL FREE (800) 782-6395

E-MAIL

FAX (301) 498-0771

URL

HOST ADAPTERS TESTED

AHA@-1540/2/F/P

ECRM Inc.

SCRIPTSETTER

The ECRM Scriptsetter product line encompasses a range of Postscript imagesetters starting at the entry-level VR30 at 12 inches wide. The top of the line is the Knockout which images up to 18 inches wide and includes productivity features such as built in registration punches and buffering for on-line film processing. The software Postscript RIP is available for the MAC, PoweMAC, Windows® and Windows® NT. (DEC Alpha and Intel)

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

554 CLARK ROAD • TEWKSBURY, MA 01876 • USA

PHONE 1-800-537-3276

TOLL FREE 1-800-537-3276

E-MAIL @ecrm.com

FAX 508-851-7016

URL

HOST ADAPTERS TESTED

AVA™-1505
AHA@-1510
AHA@-1520/2
AHA@-1540/2/F/P
AHA@-2840/2VL

Envisions Solutions Technology, Inc

ENV6600S

The ENV6600S is a 24 bit color flatbed scanner capable of 4800 DPI, 16 million colors, OCR and more. Operating platforms include PC/Windows and Macintosh. The TWAIN based scanning software can easily be configured to use an Adaptec SCSI card.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

822 MAHLER ROAD • BURLINGAME, CA 94010 • USA

PHONE (415)692-9061

FAX (415)692-9064

E-MAIL

URL

HOST ADAPTERS TESTED

AHA@-1510
AHA@-1520/2
AHA@-1540/2/F/P
AHA@-2940/4/W

Exabyte

EXB-1500

Award-winner -- PC Magazine's "Editor's Choice" and PC World's "Best Buy." A perfect match for desktop PC/ATs. Quarter-inch tape drive features 680-megabyte capacity, transfer rates up to 9.3 megabytes per minute. High performance and low price. Read, write in choice of tape formats: 3020 or 3010. 2-year warranty, worldwide support.

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

1685 38TH STREET • BOULDER, CO 80301 • USA

PHONE (303) 442-4333

TOLL FREE 800-EXA-BYTE

E-MAIL

FAX (303) 447-7689

URL

HOST ADAPTERS TESTED

AHA@-1510
AHA@-1520/2
AHA@-1540/2/F/P
AHA@-2940/4/W

Exabyte

EXB-2501

A gigabyte in under 25 minutes -- stores data at more than twice the speed of comparable products. With the fastest search rate in its class (34 megabytes per minute), this affordable quarter-inch drive outperforms the competition. 3.5 inch form factor, embedded SCSI-1 and SCSI-2. 2-year warranty, worldwide phone and fax support.

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

1685 38TH STREET • BOULDER, CO 80301 • USA

PHONE (303) 442-4333

TOLL FREE 800-EXA-BYTE

E-MAIL

FAX (303) 447-7689

URL

HOST ADAPTERS TESTED

AHA@-1510
AHA@-1520/2
AHA@-1540/2/F/P
AHA@-2940/4/W

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

Exabyte

EXB-4200 AND EXB-4200C

Big performance, small package. DAT drive with 2-gigabyte capacity, 14-megabyte-per-minute transfer rate, 20-second average access. Quick, compact and reliable. Fully compatible with all major applications for Windows and network environments. Optional data compression (EXB-4200c) doubles capacity and transfers. SCSI-1 and SCSI-2. 2 year warranty, worldwide phone and fax support.

1685 38TH STREET • BOULDER, CO 80301 • USA

PHONE (303) 442-4333

TOLL FREE 800-EXA-BYTE

E-MAIL

FAX (303) 447-7689

URL

HOST ADAPTERS TESTED

AHA@-1510
AHA@-1520/2
AHA@-1540/2/F/P
AHA@-2940/4/W

Exabyte

EXB-8205XL

The safeguard of single server networks. Stores 7 gigabytes of compressed data on one EXATAPE™ 160mXL 8mm Data Cartridge. Use industry-standard 8200 tape formats for easy data interchange. Compressed data transfer rates to 32 megabytes per minute, full compatibility with all major software and hardware. 2-year warranty, worldwide support.

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

1685 38TH STREET • BOULDER, CO 80301 • USA

PHONE (303) 442-4333

TOLL FREE 800-EXA-BYTE

E-MAIL

FAX (303) 447-7689

URL

HOST ADAPTERS TESTED

AHA@-1510
AHA@-1540/2/F/P
AHA@-2940/4/W

Exabyte

EXB-8505XL

Internationally acclaimed: the 8mm standard of excellence. Features 14-gigabyte compressed capacity, transfer rates up to 60 megabytes per minute. 5.25-inch half-high drive can interchange data with full-high models. Advanced Compression Integrity Check™ for data integrity. Super compatibility with all major hardware and software. SCSI-1 and SCSI-2. 2-year warranty, worldwide support.

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

1685 38TH STREET • BOULDER, CO 80301 • USA

PHONE (303) 442-4333

TOLL FREE 800-EXA-BYTE

E-MAIL

FAX (303) 447-7689

URL

HOST ADAPTERS TESTED

AHA@-1510
AHA@-1520/2
AHA@-1540/2/F/P
AHA@-2940/4/W

Exabyte

EXB-10H

A compact power tower of storage automation. Affordable, plug-and-play library backup: capacity up to 140 gigabytes, transfers to 1 megabyte per second. Reliable robotics, LCD status screen, key-lock security. Complete with EXB-8505XL tape drive, 10 EXATAPE™ 8mm 160mXL Data Cartridges and Data Cartridge magazine. Interface: SCSI-2. Worldwide phone, fax support.

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

1685 38TH STREET • BOULDER, CO 80301 • USA

PHONE (303) 442-4333

TOLL FREE 800-EXA-BYTE

E-MAIL

FAX (303) 447-7689

URL

HOST ADAPTERS TESTED

AHA@-1510
AHA@-1520/2
AHA@-1540/2/F/P
AHA@-2940/4/W

Exabyte

EXB-210

Collect, protect and control -- up to 154 gigabytes at transfer rates of 2 megabytes a second. Available with 1 or 2 EXB-8505XL half-high drives, the EXB-210 accommodates 11 EXATAPE™ Data Cartridges. Average cartridge access: <10 seconds. Supports HSM, imaging and remote storage functions. 2-year warranty. Worldwide phone, fax support.

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

1685 38TH STREET • BOULDER, CO 80301 • USA

PHONE (303) 442-4333

TOLL FREE 800-EXA-BYTE

E-MAIL

FAX (303) 447-7689

URL

HOST ADAPTERS TESTED

AHA@-1510
AHA@-1520/2
AHA@-1540/2/F/P
AHA@-2940/4/W

Exabyte

EXB-440 AND EXB-480

Time-tested, field-proven and elegant. Command up to 1.12 terabytes of compressed data at transfer rates of 4 megabytes per second. HSM, imaging and remote storage support. Includes Exabyte robotics, security interlock, modular design, LCD screen and bar code reader. Interface: SCSI-2. 2-year warranty, worldwide phone and fax support.

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

1685 38TH STREET • BOULDER, CO 80301 • USA

PHONE (303) 442-4333

TOLL FREE 800-EXA-BYTE

E-MAIL

FAX (303) 447-7689

URL

HOST ADAPTERS TESTED

AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2840/2VL
AHA@-2940/4/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

USA

Florida Datamation

DATA ON DEMAND

Data On Demand is a fault tolerance disk array with user programmable RAID 0, 3 and 5. It supports up to 24GB with desk side and 96GB with rack mount. Features include hot swap data and power modules, and redundant fan and I/O control.

AMTEC CENTER 6405 CONGRESS AVE, SUITE 140 • BOCA RATON, FL 33487 •

PHONE (407) 241-2966

TOLL FREE (800) 642-5938

E-MAIL sales@fdma.com

FAX (407) 241-3108

URL

HOST ADAPTERS TESTED

AHA@-1510
 AVA™-1515
 AHA@-1520/2
 AHA@-1530/2P
 AHA@-1540/2/F/P
 AHA@-1640
 AHA@-2740/2/4/T/W
 AHA@-2840/2VL
 AHA@-2940/4/W

LANGUAGE(S) SUPPORTED**PRODUCTS AVAILABLE IN**

Worldwide

Fujitsu Computer - Intellistor Divisi

M160X

Fujitsu's M160x series of low-profile 3.5" SCSI-2 Winchester disk drives are designed to deliver cost-effective storage solutions for a variety of environments and applications without sacrificing performance or reliability. These one-inch-high drives offer formatted capacities of 540 and 1080 MB. They combine a high rotational 5,400 rpm spindle motor, 10 ms seek time and high data transfer rates up to 7.8 MB/s with advanced caching and intelligent power management to provide users with the highest capacity/performance solution for today's server and workstation applications.

2402 CLOVER BASIN DRIVE • LONGMONT, CO 80503 • USA

PHONE 303-682-6400

E-MAIL

FAX 303-682-6401

URL

HOST ADAPTERS TESTED

APA™-1460
 AHA@-1510
 AVA™-1515
 AHA@-1520/2
 AHA@-1530/2P
 AHA@-1540/2/F/P
 AHA@-1640
 AHA@-2740/2/4/T/W
 AHA@-2840/2VL
 AHA@-2940/4/W

LANGUAGE(S) SUPPORTED**PRODUCTS AVAILABLE IN**

Worldwide

Fujitsu Computer - Intellistor Divisi*DYNAMO 230*

At one-inch-high, DynaMO 230 is the world's smallest magneto-optical disk drive. DynaMO 230 packs 230 MB of information onto industry-standard 3.5-inch cartridges. It also read/writes to 128 MB DynaMO media. The high 3,600 rpm rotational rate and fast 30 ms average seek time combine to give data transfer rates of up to 2.1 MB per second. Its 237KB read and write cache/buffer further increases DynaMO 230's performance.

2402 CLOVER BASIN DRIVE • LONGMONT, CO 80503 • USA

PHONE 303-682-6400

E-MAIL

FAX 303-682-6401

URL

HOST ADAPTERS TESTED

APA™-1460
AHA@-1510
AVA™-1515
AHA@-1520/2
AHA@-1530/2P
AHA@-1540/2/F/P
AHA@-1640
AHA@-2740/2/4/T/W
AHA@-2840/2VL
AHA@-2940/4/W

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

Fujitsu Computer - Intellistor Divisi

M251XA

The M251xA is the industry's first one-inch profile, 3.5-inch magneto-optical disk drive for the 230MB media. The 251xA maintains downward compatibility with other 128MB media, and meets ISO standards. Behind the one-inch-high design is our unique spindle loading technology. The low profile M251xA allows it to be easily installed into personal computers and workstations.

2402 CLOVER BASIN DRIVE • LONGMONT, CO 80503 • USA

PHONE 303-682-6400

E-MAIL

FAX 303-682-6401

URL

HOST ADAPTERS TESTED

AHA@-1510
 AVA™-1515
 AHA@-1520/2
 AHA@-1530/2P
 AHA@-1540/2/F/P
 AHA@-1640
 AHA@-2740/2/4/T/W
 AHA@-2840/2VL
 AHA@-2940/4/W

LANGUAGE(S) SUPPORTED**PRODUCTS AVAILABLE IN**

Worldwide

Fujitsu Computer - Intellistor Divisi

M270X

Fujitsu's M270x drives are the first 5,400 rpm 2.5" form factor disk drive that provides true server-class performance for today's notebooks and portables. The M270x provides up to 530 MB of formatted capacity by combining Fujitsu's Magneto-resistive (MR) heads and digital read channel (PR4ML) technology, advanced caching techniques, and spindle synchronization. The 270's performance advantages include a 512KB programmable cache, high internal transfer rates, tagged command queuing/reordering, 12 ms average access time, and Fujitsu's Intelligent Power Management scheme to support the latest Energy Star standards.

2402 CLOVER BASIN DRIVE • LONGMONT, CO 80503 • USA

PHONE 303-682-6400

E-MAIL

FAX 303-682-6401

URL

HOST ADAPTERS TESTED

AHA@-1510
AVA™-1515
AHA@-1520/2
AHA@-1530/2P
AHA@-1540/2/F/P
AHA@-1640
AHA@-2740/2/4/T/W
AHA@-2840/2VL
AHA@-2940/4/W

LANGUAGE(S) SUPPORTED**PRODUCTS AVAILABLE IN**

Worldwide

Fujitsu Computer - Intellistor Divisi

M290X

Fujitsu's M290X combine magneto-resistive (MR) heads with digital read channel electronics (PR4ML) and advanced caching techniques to deliver ultimate performance and capacity. Rotational speeds of 5,400 rpm, 5.6 ms rotational latency, spindle synchronization, sub 10 ms seek times, high internal transfer rates, and many other high performance features make the M290X a leader in the mass storage industry. Drives are also available with Fast or Wide SCSI-2 interfaces.

2402 CLOVER BASIN DRIVE • LONGMONT, CO 80503 • USA

PHONE 303-682-6400

E-MAIL

FAX 303-682-6401

URL

HOST ADAPTERS TESTED

AHA@-1510
 AVA™-1515
 AHA@-1520/2
 AHA@-1530/2P
 AHA@-1540/2/F/P
 AHA@-1640
 AHA@-2740/2/4/T/W
 AHA@-2840/2VL
 AHA@-2940/4/W

LANGUAGE(S) SUPPORTED**PRODUCTS AVAILABLE IN**

Worldwide

Fujitsu Computer - Intellistor Divisi*M291X*

Fujitsu's M291X combine magneto-resistive (MR) heads with digital read channel electronics (PR4ML) and advanced caching techniques to deliver ultimate performance and capacity. Rotational speeds of 7,200 rpm, sub-5.6 ms rotational latency, spindle synchronization, sub 10 ms seek times, high internal transfer rates, and many other high performance features make the M291X a leader in the mass storage industry. Drives are also available with Fast or Wide SCSI-2 interfaces.

2402 CLOVER BASIN DRIVE • LONGMONT, CO 80503 • USA

PHONE 303-682-6400

E-MAIL

FAX 303-682-6401

URL

HOST ADAPTERS TESTED

AHA@-1510
 AVA™-1515
 AHA@-1520/2
 AHA@-1530/2P
 AHA@-1540/2/F/P
 AHA@-1640
 AHA@-2740/2/4/T/W
 AHA@-2840/2VL
 AHA@-2940/4/W

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

Fujitsu Computer - Intellistor Divisi

M293X

Fujitsu's M293X combine magneto-resistive (MR) heads with digital read channel electronics (PR4ML) and advanced caching techniques to deliver ultimate performance and capacity. Rotational speeds of 7,200 rpm, sub-5 ms rotational latency, spindle synchronization, 10 ms seek times, fast internal transfer rates, and many other high performance features make the M293X a leader in the mass storage industry. Drives are also available with Fast/Wide/Single Ended/Differential/SCA interfaces.

2402 CLOVER BASIN DRIVE • LONGMONT, CO 80503 • USA

PHONE 303-682-6400

E-MAIL

FAX 303-682-6401

URL

HOST ADAPTERS TESTED

AHA@-1520/2
AHA@-1540/2/F/P
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2940/4/W
AHA@-2940/4/U/UW

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

India

HCL Hewlett Packard Ltd.

BUSY BEE AND METEOR

The HCL-Hewlett Packard Busy Bee and Meteor Systems are developed in India for use in the Indian market. They are highly scalable designs starting from home PC low-end configurations to large business UNIX and NetWare servers.

E4, E5, E6 SECTOR 11 NOIDA • DIST GHAZIABAD, 201301 • INDIA

PHONE 91-11-8531353

E-MAIL

FAX 91-11-8521113

URL

HOST ADAPTERS TESTED

APA™-348
 APA™-358
 APA™-1460
 AHA@-1510
 AHA@-1520/2
 AHA@-1540/2/F/P
 AHA@-1640
 AHA@-1740/2/4
 AHA@-2740/2/4/T/W
 AHA@-2940/4/W
 AHA@-2940/4/U/UW

LANGUAGE(S) SUPPORTED

Chinese, English, French, German, Japanese, Portuguese, Spanish, and Korean

PRODUCTS AVAILABLE IN

Worldwide

Hewlett-Packard Company

HP SURESTORE TAPE 5000

The HP SureStore Tape 5000 provides reliable backup for high-end PCs and UNIX workstations, as well as peer-to-peer and server-based networks.

The HP SureStore Tape 5000i is a 5.25-inch, half-height internal drive. The HP SureStore Tape 5000e and 5000eU are external drives.

The products come complete with everything you need for backup, including Colorado Backup for Windows, diagnostics and accessories.

You can choose from a long list of compatible software solutions. HP SureStore Tape Premier Solutions are industry-leading software solutions which are supplied and supported by HP. HP SureStore Tape Referenced Solutions are supplied by industry-leading vendors and are fully tested for compatibility with HP SureStore Tape products.

Key Features

- Typically 4 GB of unattended backup in just over three hours using hardware data compression
- HP's reliable DAT technology
- Industry-standard DDS-DC format
- Includes Colorado Backup for Windows
- Compatible with a wide range of operating systems and software solutions
- HP service and support

COMPUTER PERIPHERALS BRISTOL FILTON ROAD, STOKE GIFFORD • BRISTOL, AVON BS12 6QZ • ENGL

PHONE (44) 117-9228304

FAX (44)117-9799910

E-MAIL adrian_kerton@hp.com

URL <http://www.hp.com/go/dat>

HOST ADAPTERS TESTED

APA™-348
 APA™-358
 APA™-1460
 AHA@-1510
 AHA@-1520/2
 AHA@-1540/2/F/P
 AHA@-1640
 AHA@-1740/2/4
 AHA@-2740/2/4/T/W
 AHA@-2940/4/W
 AHA@-2940/4/U/UW

LANGUAGE(S) SUPPORTED

Chinese, English, French, German, Japanese, Portuguese, Spanish, and Korean

PRODUCTS AVAILABLE IN

Worldwide

Hewlett-Packard Company

HP SURESTORE TAPE 6000

The HP SureStore Tape 6000 provides reliable backup for high-end PCs and UNIX workstations, as well as peer-to-peer and server-based networks.

The HP SureStore Tape 6000i is a 5.25-inch, half-height internal drive. The HP SureStore Tape 6000e and 6000eU are external drives.

The products come complete with everything you need for dependable backup, including Colorado Backup for Windows, diagnostics and accessories.

You can choose from a long list of compatible software solutions. HP SureStore Tape Premier Solutions are industry-leading software solutions which are supplied and supported by HP. HP SureStore Tape Referenced Solutions are supplied by industry-leading vendors and are fully tested for compatibility with HP SureStore Tape products.

Key Features

- Typically 8 GB of unattended backup in just over two hours using hardware data compression
- HP's reliable DAT technology
- Industry-standard DDS-2 format
- Includes Colorado Backup for Windows
- Compatible with a wide range of operating systems and software solutions
- HP service and support

COMPUTER PERIPHERALS BRISTOL FILTON ROAD, STOKE GIFFORD • BRISTOL, AVON BS12 6QZ • ENGL

PHONE (44) 117-9228304

FAX (44)117-9799910

E-MAIL adrian_kerton@hp.com

URL <http://www.hp.com/go/dat>

HOST ADAPTERS TESTED

APA™-348
 APA™-358
 APA™-1460
 AHA@-1510
 AHA@-1520/2
 AHA@-1540/2/F/P
 AHA@-1640
 AHA@-1740/2/4
 AHA@-2740/2/4/T/W
 AHA@-2940/4/W
 AHA@-2940/4/U/UW

LANGUAGE(S) SUPPORTED

Chinese, English, French, German, Japanese, Portuguese, Spanish, and Korean

PRODUCTS AVAILABLE IN

Worldwide

Hewlett-Packard Company

HP SURESTORE TAPE 2000

The HP SureStore Tape 2000 provides reliable backup for highend PCs and UNIX workstations, as well as small peer-to-peer and server-based networks.

The HP SureStore Tape 2000i is a 5.25 inch, half height internal drive. The HP SureStore Tape 2000e is an external drive.

The products come complete with everything you need for dependable backup, including Colorado Backup for Windows, diagnostics and accessories.

You can choose from a long list of compatible software solutions. HP SureStore Tape Premier Solutions are the industry leading software solutions which are supplied and supported by HP. HP SureStore Tape Referenced Solutions are supplied by industry leading vendors and are fully tested for compatibility with HP SureStore Tape products.

Key Features

- 2 GB of unattended backup in just over three hours
- HP's reliable DAT technology
- Industry-standard DDS format
- Includes Colorado Backup for Windows
- Compatible with a wide range of operating Systems and Software solutions
- HP service and support
- Compatible with a wide range of operating systems and software solutions
- HP service and support

COMPUTER PERIPHERALS BRISTOL FILTON ROAD, STOKE GIFFORD • BRISTOL, AVON BS12 6QZ • ENGL

PHONE (44) 117-9228304

FAX (44)117-9799910

E-MAIL adrian_kerton@hp.com

URL <http://www.hp.com/go/dat>

HOST ADAPTERS TESTED

AHA@-2940/4/W

LANGUAGE(S) SUPPORTED

English, French, German, Spanish

PRODUCTS AVAILABLE IN

Worldwide

Hewlett-Packard Company

HP SURESTORE TAPE 12000E

The HP SureStore Tape 12000e autoloader offers 48 GB of reliable, high performance storage.

The autoloader can be combined with your choice of software solutions to meet a wide range of requirements, such as automated backup of workgroup servers centralized backup of enterprise multi-server networks as well as archive and hierarchical storage management applications.

To help ensure worry-free operation, products include lifetime telephone support and HP's one year Express Exchange warranty.

Key Features

- A typical capacity of 8 GB per cartridge using hardware data compression, for a typical capacity of 48 GB per magazine
- High-speed data transfer and high-speed file retrieval
- Compatible with a wide range of operating and software solutions
- HP reliable DAT technology ensures the protection of your valuable data
- Industry standard DDS-2 format provides interchange with other DDS tape drives
- HP service and support

COMPUTER PERIPHERALS BRISTOL FILTON ROAD, STOKE GIFFORD • BRISTOL, AVON BS12 6QZ • ENGL

PHONE (44) 117-9228304

FAX (44)117-9799910

E-MAIL adrian_kerton@hp.com

URL <http://www.hp.com/go/dat>

HOST ADAPTERS TESTED

AHA@-1510
AHA@-1520/2
AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4

LANGUAGE(S) SUPPORTED

English, French, German, Italian,
Spanish

PRODUCTS AVAILABLE IN

Canada, France, Germany, Italy
Spain, USA

Interface Data

DX-SCSI

DX-SCSI is a tape drive subsystem for backup and data exchange including interactive, menu-driven software. It supports character set conversion, fixed and variable length records, various record separators, and several standard tape formats. It is compatible with most SCSI tape drives and ideal for exchange of tapes with mainframes.

600 WEST CUMMINGS PARK SUITE 3100 • WOBURN, MA 01801 • USA

PHONE (617) 938-6333

TOLL FREE (800) 370-3282

E-MAIL

FAX (617) 938-0626

URL

HOST ADAPTERS TESTED

AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2840/2VL

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

USA

JNL Computer Products, Inc.

DATAPORT

JNL's DataPort is a US patented removable storage adapter. It has a hot-swappable capability that allows any 3.5" hard drive to be swapped while the computer continues to run. DataPort is form-fitted to any standard 5.25" drive bay. It is ideal for data security, portability, back-up and RAID applications. There are IDE, SCSI, aluminum and plastic options. The US patent no. protecting this type of device is #4,941,841 & des. 308,052.

4512 ENTERPRISE ST. • FREMONT, CA 94538 •

PHONE (510)353-0262

TOLL FREE (800)283-5123

E-MAIL

FAX (510)353-0266

URL

HOST ADAPTERS TESTED

AHA@-1520/2
AHA@-1540/2/F/P

LANGUAGE(S) SUPPORTED**PRODUCTS AVAILABLE IN**

USA, Asia, Europe

LaserByte

LB4230 MO DRIVE (3.5" 230MB)

The LB4230 rewritable optical disk drive utilizes state-of-the-art Magnetico Optical technology. With off-the-shelf, low cost optical media it offers the following features:

- * 25.4mm (1 inch) high 3.5" form factor, which will fit into any floppy location
- * standard SCSI-II interface
- * patented autowrite calibration sequence that optimizes the laser power read/write operations to ensure consistent high performance across a wide range of environmental conditions and media
- * the lowest power requirement of a 3.5" drive, requiring only +5vDC
- * the lowest power dissipation at only 4.7 Watts average, and
- * a Smart Power Sleep mode, which cuts power to 1 Watt when not in use.

1330 BORDEAUX DRIVE • SUNNYVALE, CA 94089 •

PHONE (408) 734-9200

TOLL FREE (800) 619-9200

E-MAIL

FAX (408) 734-5471

URL

HOST ADAPTERS TESTED

AVA™-1505
 AHA@-1510
 AVA™-1515
 AHA@-1520/2
 AHA@-1530/2P
 AHA@-1540/2/F/P
 AHA@-1640
 AHA@-1740/2/4
 AHA@-2740/2/4/T/W
 AHA@-2840/2VL
 AHA@-2940/4/W

LANGUAGE(S) SUPPORTED

Chinese, English, French, German,
 Italian, Japanese, Norwegian,
 Portuguese, Swedish, Spanish

PRODUCTS AVAILABLE IN

Worldwide

Legacy Storage Systems

LEGACY TAPE DRIVES

Legacy manufactures a complete line of Legacy Tape Drives that can incorporate 8mm Helical-Scan, DAT (Digital Audio Tape) or QIC (Quarter-Inch Cartridge) tape technologies. All of Legacy's tape solutions are tested and developed to ensure successful integration with a customer's primary disk storage. Some of the family's many features include: capacities ranging from 60 MB to over 10 GB; QFA (Quick File Access) capabilities for fast file retrieval; and data transfer rates approaching over 72 MB/minute for Legacy's higher-end tape family members.

Canadian Corporate Headquarters
 43 Riviera Drive
 Markham, Ontario L3R 5J6
 Canada
 Tel: (905)475-1077
 Fax: (905)475-1088

138 RIVER ROAD SUITE 204 • ANDOVER, MA 01810 • USA

PHONE (508) 681-8400

TOLL FREE (800) 966-6442

E-MAIL

FAX (508) 689-9004

URL

HOST ADAPTERS TESTED

AHA@-1640
 AHA@-1740/2/4
 AHA@-2740/2/4/T/W
 AHA@-2940/4/W
 AHA@-3940/W

LANGUAGE(S) SUPPORTED**PRODUCTS AVAILABLE IN**

Worldwide

Legacy Storage Systems

SMART ARRAY®, SMART ARRAY XE

Legacy's SmartArray® family of disk array subsystems offer the best combination of performance and fault tolerance for mission-critical servers. Available as either a storage tower or rack-mount, SmartArray subsystems accommodate every major storage technology: hard disk, CD-ROM, and tape (DAT, QIC, and 8mm). Devices and power supplies are hot-swappable for zero-downtime applications. The advanced intelligent monitor displays device, power supply, temperature, and fan status. It also monitors RAID rebuilds and detects duplicate SCSI IDs. Visual and audio alarms indicate error conditions, and messages can be broadcast by MHS or SNMP, or via pager.

SmartArray supports up to 6 SCSI-3 Fast/Wide buses, and all major operating systems.

Canadian Corporate Headquarters
 43 Riviera Drive
 Markham, Ontario L3R 5J6
 Canada
 Tel: (905)475-1077
 Fax: (905)475-1088

138 RIVER ROAD SUITE 204 • ANDOVER, MA 01810 • USA

PHONE (508) 681-8400

TOLL FREE (800) 966-6442

E-MAIL

FAX (508) 689-9004

URL

HOST ADAPTERS TESTED

AHA@-1540/2/F/P
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2940/4/W
AHA@-3940/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

Logicraft Information Systems

THE JUKEBOX MANAGER

The Jukebox Manager™ option for Logicraft's LanCD™ network server software provides a versatile solution for networked access to archived CD-ROM storage. It is modular in design, hardware independent and non-vendor specific for jukebox support. Features include Document Image Management, static directory or platter caching and DDC (dynamic hard disk cache), asynchronous access, multiple jukebox support, Intelligent Optical Reader Selection, local on-line management, and support for up to 1280 platters and 56 readers per LanCD server. With up to 10 servers per client, each user could have access to more than 12 thousand CD-ROM discs.

22 COTTON ROAD • NASHUA, NH 03063 •

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL sales@logicraft.com

FAX (603) 880-7229

URL <http://www.logicraft.com>

HOST ADAPTERS TESTED

AHA@-1540/2/F/P
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2940/4/W
AHA@-3940/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

Logicraft Information Systems

FASTCD™, LANCD

FastCD™ is an option available with Logicraft's LanCD™ networking software for providing multiple concurrent access to CD-ROM applications in a multi-platform, multi-protocol networking environment. FastCD creates "virtual CD-ROM discs" on fast, high performance SCSI hard drives by caching the entire contents of a CD-ROM in its native format onto a FastCD partition of the hard disk, providing users with easy access to their CD-ROM applications at hard disk speeds up to 300 times faster than standard CD-ROM drives. FastCD software includes comprehensive status reports, multimedia support, and asynchronous disk access for higher throughput during multiple concurrent accessing.

22 COTTON ROAD • NASHUA, NH 03063 •

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL sales@logiccraft.com

FAX (603) 880-7229

URL <http://www.logiccraft.com>

HOST ADAPTERS TESTED

AHA®-2740/2/4/T/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

Logicraft Information Systems

CDEXECUTIVE™ CD-ROM NETWORK SERVER

The CDexecutive /XF5500 CD-ROM network server provides a turnkey solution for multiple concurrent accesses to CD-ROM applications in a multi-platform, multi-protocol environment. The Pentium™ based XF hardware architecture is bundled with Logicraft's high performance CDexecutive Management Center software that automatically monitors and manages CD-ROM applications as a background Windows NT™ service. Client support includes Windows® 95, Windows® for Workgroups, Macintosh® and NetWare clients. The XF server holds up to 14 SCSI devices and comes equipped with IDE hard drive, network interface card, floppy drive and SCSI host adapters. It runs at 120MHz, has 32MB of RAM and supports up to 56 SCSI devices.

22 COTTON ROAD • NASHUA, NH 03063 •

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL sales@logiccraft.com

FAX (603) 880-7229

URL <http://www.logiccraft.com>

HOST ADAPTERS TESTED

AHA@-1520/2
 AHA@-1540/2/F/P
 AHA@-1640
 AHA@-1740/2/4
 AHA@-2740/2/4/T/W
 AHA@-2940/4/W
 AHA@-3940/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

Logicraft Information Systems

LANCD™ CD-ROM NETWORK SERVERS

The LanCD/XF family of CD-ROM network servers provides a turnkey solution for multiple concurrent accesses to CD-ROM applications in a multi-platform, multi-protocol environment. The Pentium™ based XF hardware architecture is bundled with Logicraft's high-performance LanCD and FastCD™ software that supports DOS, Windows® and Windows® 95 clients. Optional support is available for Windows NT® and Macintosh clients. Each chassis holds up to 14 SCSI devices and comes equipped with IDE hard drive, network interface card, floppy drive and SCSI host adapters. The XF5300 runs at 75MHz, has 16MB of RAM and expands to 28 drives. The XF5500 runs at 120MHz, has 32MB and supports up to 56 drives.

22 COTTON ROAD • NASHUA, NH 03063 •

PHONE 603-880-0300

TOLL FREE 800-880-5644

E-MAIL sales@logiccraft.com

FAX (603) 880-7229

URL <http://www.logiccraft.com>

HOST ADAPTERS TESTED

AVA™-1505
AHA@-1510
AHA@-1540/2/F/P

LANGUAGE(S) SUPPORTED

English, German

PRODUCTS AVAILABLE IN

Germany
Japan
Turkey
USA

Lumisys Inc

RAYVEN

Through XRS' patented "SC" and "NL" technologies, the Rayven series scanners and "SC" flatbed models are able to attain a wide optical density range normally found in more costly, less rugged laser-based scanners.

225 HUMBOLDT CT • SUNNYVALE, CA 94089 • USA

PHONE 408-733-6565

FAX 408-733-6567

E-MAIL

URL

HOST ADAPTERS TESTED

AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2940/4/W
AHA@-3940/W

LANGUAGE(S) SUPPORTED**PRODUCTS AVAILABLE IN**

Worldwide

Maxoptix Corporation

T4-2600

The T4-2600 is a new 5.25" multifunction optical disk drive with 2.6GB capacity. It provides unlimited transportable storage at an excellent value, offering unparalleled reliability, a fast seek rate up to 4.0 MB/second transfer rate and with 1 read/write cache, it delivers an outstanding performance. The T4-2600 drive conforms to ISO specifications and accepts three ISO standard media formats - 2.6GB, 1.3GB and 650MB.

This drive is reliable, affordable and high performance. The media can be written and erased more than 10,000,000 times.

3342 GATEWAY BLVD. • FREMONT, CA 94538 • USA

PHONE (510) 353-9700

TOLL FREE (800) 848-3092

E-MAIL

FAX (510) 353-1845

URL

HOST ADAPTERS TESTED

AHA@-1540/2/F/P
 AHA@-1640
 AHA@-1740/2/4
 AHA@-2740/2/4/T/W
 AHA@-2940/4/W
 AHA@-3940/W

LANGUAGE(S) SUPPORTED**PRODUCTS AVAILABLE IN**

Worldwide

Maxoptix Corporation

MAXLYB

The Maxoptix MaxLyb family of optical auto changers utilizes the T4-2600 drives to deliver high performance and reliable specifications. The MaxLyb family covers a wide range of capacities - 26GB to over 600GB, which ensures the most useful library is available for a variety of applications.

With the MaxLyb family of optical storage libraries, Maxoptix offers the widest selection of optical library solutions and fills the price-performance gaps left by other storage technologies. With the fastest on-line access to stored data and information, they are the logical choice for those who need top performance, demonstrated reliability and future expandability at competitive prices.

3342 GATEWAY BLVD. • FREMONT, CA 94538 • USA

PHONE (510) 353-9700

TOLL FREE (800) 848-3092

E-MAIL

FAX (510) 353-1845

URL

HOST ADAPTERS TESTED

AHA@-1520/2
AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2940/4/W
AHA@-2940/4/U/UW
AHA@-3940/W

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

Maxtor Southern Europe

7000 SERIES

7000 Series SCSI disk drives are 1' x 3.5" high random access storage devices using an on-board SCSI controller. Reduced size, increased durability and low power consumption make them especially well suited to notebook, laptop and desktop applications.

18 RUE SAARINEN • RUNGIS, 94568 • FRANCE

PHONE (33) 1-46-86-20-98

FAX (33) 1-46-87-35-19

E-MAIL BrunoCourtois@maxtor.com

URL

HOST ADAPTERS TESTED

AHA@-1510
AHA@-1520/2
AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4
AHA@-2740/2/4/T/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

USA

Media Integration, Inc.

INTELLIGENT STORAGE

Intelligent Storage™ is a fault-tolerant SCSI storage subsystem for hard disks, optical disks and tape drives. Features include distributed power with redundant, hot removable and replaceable power supplies and removable storage devices, including those with removable media. It provides the highest level of fault tolerant, redundant power and removability while continuing full operation. It will accept any standard 5.25" or 3.5" storage device.

3949 RESEARCH PARK COURT SUITE 190 • SOQUEL, CA 95073 • USA

PHONE (408) 475-9400

TOLL FREE (800) 824-7385

E-MAIL

FAX (408) 475-0110

URL

HOST ADAPTERS TESTED

AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4
AHA@-2740/2/4/T/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

USA

Media Integration, Inc.

MEDIA SMARTSTOR

Media SmartStor™ provides RAID levels 0, 1, and 5, with full data and power supply fault tolerant support. Removable data and power supply with continuous operation and user-defined priority for data recovery is provided. NetWare, UNIX and OS/2 are supported on ISA, EISA and Micro Channel buses. A scalable number of drives and adapters are used. The system can support up to 41 drives per SCSI connection.

3949 RESEARCH PARK COURT SUITE 190 • SOQUEL, CA 95073 • USA

PHONE (408) 475-9400

TOLL FREE (800) 824-7385

E-MAIL

FAX (408) 475-0110

URL

HOST ADAPTERS TESTED

AHA@-1510
AHA@-1520/2
AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

USA

Media Integration, Inc.

DAT-MANAGER

The DAT-Manager™ provides from 48 GB to 1 Terrabyte of near-line storage of data, thus providing the ability to restore, backup and archive large quantities of data at the lowest cost per MB. Data Librarian software manages all cassettes, even those off-line in cold storage, for quick and automatic recovery.

3949 RESEARCH PARK COURT SUITE 190 • SOQUEL, CA 95073 • USA

PHONE (408) 475-9400

TOLL FREE (800) 824-7385

E-MAIL

FAX (408) 475-0110

URL

HOST ADAPTERS TESTED

AHA@-1510
AHA@-1520/2
AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4
AHA@-2740/2/4/T/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

USA

Media Integration, Inc.

OPTI-MANAGER

Opti-Manager™ provides very large near-line or on-line data storage, from 20 GB to 1 Terrabyte and the ability to define the partition or volume to cover an entire data set or any combination subset of cartridge side, whole cartridge or group of cartridges. Multiple drive access is also available. Data Librarian software manages all optical cartridges, even those in cold storage, for quick recovery.

3949 RESEARCH PARK COURT SUITE 190 • SOQUEL, CA 95073 • USA

PHONE (408) 475-9400

TOLL FREE (800) 824-7385

E-MAIL

FAX (408) 475-0110

URL

HOST ADAPTERS TESTED

APA™-348
APA™-1460
AHA@-1540/2/F/P
AHA@-2740/2/4/T/W
AHA@-2940/4/W
AHA@-3940/W

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

NSM Jukebox GmbH

CDR 100 XA QUAD SPEED

Single drive (Toshiba XM3501B) quad speed, 100 disk CD-ROM changer, SCSI-2 data interface, RS-232 robotics interface.

IM TIERGARTEN 20-30 • D-55411BINGEN, 55411 • GERMANY

PHONE 49-6721-964-394

FAX 49-6721-964-414

E-MAIL CompuServe 73503,3467

URL

HOST ADAPTERS TESTED

APA™-348
APA™-1460
AHA@-1540/2/F/P
AHA@-2740/2/4/T/W
AHA@-2940/4/W
AHA@-3940/W

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

NSM Jukebox GmbH

CDR 100 RECORDABLE QUAD SPEED

Single drive (Yamaha CDR100, 4x) 100 disk CD-R changer, SCSI-2 data interface, RS-232 robotics interface.

IM TIERGARTEN 20-30 • D-55411BINGEN, 55411 • GERMANY

PHONE 49-6721-964-394

FAX 49-6721-964-414

E-MAIL CompuServe 73503,3467

URL

HOST ADAPTERS TESTED

APA™-358
APA™-1460
AHA@-1540/2/F/P
AHA@-2740/2/4/T/W
AHA@-2940/4/W
AHA@-3940/W

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

NSM Jukebox GmbH

CDR 100 XA

Single drive 100 disk CD-ROM changer, SCSI-2 data interface, RS-232 robotics control, 2x speed, Toshiba XM3401B.

IM TIERGARTEN 20-30 • D-55411BINGEN, 55411 • GERMANY

PHONE 49-6721-964-394

FAX 49-6721-964-414

E-MAIL CompuServe 73503,3467

URL

HOST ADAPTERS TESTED

APA™-348
APA™-1460
AHA@-1540/2/F/P
AHA@-2740/2/4/T/W
AHA@-2940/4/W
AHA@-3940/W

NSM Jukebox GmbH

MERCURY 20

150 disk, 2 drive CD-ROM changer, 4x drives (Toshiba XM3501B)
SCSI data interface, RS-232 robotics interface.

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

IM TIERGARTEN 20-30 • D-55411BINGEN, 55411 • GERMANY

PHONE 49-6721-964-394

FAX 49-6721-964-414

E-MAIL CompuServe 73503,3467

URL

HOST ADAPTERS TESTED

APA™-348
APA™-1460
AHA@-1540/2/F/P
AHA@-1640
AHA@-2740/2/4/T/W
AHA@-2940/4/W
AHA@-3940/W

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

NSM Jukebox GmbH

MERCURY 40

CD-ROM changer with 4 4x drives (Toshiba XM3501B) and 150 CD capacity. SCSI-2 data interface, RS-232 robotics interface.

IM TIERGARTEN 20-30 • D-55411BINGEN, 55411 • GERMANY

PHONE 49-6721-964-394

FAX 49-6721-964-414

E-MAIL CompuServe 73503,3467

URL

HOST ADAPTERS TESTED

APA™-348
APA™-1460
AHA@-1540/2/F/P
AHA@-1640
AHA@-2740/2/4/T/W
AHA@-2940/4/W
AHA@-3940/W

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

NSM Jukebox GmbH

MERCURY 20 S

CD-ROM changer with 2 4x CD-ROM drives (Toshiba XM3501B) and 150 CDs capacity. SCSI-2 data and robotics interface.

IM TIERGARTEN 20-30 • D-55411BINGEN, 55411 • GERMANY

PHONE 49-6721-964-394

FAX 49-6721-964-414

E-MAIL CompuServe 73503,3467

URL

HOST ADAPTERS TESTED

APA™-348
APA™-1460
AHA@-1540/2/F/P
AHA@-1640
AHA@-2740/2/4/T/W
AHA@-2940/4/W
AHA@-3940/W

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

NSM Jukebox GmbH

MERCURY 40 S

CD-ROM changer with 4 x CD-ROM drives (Toshiba XM3501B) and 150 CDs capacity. SCSI-2 data and robotics interface.

IM TIERGARTEN 20-30 • D-55411BINGEN, 55411 • GERMANY

PHONE 49-6721-964-394

FAX 49-6721-964-414

E-MAIL CompuServe 73503,3467

URL

HOST ADAPTERS TESTED

APA™-348
APA™-1460
AHA@-1540/2/F/P
AHA@-1640
AHA@-2740/2/4/T/W
AHA@-2940/4/W
AHA@-3940/W

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

NSM Jukebox GmbH

MERCURY 31

CD-ROM/CD-R changer with 3 4x CD-ROM drives (Toshiba XM3501B), 1 4x CD recorder drive (Yamaha CDR 100), 150 CDs capacity, 2 SCSI-2 data interfaces (1 for CD-ROMs, 1 for recorder). RS-232 robotics interface.

IM TIERGARTEN 20-30 • D-55411BINGEN, 55411 • GERMANY

PHONE 49-6721-964-394

FAX 49-6721-964-414

E-MAIL CompuServe 73503,3467

URL

HOST ADAPTERS TESTED

APA™-348
APA™-1460
AHA@-1540/2/F/P
AHA@-1640
AHA@-2740/2/4/T/W
AHA@-2940/4/W
AHA@-3940/W

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

NSM Jukebox GmbH

MERCURY 31 S

CD-ROM/CD-R changer with 3 4x CD-ROM drives (Toshiba XM3501B) and 1 4x recorder drive (Yamaha COR100), 150 CDs capacity. SCSI-2 data and robotics interface. Separate SCSI-2 interface for recorder.

IM TIERGARTEN 20-30 • D-55411BINGEN, 55411 • GERMANY

PHONE 49-6721-964-394

FAX 49-6721-964-414

E-MAIL CompuServe 73503,3467

URL

HOST ADAPTERS TESTED

AHA@-1540/2/F/P
AHA@-2840/2VL
AHA@-3940/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

Optisys

GLOBALNET

GlobalNet™ storage servers provide Novell Network access to optical jukeboxes, including CD-ROM, Erasable and WORM (Write Once Read Many) technologies. Notable for its ease of installation, use and its speed.

-
-
-

9250 NORTH 43RD AVENUE, SUITE 12 • GLENDALE, AZ 85302 •

PHONE (602) 997-9699

TOLL FREE (800) 327-1271

E-MAIL

FAX (602) 944-4051

URL

HOST ADAPTERS TESTED

AHA@-1520/2
AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Australia
Switzerland

Pacific Micro Data, Inc.

MAST VII

MAST VII™ is an open architecture subsystem which supports non-proprietary SCSI-2 drives, host adapters, 4mm DAT drives, and RAID technologies (software and hardware based). The SCSI control panel provides complete system monitoring for easy system diagnostics. "Hot Fix" drives, fans, and air filters provide easy maintenance.

Features include:

- RAID 5 technology (hardware and software) which cost-effectively increases performance and fault tolerance
- Hot Fix drive shuttles permit power-on placement
- Intelligent SCSI backplane
- Multiple SCSI bus channels for performance and configuration tuning

3002 DOW AVENUE, #140 • TUSTIN, CA 92680 • US

PHONE (714) 838-8900

TOLL FREE (800) 933-7575

E-MAIL

FAX (714) 838-9787

URL

HOST ADAPTERS TESTED

AHA@-1520/2
AHA@-1540/2/F/P
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2840/2VL
AHA@-2940/4/W

LANGUAGE(S) SUPPORTED

English, Japanese

PRODUCTS AVAILABLE IN

France, Germany, Japan, USA

Ricoh Company, Ltd.

IS50

IS50® provides high-quality scanning at 256 levels of gray-scale and 400 dpi. Its crisp, clear scanning capabilities to the very end of the page make the Ricoh IS50 well-suited for desktop publishing and OCR applications. And this advanced machine offers these features as well: full legal-size reading; enhanced image processing functions; a variety of brightness, contrast and gamma curves; SCSI-2 interface; and an optional 30-sheet document feeder.

1-3-6 NAKA-MAGOME OHTA-KU • TOKYO, 143 • JAPAN

PHONE (81) 3-3777-3479

FAX (81) 3-3777-2878

E-MAIL

URL

HOST ADAPTERS TESTED

AHA@-1520/2
AHA@-1540/2/F/P
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2840/2VL
AHA@-2940/4/W

LANGUAGE(S) SUPPORTED

English, Japanese

PRODUCTS AVAILABLE IN

France, Germany, Japan, USA

Ricoh Company, Ltd.

IS60

The IS60 provides high-quality scanning at 256 levels of gray-scale and 600dpi to accommodate the needs of the most demanding DTP users including high-quality photograph scanning. This advanced machine offers these features as well: enhanced image processing functions, a variety of brightness, contrast and gamma curves, SCSI-2 interface and an optional 30-sheet document feeder.

1-3-6 NAKA-MAGOME OHTA-KU • TOKYO, 143 • JAPAN

PHONE (81) 3-3777-3479

E-MAIL

FAX (81) 3-3777-2878

URL

HOST ADAPTERS TESTED

AHA@-1520/2
AHA@-1540/2/F/P
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2840/2VL
AHA@-2940/4/W

LANGUAGE(S) SUPPORTED

English, Japanese

PRODUCTS AVAILABLE IN

France, Germany, Japan, USA

Ricoh Company, Ltd.

IS410

The IS410 is a powerful, versatile machine that can handle all office filing needs. This advanced machine offers these features: fast processing of long documents, 400 dpi fine resolution scanning, designed for durability, document feeder automatically feeds up to 50 sheets and SCSI-2 interface and an optional endorser which is an accessory of the ADF, prints up to 16 alphanumeric characters on scanned documents for improved record management and DCU board enables data compression in three CCITT format.

1-3-6 NAKA-MAGOME OHTA-KU • TOKYO, 143 • JAPAN

PHONE (81) 3-3777-3479

E-MAIL

FAX (81) 3-3777-2878

URL

HOST ADAPTERS TESTED

AHA@-1520/2
 AHA@-1540/2/F/P
 AHA@-1740/2/4
 AHA@-2740/2/4/T/W
 AHA@-2840/2VL
 AHA@-2940/4/W

LANGUAGE(S) SUPPORTED

English, Japanese

PRODUCTS AVAILABLE IN

France, Germany, Japan, USA

Ricoh Company, Ltd.*IS420*

The IS420 provides high-resolution optics and image processing with 256 levels of gray-scale and 400 dpi. Its various functions have been incorporated to enhance versatility. These include area extraction (permitting selection of a rectangular area on a page for scanning), section area (allowing assignment of appropriate scanning processes to as many as six areas), and built-in image-processing functions (eliminating noise and smoothing text to achieve a crisp, clear image).

The Ricoh IS420 is well-suited for document imaging processing and OCR applications. This advanced machine offers these features as well: flexible contrast, brightness and gamma curve adjustment, document feeder automatically feeds up to 100 sheets, SCSI-2 interface and expansion slot for optional Image Processing Unit, Data Compression Unit and Video Interface Unit.

1-3-6 NAKA-MAGOME OHTA-KU • TOKYO, 143 • JAPAN

PHONE (81) 3-3777-3479

E-MAIL

FAX (81) 3-3777-2878

URL

HOST ADAPTERS TESTED

AHA@-1520/2
AHA@-1540/2/F/P
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2840/2VL
AHA@-2940/4/W

LANGUAGE(S) SUPPORTED

English, Japanese

PRODUCTS AVAILABLE IN

France, Germany, Japan, USA

Ricoh Company, Ltd.

FS2

The FS2 provides clarity of 1200 dpi, enabling the FS2 to scan even small details without losing information. With a depth of 30 bits per pixel, even the dark area can be scanned. The FS2 was designed to meet the various demands from general scanning across mass-scanning to professional color scanning.

This advanced machine offers these features as well: enhanced image processing functions, a variety of brightness, contrast and gamma curves, SCSI-2 interface and an optional 30-sheet document feeder.

1-3-6 NAKA-MAGOME OHTA-KU • TOKYO, 143 • JAPAN

PHONE (81) 3-3777-3479

E-MAIL

FAX (81) 3-3777-2878

URL

HOST ADAPTERS TESTED

AHA@-1510
 AHA@-1520/2
 AHA@-1540/2/F/P
 AHA@-1740/2/4

LANGUAGE(S) SUPPORTED

English, Japanese

PRODUCTS AVAILABLE IN

USA

Ricoh Corporation*HYPERSPACE*

Hyperspace® is one of the few 5.25" magneto-optical drives which has 3600 rpm. In addition, this drive employs a dust-free design. This means end-users do not need to periodically clean the optical heads. A PC kit is also available. The product is ISO standard.

Hyperspace® 1.3 GB is the next generation 5.25" magneto-optical disk drive offering 1.3 GB capacity. The Hyperspace 1.3 GB is fully compatible with older 594/650 MB optical cartridges, and incorporates Ricoh's advanced dust-free design. The Hyperspace 1.3 GB is offered in both internal and external configurations, and is fully ISO standard.

3001 ORCHARD PARKWAY • SAN JOSE, CA 95134 • USA

PHONE (408) 432-8800

TOLL FREE (800) 955-3453

E-MAIL

FAX (408) 943-9364

URL

HOST ADAPTERS TESTED

AHA@-1510
AHA@-1520/2
AHA@-1540/2/F/P
AHA@-1740/2/4

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

USA

Ricoh Corporation

TRANSPORTER

Transporter® is a 3.5" magneto-optical drive that supports the O-ROM function which utilizes CD-ROM technology, allowing mass data distribution. DOS and Novell kits are also available. This product is ISO compatible.

Transporter 2 is a 3.5" magneto-optical drive that offers 3000 rpm spindle speed coupled with Ricoh's exclusive dust-proof design. The Transporter 2 is available in internal and external configurations, and is fully ISO standard.

3001 ORCHARD PARKWAY • SAN JOSE, CA 95134 • USA

PHONE (408) 432-8800

TOLL FREE (800) 955-3453

E-MAIL

FAX (408) 943-9364

URL

HOST ADAPTERS TESTED

AHA@-1510
AHA@-1520/2
AHA@-1540/2/F/P
AHA@-1740/2/4

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

USA

Ricoh Corporation

HYPERSPACE SHUTTLE

HyperSpace Shuttle® is a five-platter jukebox which comes with the HyperSpace drive inside. This product provides over 2 MB/second sustained transfer rate. It is ideal for large file archival and retrieval purposes. The recording capacity is 3.25 GB. DOS/Windows, Sun Microsystems®, Novell and Macintosh kits are available.

3001 ORCHARD PARKWAY • SAN JOSE, CA 95134 • USA

PHONE (408) 432-8800

TOLL FREE (800) 955-3453

E-MAIL

FAX (408) 943-9364

URL

HOST ADAPTERS TESTED

AHA@-1510
AHA@-1520/2
AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2940/4/W
AHA@-3940/W

SHAFFSTALL Corporation

QT3490E

The QT3490E provides high speed data interchange between PCs/Networks and Mainframes via 3490E 1/2" tape cartridges. IBM/ANSI/EBCDIC/ASCII tapes can be accomodated on PCs, Windows NT, and Netware Servers.

LANGUAGE(S) SUPPORTED

PRODUCTS AVAILABLE IN

Worldwide

7901 EAST 88TH STREET • INDIANAPOLIS, IN 46256 •

PHONE (317) 842-2077

TOLL FREE (800) 248-3475

E-MAIL sales@shaffstall.com

FAX (317) 842-8294

URL <http://www.shaffstall.com>

HOST ADAPTERS TESTED

AHA@-1510
 AHA@-1520/2
 AHA@-1540/2/F/P
 AHA@-1640
 AHA@-1740/2/4
 AHA@-2740/2/4/T/W
 AHA@-2940/4/W
 AHA@-3940/W
 AHA@-3940U/UW

LANGUAGE(S) SUPPORTED**PRODUCTS AVAILABLE IN**

Worldwide

SHAFFSTALL Corporation*QUICKTAPE MEDIASERVER*

'Data Interchange and Duplication'

MediaServer converts and copies magnetic tapes including labeled and unlabeled ASCII/EBCDIC/BINARY datasets. System software includes a number of translator programs or "filters" to assist the user in converting from many of the popular industry standard tape formats. These include UNIX "tar" and "cpio" archives from virtually any UNIX workstation or server; DEC VMS and PDP-11 backup tapes from VAX systems; IBM System 36, and AS/400. Tape drives included are SCSI 3490E, 9-track reel, DLT 2000/4000, 4MM DAT, 8MM, and QIC.

7901 EAST 88TH STREET • INDIANAPOLIS, IN 46256 •

PHONE (317) 842-2077

TOLL FREE (800) 248-3475

E-MAIL sales@shaffstall.com

FAX (317) 842-8294

URL <http://www.shaffstall.com>

HOST ADAPTERS TESTED

AVA™-1515

LANGUAGE(S) SUPPORTEDEnglish, French, German, Italian,
Japanese, Spanish**PRODUCTS AVAILABLE IN**Europe
USA

Sony Electronics, Inc.

CDU-55S

Sony's latest CDU-55S SCSI CD-ROM drive provides the best solution for computer applications requiring high performance at a low cost of ownership. The CDU-55S features a 256KB read ahead cache buffer, low average access time of 22ms and fast 2.4 times spin speed. The CDU-55S is supported by the industry's highest MTBF of 100,000 power on hours and is backed by Sony's expertise of over fifteen years in CD-ROM technology. With its 4.0 MB per second burst transfer rate and SCSI-2 interface, the CDU-55S is ideal for today's SCSI applications.

3300 ZANKER ROAD • SAN JOSE, CA 95134 • USA

PHONE (408) 955-4173

TOLL FREE (800) 352-7669

E-MAIL

FAX (408) 955-5169

URL

HOST ADAPTERS TESTED

AHA@-2940/4/W

Symbios Logic

METASTOR

MetaStor disk array products provide high performance RAID in addition to other features that contribute to continuous data availability.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

3718 N ROCK ROAD • WICHITA, KS 67226 • USA

PHONE (316) 636-8000

TOLL FREE (800) 440-5606

E-MAIL

FAX (316) 636-8889

URL

HOST ADAPTERS TESTED

APA™-348
APA™-358
APA™-1460
AVA™-1505
AHA@-1510
AVA™-1515
AHA@-1520/2
AHA@-1530/2P
AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2840/2VL
AHA@-2940/4/W

LANGUAGE(S) SUPPORTED

English, French, German

PRODUCTS AVAILABLE IN

Worldwide

Tandberg Data S.A.

TAPE STORAGE SOLUTIONS: PANTHER

The Panther Family of tape backup systems offers a full range of backup solutions from 250 MB up to 13/26 GB. The Panther Family provides turnkey solutions for all major OS and network environments with industry leaders such as Adaptec®, Arcada, Cheyenne, JMR, 3M, and Sony.

16-18 AVENUE MORANE SAULNIER BAT A • F-78941 VELIZY, • FRANCE

PHONE 33-1-39260101

E-MAIL

FAX 33-1-34650289

URL www.tandberg.com

HOST ADAPTERS TESTED

APA™-348
APA™-358
APA™-1460
AVA™-1505
AHA@-1510
AVA™-1515
AHA@-1520/2
AHA@-1530/2P
AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2825VL
AHA@-2840/2VL
AHA@-2940/4/U/UW
AHA@-3940/W
AHA@-3980/5/W

LANGUAGE(S) SUPPORTED

English, French, German

PRODUCTS AVAILABLE IN

Worldwide

Tandberg Data S.A.

STREAMING TAPE DRIVES

Tandberg Data DC600 and mini cartridges QIC tape drives are the ultimate choice for hard disk backup, archival storage and data interchange for PC, workstation and mid-range computer.

16-18 AVENUE MORANE SAULNIER BAT A • F-78941 VELIZY, • FRANCE

PHONE 33-1-39260101

E-MAIL

FAX 33-1-34650289

URL www.tandberg.com

HOST ADAPTERS TESTED

APA™-348
APA™-358
APA™-1460
AVA™-1505
AHA@-1510
AVA™-1515
AHA@-1520/2
AHA@-1530/2P
AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2825VL
AHA@-2840/2VL
AHA@-2940/4/W
AHA@-2940W MAC
AHA@-3940/W
AHA@-3980/5/W

LANGUAGE(S) SUPPORTED

English, French, German

PRODUCTS AVAILABLE IN

Worldwide

Tandberg Data S.A.

PANTHER 250 (TDC 3660)

Tandberg data tape drives series offers one of the most affordable backup choices for Power PC and LAN users. Low cost per megabyte coupled with significant growth potential provide outstanding backup value.

16-18 AVENUE MORANE SAULNIER BAT A • F-78941 VELIZY, • FRANCE

PHONE 33-1-39260101

E-MAIL

FAX 33-1-34650289

URL www.tandberg.com

HOST ADAPTERS TESTED

APA™-348
APA™-358
APA™-1460
AVA™-1505
AHA@-1510
AVA™-1515
AHA@-1520/2
AHA@-1530/2P
AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2825VL
AHA@-2840/2VL
AHA@-2940/4/W
AHA@-2940W MAC
AHA@-3940/W
AHA@-3980/5/W

LANGUAGE(S) SUPPORTED

English, French, German

PRODUCTS AVAILABLE IN

Worldwide

Tandberg Data S.A.

PANTHER 525 (TDC 3820)

Tandberg data tape drives series offers one of the most affordable backup choices for Power PC and LAN users. Low cost per megabyte coupled with significant growth potential provide outstanding backup value.

16-18 AVENUE MORANE SAULNIER BAT A • F-78941 VELIZY, • FRANCE

PHONE 33-1-39260101

E-MAIL

FAX 33-1-34650289

URL www.tandberg.com

HOST ADAPTERS TESTED

APA™-348
APA™-358
APA™-1460
AVA™-1505
AHA@-1510
AVA™-1515
AHA@-1520/2
AHA@-1530/2P
AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2825VL
AHA@-2840/2VL
AHA@-2940/4/W
AHA@-2940W MAC
AHA@-3940/W
AHA@-3980/5/W

LANGUAGE(S) SUPPORTED

English, French, German

PRODUCTS AVAILABLE IN

Worldwide

Tandberg Data S.A.

PANTHER 1200 (TDC 4120)

Tandberg data tape drives series offers one of the most affordable backup choices for Power PC and LAN users. Low cost per megabyte coupled with significant growth potential provide outstanding backup value.

16-18 AVENUE MORANE SAULNIER BAT A • F-78941 VELIZY, • FRANCE

PHONE 33-1-39260101

E-MAIL

FAX 33-1-34650289

URL www.tandberg.com

HOST ADAPTERS TESTED

APA™-348
APA™-358
APA™-1460
AVA™-1505
AHA@-1510
AVA™-1515
AHA@-1520/2
AHA@-1530/2P
AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2825VL
AHA@-2840/2VL
AHA@-2940/4/W
AHA@-2940W MAC
AHA@-3940/W
AHA@-3980/5/W

LANGUAGE(S) SUPPORTED

English, French, German

PRODUCTS AVAILABLE IN

Worldwide

Tandberg Data S.A.

PANTHER 2500 (TDC 4220)

Tandberg data tape drives series offers one of the most affordable backup choices for Power PC and LAN users. Low cost per megabyte coupled with significant growth potential provide outstanding backup value.

16-18 AVENUE MORANE SAULNIER BAT A • F-78941 VELIZY, • FRANCE

PHONE 33-1-39260101

E-MAIL

FAX 33-1-34650289

URL www.tandberg.com

HOST ADAPTERS TESTED

APA™-348
APA™-358
APA™-1460
AVA™-1505
AHA@-1510
AVA™-1515
AHA@-1520/2
AHA@-1530/2P
AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2825VL
AHA@-2840/2VL
AHA@-2940/4/W
AHA@-2940W MAC
AHA@-3940/W
AHA@-3980/5/W

LANGUAGE(S) SUPPORTED

English, French, German

PRODUCTS AVAILABLE IN

Worldwide

Tandberg Data S.A.

PANTHER 5000 (TDC 4222)

Tandberg data tape drives series offers one of the most affordable backup choices for Power PC and LAN users. Low cost per megabyte coupled with significant growth potential provide outstanding backup value.

16-18 AVENUE MORANE SAULNIER BAT A • F-78941 VELIZY, • FRANCE

PHONE 33-1-39260101

E-MAIL

FAX 33-1-34650289

URL www.tandberg.com

HOST ADAPTERS TESTED

APA™-348
APA™-358
APA™-1460
AVA™-1505
AHA@-1510
AVA™-1515
AHA@-1520/2
AHA@-1530/2P
AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2825VL
AHA@-2840/2VL
AHA@-2940/4/W
AHA@-2940W MAC
AHA@-3940/W
AHA@-3980/5/W

LANGUAGE(S) SUPPORTED

English, French, German

PRODUCTS AVAILABLE IN

Worldwide

Tandberg Data S.A.

PANTHER MINI 2000 (TDC 3520)

Tandberg data tape drives series offers one of the most affordable backup choices for Power PC and LAN users. Low cost per megabyte coupled with significant growth potential provide outstanding backup value.

16-18 AVENUE MORANE SAULNIER BAT A • F-78941 VELIZY, • FRANCE

PHONE 33-1-39260101

E-MAIL

FAX 33-1-34650289

URL www.tandberg.com

HOST ADAPTERS TESTED

APA™-348
APA™-358
APA™-1460
AVA™-1505
AHA@-1510
AVA™-1515
AHA@-1520/2
AHA@-1530/2P
AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2825VL
AHA@-2840/2VL
AHA@-2940/4/W
AHA@-2940W MAC
AHA@-3940/W
AHA@-3980/5/W

LANGUAGE(S) SUPPORTED

English, French, German

PRODUCTS AVAILABLE IN

Worldwide

Tandberg Data S.A.

PANTHER MINI 4600 (TDC 3720)

Tandberg data tape drives series offers one of the most affordable backup choices for Power PC and LAN users. Low cost per megabyte coupled with significant growth potential provide outstanding backup value.

16-18 AVENUE MORANE SAULNIER BAT A • F-78941 VELIZY, • FRANCE

PHONE 33-1-39260101

E-MAIL

FAX 33-1-34650289

URL www.tandberg.com

HOST ADAPTERS TESTED

AVA™-1505
AHA@-1510
AVA™-1515
AHA@-1520/2
AHA@-1530/2P
AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2840/2VL
AHA@-2910A/Ai
AHA@-2940/4/W
AHA@-2940/4/U/UW
AHA@-3940/W
AHA@-3940U/UW

LANGUAGE(S) SUPPORTED

English, French, German

PRODUCTS AVAILABLE IN

Tandberg Data S.A.

TANDBERG MLR 1

The Tandberg MLR series tape drive is the ultimate choice today and in the future for data storage, backup, archival storage and data interchange on your workstation, network server or mid-range computer.

16-18 AVENUE MORANE SAULNIER B AT A • F-78941 VELIZY, • FRANCE

PHONE 33-1-34650289

TOLL FREE 33-1-34650289

E-MAIL

FAX

URL www.tandberg.com

HOST ADAPTERS TESTED

APA™-1460
AVA™-1505
AHA@-1510
AVA™-1515
AHA@-1520/2
AHA@-1530/2P
AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2840/2VL
AHA@-2940/4/W
AHA@-3940/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

UMAX Technologies, Inc.

UC 1260

The UC1260, with its 600 x 1200 hardware resolution, captures the sharpness and fine detail you need for image enlargement and lineart work. With the MagicScan driver, you'll get advanced features like color balancing, descreening, and batch scanning.

3353 GATEWAY BLVD. • FREMONT, CA 94538 •

PHONE (510) 651-9488

TOLL FREE (800) 562-0311

E-MAIL

FAX (510) 651-8834

URL

HOST ADAPTERS TESTED

APA™-1460
AVA™-1505
AHA@-1510
AVA™-1515
AHA@-1520/2
AHA@-1530/2P
AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2840/2VL
AHA@-2940/4/W
AHA@-3940/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

UMAX Technologies, Inc.

GEMINI-D16

The Gemini-D-16 is the world's first dual lens scanner. The Gemini D-16 is capable of hardware resolution of 800 x 1600 dpi. It comes complete with MagicScan, the intelligent user-interface for scanning control. Magic Scan features batch scanning, unsharp masking, color balancing and descreening of printed material.

3353 GATEWAY BLVD. • FREMONT, CA 94538 •

PHONE (510) 651-9488

TOLL FREE (800) 562-0311

E-MAIL

FAX (510) 651-8834

URL

HOST ADAPTERS TESTED

APA™-1460
AVA™-1505
AHA@-1510
AVA™-1515
AHA@-1520/2
AHA@-1530/2P
AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2840/2VL
AHA@-2940/4/W
AHA@-3940/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

UMAX Technologies, Inc.

POWERLOOK

The award-winning PowerLook combines blazing speed and superior image quality. The PowerLook comes with UMAX's own MagicScan, intuitive software that gives you scanning domination. MagicScan features batch scanning unsharp masking, color balancing, and descreening of printed material. With a dynamic range of > 3.1, the UMAX PowerLook will serve all of your prepress needs.

3353 GATEWAY BLVD. • FREMONT, CA 94538 •

PHONE (510) 651-9488

TOLL FREE (800) 562-0311

E-MAIL

FAX (510) 651-8834

URL

HOST ADAPTERS TESTED

APA™-1460
AVA™-1505
AHA@-1510
AVA™-1515
AHA@-1520/2
AHA@-1530/2P
AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2840/2VL
AHA@-2940/4/W
AHA@-3940/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

UMAX Technologies, Inc.

VISTA SERIES

UMAX's new Vista-T630 is the "next generation" of the award winning UC630. Micro-stepping motors and I/O buffers in the Vista-T630 provide scanning speeds that surpass all other three-pass scanners.

UMAX designed the new Vista-S6 to give you the speed you need.

With a hardware resolution of 400 x 800 dpi and a maximum resolution of 6400 dpi through interpolation, the Vista S-8 captures images with more clarity and detail.

The Vista-T630 and -S6 use a full spectrum cold-cathode lamp for long life and low maintenance.

All of these scanners come complete with VistaScan. With features like autodensity, descreen, and quality scan, it's no wonder VistaScan is one of the most intuitive scanner interfaces available.

3353 GATEWAY BLVD. • FREMONT, CA 94538 •

PHONE (510) 651-9488

TOLL FREE (800) 562-0311

E-MAIL

FAX (510) 651-8834

URL

HOST ADAPTERS TESTED

AHA@-1510
AHA@-1540/2/F/P
AHA@-1640
AHA@-2840/2VL
AHA@-2940/4/W
AHA@-2940/4/U/UW

LANGUAGE(S) SUPPORTED

English, French, German

PRODUCTS AVAILABLE IN

USA

Valitek, Inc.

PST 2 SERIES TAPE BACKUP

Valitek manufactures portable tape backups that work through the parallel, serial or SCSI port and are designed to be shared among multiple PCs, laptops, and file servers. Valitek ships its tape backups with the Valitek Tape Backup Software—a DOS application that drives the unit—either parallel or serial. The drives can be used on the SCSI port via a third party tape backup software package (Cheyenne, ARCSERVE, Central Point backup, Norton Backup for Windows, etc.) The PST2 Series of tape drives is available in eight models: the PST2 500, 1000, 2400, 5000, M2000, DAT2, DAT2+ and the DAT4+ with capacities ranging from 250MB to 4GB (uncompressed).

100 UNIVERSITY DRIVE • AMHERST, MA 01002 • USA

PHONE (413) 549-2700

FAX (413) 549-2900

E-MAIL acer18@aol.com

URL <http://www.contagious.com/valitek/valite>

HOST ADAPTERS TESTED

APA™-348
AVA™-1505
AHA@-1510
AVA™-1515
AHA@-1520/2
AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4
AHA@-2740/2/4/T/W
AHA@-2840/2VL
AHA@-3940/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

USA

XYXIS Corporation

ERASABLE OPTICAL SUBSYSTEMS

XYXIS™ provides erasable optical subsystems and associated drivers which support all Adaptec® SCSI host adapters with the ASPI software managers.

2010 EAST HENNEPIN AVENUE • MINNEAPOLIS, MN 55413 • US

PHONE (612) 378-2577

E-MAIL

FAX (612) 378-2464

URL

HOST ADAPTERS TESTED

AHA@-1540/2/F/P

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

Young Minds, Inc.

SIMPLICD

SimpliCD, awarded PC Magazines Editors' Choice, May 17, 1994, is CD-Recordable software for the Windows user. SimpliCD lets you record data files and/or digital audio tracks. SimpliCD works with a Windows-based file manager to "drag and drop" files from your hard disk to a CD-Recordable disc. Users can create ISO 9660-compliant, CD-ROM/XA, CD-DA, multisession, and mixed mode discs.

SimpliCD is packed with new features, such as faster recording times and an integrated Backup & Restore utility, support for the Kodak Disc Transporter and the PCD 600 (6x recorder).

1906 ORANGE TREE LANE SUITE 240 • REDLANDS, CA 92374 •

PHONE 909-335-1350

TOLL FREE 800-964-4964

E-MAIL marketing@ymi.com

FAX 909-798-0488

URL <http://www.ymi.com>

HOST ADAPTERS TESTED

AHA@-1540/2/F/P

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

Young Minds, Inc.

MAKEDISC - UNIX CD-R

MakeDisc premastering software for UNIX enables users to format data sets for ISO 9660/Rock Ridge compliant CD-ROM production. MakeDisc provides transparent recovery of original UNIX file names, directories, and symbolic links. The graphical user interface makes it simple to professionally produce, format and test CD-ROM disc images before sending them to a writer or to a manufacturing facility. Because the software was written in C++, it can be ported in a matter of hours, and is now available on over 26 UNIX platforms.

1906 ORANGE TREE LANE SUITE 240 • REDLANDS, CA 92374 •

PHONE 909-335-1350

TOLL FREE 800-964-4964

E-MAIL marketing@ymi.com

FAX 909-798-0488

URL <http://www.ymi.com>

HOST ADAPTERS TESTED

AHA@-1540/2/F/P

Young Minds, Inc.

CD STUDIO - UNIX CD-R

CD Studio is a complete UNIX-based solution for recording CD-ROM discs either at your desktop or across a network. Integrating MakeDisc premastering software, the CD Studio controller and a CD-Writer, CD Studio provides users with a valuable resource for cost-effective data storage and distribution. This completely reliable and networkable system supports the extended UNIX file structure by creating ISO 9660/Rock Ridge discs. CD Studio sets the standard for cross-platform portability, reliability, scalability, and security. Records multiple binaries, such as UNIX, Windows, and Macintosh, on a single disc. Available on more than 26 different UNIX platforms, OS/2 and DOS. Creates CDs quickly, easily and efficiently. CD studio was recently named 1995 Product of the Year by Imaging Magazine. In addition, the Digital Science Division of Eastman Kodak awarded CD Studio with an "Integration Excellence Award."

LANGUAGE(S) SUPPORTED**PRODUCTS AVAILABLE IN**

Worldwide

1906 ORANGE TREE LANE SUITE 240 • REDLANDS, CA 92374 •

PHONE 909-335-1350

TOLL FREE 800-964-4964

E-MAIL marketing@ymi.com

FAX 909-798-0488

URL <http://www.ymi.com>