

HOST ADAPTERS TESTED

- APA™-348
- APA™-358
- APA™-1460
- AVA™-1505
- AHA@-1510
- AVA™-1515
- AHA@-1520/2
- AHA@-1530/2P
- AHA@-1540/2/F/P
- AHA@-1640
- AHA@-1740/2/4
- AHA@-2740/2/4/T/W
- AHA@-2840/2VL
- AHA@-2920
- AHA@-2940/4/W
- AHA@-2940AU
- AHA@-3940/W
- AHA@-3940U/UW

LANGUAGE(S) SUPPORTED

English, French, German, Italian, Japanese, Portuguese, Spanish

PRODUCTS AVAILABLE IN

Worldwide

Adaptec, Inc.

ADAPTEC® EZ-SCSI®

If you have, or are planning to add, SCSI peripherals like tape or disk drives, CD-ROM drives, recordable CD-R drives, magneto-optical drives, or scanners, Adaptec EZ-SCSI® software provides everything you need to manage and take full advantage of each device.

Adaptec EZ-SCSI software is a suite of 32-bit practical applications and power tools that are remarkably easy to install and use. Simple desktop controls give you immediate access to any function. A unique online tutorial explains everything you need to know about SCSI in easy-to-understand terms.

Key benefits:

- * Easiest way to manage SCSI peripherals
- * For Windows operating systems
- * Includes these practical applications: Adaptec Easy-CD Backup™, QuickScan™, Audio CD player, Photo CD Viewer, CD Writer, and CD Copier
- * Includes these powerful tools: SCSI Explorer™ (Power Management, SCSI Interrogator™, Read/Write Disk Cache tool), SCSI Tutor™, SCSI Bench™ and Drive Light™.

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
Windows®95	•		•		•	•							
Windows® 3.1+	•		•		•	•				•			
Win for Wkgr 3.1+	•		•		•	•				•			
DOS 6.0	•		•		•	•				•			
Windows NT 3.51	•		•							•			

691 S MILPITAS BLVD • MILPITAS, CA • USA

PHONE 1-800-934-2766

TOLL FREE 1-800-934-2766

E-MAIL sales@adaptec.com

FAX 408-262-2533

URL http://www.adaptec.com

HOST ADAPTERS TESTED

- AHA@-1540/2/F/P
- AHA@-2740/2/4/T/W
- AHA@-2840/2VL
- AHA@-2940/4/W
- AHA@-2940AU
- AHA@-3940/W
- AHA@-3980/5/W

Adaptec, Inc.

ADAPTEC® CI/O™

With easy to use Adaptec® CI/O™ software, managers can monitor all SCSI peripheral devices connected to servers by Adaptec® host adapters.

Using Adaptec® CI/O™ software on any Windows® client, managers can remotely monitor the I/O performance of any server on the network from a single central location. Managers can install the latest device drivers from a remote location as well.

Adaptec® CI/O™ software automatically detects failure of any SCSI device on a network server and notifies the manager immediately. With a clear view of I/O traffic, managers can spot bottlenecks and act quickly to balance I/O loads to optimize performance among SCSI devices. Adaptec® CI/O™ improves the manageability of any size network--from a single server to a global network.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
NetWare	3.12+	•	•	•	•	•	•	•	•	•	•	•	•

691 S MILPITAS BLVD • MILPITAS, CA • USA

PHONE 1-800-934-2766

TOLL FREE 1-800-934-2766

E-MAIL sales@adaptec.com

FAX 408-262-2533

URL http://www.adaptec.com

HOST ADAPTERS TESTED

- AVA™-1505
- AHA@-1510
- AVA™-1515
- AHA@-1520/2
- AHA@-1530/2P
- AHA@-1540/2/F/P
- AHA@-1640
- AHA@-1740/2/4
- AHA@-2740/2/4/T/W
- AHA@-2825VL
- AHA@-2840/2VL
- AHA@-2910A/Ai
- AHA@-2940/4/W
- AHA@-3940/W
- AHA@-3980/5/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

USA

Cirrus Technology, Inc.

UNITE® OBJECTS

The Unite® Objects include a set of development tools: the Unite Scanner Object, the Unite Image Viewer and the Unite Storer. The Unite® Objects provides accessibility to functionality in a wide range of scanners as well as all functionality in the Unite Image Viewer Object.

The Unite Image Viewer Object is used to compress, decompress, view, scale, and manipulate color and grayscale photographic images and bitonal document images.

Unite Storer is provided as a GU, front-end for administrative tasks and an API set for customizing the storage system.

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
OS/2			•	•		•					•		•

5301 BUCKEYSTOWN PIKE, 4TH FLOOR • FREDERICK, MD 21704 • US

PHONE (301)698-1900

E-MAIL sales@cirunite.com

FAX (301)698-1909

URL http://www.cirunite.com

HOST ADAPTERS TESTED

AHA@-1510
AHA@-1520/2
AHA@-1540/2/F/P
AHA@-1740/2/4
AHA@-2940/4/W

Cirrus Technology, Inc.

UNITE® STORAGER

Unite® Storager is a product which uses a Virtual Jukebox Object, a SCSI Changer (Jukebox) Object and SCSI Drive Object(s) to manage the storage and retrieval of files from a variety of media such as rewriteable and WORM optical, and CD-ROM.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

USA

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
OS/2	•		•	•	•	•		•				•	

5301 BUCKEYSTOWN PIKE, 4TH FLOOR • FREDERICK, MD 21704 • US

PHONE (301)698-1900

E-MAIL sales@cirunite.com

FAX (301)698-1909

URL http://www.cirunite.com

HOST ADAPTERS TESTED

- AVA™-1505
- AHA@-1510
- AVA™-1515
- AHA@-1520/2
- AHA@-1530/2P
- AHA@-1540/2/F/P
- AHA@-1640
- AHA@-1740/2/4
- AHA@-2740/2/4/T/W
- AHA@-2825VL
- AHA@-2840/2VL
- AHA@-2910A/Ai
- AHA@-2940/4/W
- AHA@-3940/W
- AHA@-3980/5/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

USA

Cirrus Technology, Inc.

UNITE CD-MAKER

Unite® CD-Maker is a 32-bit software package for creating custom CDs. Unite CD-Maker allows users to quickly and easily make audio CDs as well as create CD-ROMs for backup, archiving and distribution of data. Included with Unite CD-Maker is a 32-Bit API set for automating the recording process. Advanced features include multisession support, enhanced CD and mixed mode support and a visual buffer meter to monitor the burn. Many recorders are supported and Windows 95, Windows NT and OS/2 are supported.

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
OS/2													•
Windows NT													•
Windows®95													•

5301 BUCKEYSTOWN PIKE, 4TH FLOOR • FREDERICK, MD 21704 • US

PHONE (301)698-1900

E-MAIL sales@cirunite.com

FAX (301)698-1909

URL http://www.cirunite.com

HOST ADAPTERS TESTED

AHA@-1520/2
 AHA@-1540/2/F/P
 AHA@-1640

Corel Corporation

CORELSCSI

CorelSCSI® software provides easy connection of SCSI devices. CorelSCSI includes device drivers for virtually every SCSI peripheral on the market. CorelSCSI software also includes: Corel CD-Audio, Corel Tape Backup software, SCSI Tools for Windows and more. CorelSCSI is multi-platform, with operating system support for DOS, Windows, OS/2 and Novell® NetWare 386. CorelSCSI is included in Adaptec's SCSI Direction® Plus kit and SCSI Master™ Plus kit.

LANGUAGE(S) SUPPORTED

English, French, German

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

		CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
OS/2	2.0	•		•	•				•					
DOS	5.0	•	•	•	•	•		•	•					
Windows®	3.0+	•	•	•	•	•		•	•					
NetWare	3.11	•		•	•		•		•					

1600 CARLING AVENUE • OTTAWA, ONTARIO K1Z 8R7 • CANADA

PHONE (613) 728-8200 TOLL FREE (800) 836-7274 E-MAIL
 FAX (613) 728-9790 URL

HOST ADAPTERS TESTED

AHA@-1520/2
 AHA@-1540/2/F/P
 AHA@-1640

Corel Corporation

CORELSCSI PRO

CorelSCSI Pro® is a high-performance software product designed to maximize SCSI performance. CorelSCSI Pro provides: support for SCSI scanners to scan images into any TWAIN-compliant graphics program; a CD-ROM server application that allows network users to retrieve recently-accessed information with essentially no delay; and a utility that writes information to a compact disc using a CD-Recorder. These features and others are available using an intuitive and friendly interface.

LANGUAGE(S) SUPPORTED

English, French, German

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

		CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
Windows®	3.0+	•	•	•	•	•		•	•		•			
OS/2	2.0	•		•	•				•					
DOS	5.0	•	•	•	•	•		•	•					
NetWare	3.11	•		•	•		•		•					

1600 CARLING AVENUE • OTTAWA, ONTARIO K1Z 8R7 • CANADA

PHONE (613) 728-8200 TOLL FREE (800) 836-7274 E-MAIL
 FAX (613) 728-9790 URL

HOST ADAPTERS TESTED

- APA™-1460
- AHA@-1510
- AHA@-1520/2
- AHA@-1530/2P
- AHA@-1540/2/F/P
- AHA@-1640
- AHA@-2840/2VL
- AHA@-2940/4/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

Cornerstone Imaging, Inc. Storage

MDMI

The Optical File System (OFS) for optical drives software package provides access to standalone and daisy-chained optical disk drives or rapidchangers under DOS- and PC-based networks, including all versions of NetWare, Banyan, 3Com®, LAN Manager, LANtastic, OS/2 2.x, 3.x and Warp, Windows 95 and Windows NT. MDMI supports most 5.25- and 12-inch optical disk drives. Data stored on optical disks using the OFS are transportable to jukebox versions of the Optical File System software. The software treats a single or entire daisy-chain of optical drives as one drive designator under Novell DOS and the network systems supported. Each side of an optical disk platter under the assigned drive letter then appears as a subdirectory and is fully accessible through normal operating system commands.

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
DOS			•	•		•		•					
LANMan			•	•		•		•					
Windows®95	•		•	•		•		•					
Windows®			•	•		•		•					
Vines			•	•		•		•					
NetWare	•		•	•		•		•					
Windows NT	•		•	•		•		•					
OS/2	•		•	•		•		•					

1600 SOUTH MAIN STREET • WALNUT CREEK, CA 94596 •

PHONE (510) 938-5340

E-MAIL

FAX (510) 938-5341

URL

HOST ADAPTERS TESTED

APA™-1460
 AHA@-1510
 AHA@-1520/2
 AHA@-1540/2/F/P
 AHA@-1640
 AHA@-2840/2VL
 AHA@-2940/4/W

Cornerstone Imaging, Inc. Storage

OJMI

The Optical File System (OFS) for optical drives software package provides access to standalone and daisy-chained optical disk drives or rapidchangers under DOS- and PC-based networks, including all versions of NetWare, Banyan, 3Com®, LAN Manager, LANtastic, OS/2 2.x, 3.x and Warp, Windows 95 and Windows NT. MDMI supports most 5.25- and 12-inch optical disk drives. Data stored on optical disks using the OFS are transportable to jukebox versions of the Optical File System software. The software treats a single or entire daisy-chain of optical drives as one drive designator under Novell DOS and the network systems supported. Each side of an optical disk platter under the assigned drive letter then appears as a subdirectory and is fully accessible through normal operating system commands.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
Windows®95			•	•		•		•					
Windows NT			•	•		•		•					
Windows®			•	•		•		•					
Vines			•	•		•		•					
OS/2	•		•	•		•		•					
NetWare			•	•		•		•					
LANMan			•	•		•		•					
DOS			•	•		•		•					

1600 SOUTH MAIN STREET • WALNUT CREEK, CA 94596 •

PHONE (510) 938-5340
 FAX (510) 938-5341

E-MAIL
 URL

HOST ADAPTERS TESTED

- APA™-1460
- AVA™-1505
- AHA@-1510
- AVA™-1515
- AHA@-1520/2
- AHA@-1530/2P
- AHA@-1540/2/F/P
- AHA@-1640
- AHA@-1740/2/4
- AHA@-2740/2/4/T/W
- AHA@-2840/2VL
- AHA@-2940/4/W
- AHA@-3940/W

LANGUAGE(S) SUPPORTED

English, German, Japanese

PRODUCTS AVAILABLE IN

Worldwide

Digital Instrumentation Technology

TRANSFERPRO

TransferPro™ allows you to read and write Macintosh files directly from your PC. TransferPro is a fast and easy file transfer solution. TransferPro reads, writes and formats Macintosh media including SyQuest™, Bernoulli™, Iomega™ Zip, data shuttle drives, Pinnacle Micro™, Sony™, MOST™, Ricoh™ and other magneto-optical drives, SCSI hard drives and CD-ROM drives. TransferPro features graphics viewers and converters and a high quality, easy to use Windows-based installer with an automatic configuration feature. TransferPro is available for Windows, Windows 95 and Windows NT.

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
Solaris	•		•		•	•	•						•
Windows NT	•		•			•	•						•
Sun/OS	•		•		•	•	•						•
Windows®	•		•			•	•						•

127 EASTGATE DR. #20500 • LOS ALAMOS, NM 87544 •

PHONE (505) 662-1459

TOLL FREE (800) 467-1459

E-MAIL tpro-request@dit.com

FAX (505) 662-0897

URL <http://www.dit.com>

HOST ADAPTERS TESTED

AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4

Florida Datamation

REELPRO

ReelPro™ is a driver and utility set to read and write IBM standard labeled and unlabeled 9Track tapes.

LANGUAGE(S) SUPPORTED

English, French, German, Italian, Spanish

PRODUCTS AVAILABLE IN

USA

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
THEOS		•											
QNX4		•											
QNX2		•											

AMTEC CENTER 6405 CONGRESS AVE, SUITE 140 • BOCA RATON, FL 33487 •

PHONE (407) 241-2966 TOLL FREE (800) 642-5938 E-MAIL sales@fdma.com
FAX (407) 241-3108 URL

HOST ADAPTERS TESTED

AHA@-1540/2/F/P
 AHA@-1640
 AHA@-1740/2/4
 AHA@-2740/2/4/T/W
 AHA@-2840/2VL

Micro Design International, Inc.

SCSI EXPRESS

SCSI Express is a package of SCSI device drivers to support devices under AIX, DOS, Novell 386 and 286, OS/2, UNIX (AT&T, Interactive and SCO) and SCO XENIX. These device drivers are designed to transparently support MDI's Laserbank line of CD-ROM, DAT, hard disks, jukebox, multifunction, rewritable optical, and WORM devices from popular manufacturers.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Germany
 Italy
 UK
 USA

PERIPHERALS SUPPORTED

		CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
NetWare	3.0+	•	•	•	•	•	•		•					
Windows®		•	•	•	•	•	•		•					
DOS	3.2+	•	•	•	•	•	•		•					
OS/2	1.2+	•	•	•	•	•	•		•					
UNIX	3.2+	•	•	•	•	•			•					

6985 UNIVERSITY BOULEVARD • WINTER PARK, FL 32792 • USA

PHONE TOLL FREE (800) 228-0891 E-MAIL
 FAX (407) 677-8365 URL

HOST ADAPTERS TESTED

AHA@-1520/2
AHA@-1540/2/F/P
AHA@-2740/2/4/T/W
AHA@-2840/2VL
AHA@-2940/4/W
AHA@-2940/4/U/UW
AHA@-3940/W
AHA@-3940U/UW
AHA@-3980/5/W

MicroText Systems Inc.

SCSIUTIL

SCSIUTIL allows raw access to SCSI tape drives, disk drives and floptical drives. Internal modepages of the devices can be examined and changed. Data blocks can be viewed in HEX and ASCII, and can be saved, modified, and re-written. Disks can be formatted and verified. For tapes, files can be copied raw, to and from local storage. Blocks sizes can be manually set, and automatic block-size detection is supported. Most tape functions are available.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Australia, Canada, S.E. Asia,
Western Europe, USA

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

DOS • • • • •

507 CORBIN COURT • MISSISSAUGA, ONTARIO L5A 1M2 • CANADA

PHONE (905) 276-1257

E-MAIL sales@msitxt.gts.org

FAX (905) 276-7236

URL

HOST ADAPTERS TESTED

AHA@-1520/2
 AHA@-1540/2/F/P
 AHA@-1640
 AHA@-1740/2/4

Optisys

OPTIDRIVER 2000

OptiDriver™ is an easy-to-install interface software product featuring a smooth migration path across all supported configurations. OptiDriver supports virtually all optical drives and jukeboxes. It does not patch the operating system and it supports any sector-size media.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
DOS	•		•	•		•							
Windows®	•		•	•									
NetWare			•	•		•			•				•
Windows NT	•		•	•		•			•				•

9250 NORTH 43RD AVENUE, SUITE 12 • GLENDALE, AZ 85302 •

PHONE (602) 997-9699 TOLL FREE (800) 327-1271 E-MAIL
 FAX (602) 944-4051 URL

HOST ADAPTERS TESTED

AHA®-1540/2/F/P

Pacific Microelectronics, Inc.

MAC-IN-DOS PLUS

MAC-in-DOS® Plus enables an IBM-compatible PC to read, write and format Macintosh data on the removable drives of SyQuest and Bernoulli and the magneto-optical drives of Sony, Hewlett Packard and Fujitsu.

LANGUAGE(S) SUPPORTED

English, French, German, Japanese

PRODUCTS AVAILABLE IN

USA, Europe, Asia, Australia

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

Windows® •
DOS •

201 SAN ANTONIO CIRCLE, C250 • MOUNTAIN VIEW, CA 94040 •

PHONE (415) 948-6200

E-MAIL sales@netusa.com

FAX (415) 948-6296

URL <http://www.netusa.com>

HOST ADAPTERS TESTED

AHA@-1520/2
 AHA@-1530/2P
 AHA@-1540/2/F/P
 AHA@-2840/2VL
 AHA@-2940/4/W

PC-Kwik Corporation

PC-KWIK

The Super PC-Kwik® disk cache provides acceleration of both disk reading and writing. By default it uses a safe FIFO algorithm with no time-delays. It also features automatic lending of expanded and extended memory. The program provides a wide variety of options for controlling the caching function.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Canada
 Europe
 USA

PERIPHERALS SUPPORTED

		CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
Windows®	3.0+		•					•						
DOS	3.0+		•					•						

3800 SW CEDAR HILLS BOULEVARD • BEAVERTON, OR 97005 •

PHONE (503) 644-5644

TOLL FREE (800) 234-5945

E-MAIL

FAX (503) 646-8267

URL

HOST ADAPTERS TESTED

- APA™-348
- APA™-358
- APA™-1460
- AHA@-1510
- AHA@-1520/2
- AHA@-1530/2P
- AHA@-1540/2/F/P
- AHA@-1640
- AHA@-1740/2/4
- AHA@-2740/2/4/T/W
- AHA@-2840/2VL
- AHA@-2940/4/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

Peripheral Test Instruments, Inc.

SCSI TOOLBOX

The SCSI toolbox™ is an ASPI compliant, menu-driven application for diagnosing, testing, exercising and setting up SCSI peripherals. Total programming control from Mode Sense/Select, Flaw map interrogation and toggling cache bits are simple and painless. The SCSI Toolbox supports disk, tape, optical and jukebox devices. Narrow, wide, single-ended or differential drives can be thoroughly diagnosed and problems isolated quickly using the SCSI Toolbox. The SCSI Toolbox Base Tester allows for all diagnosing, testing and programming. The Workstation Prep module lets the user automatically label/partition any SCSI drive for 7 different UNIX environments. Our Multi-Drive and Multi-Drive Wide module allows the simultaneous exercising of up to 15 drives at once. The Jukebox module lets you exercise and program the robotics of any optical or cartridge jukebox. The SCSI Toolbox is in use at over 9500 locations worldwide, and is available for DOS, UNIX, and Windows. PTI has several other products for SCSI peripheral integration and trouble-shooting.

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
IRIX	•	•	•	•	•	•	•	•	•			•	
HP/UX	•	•	•	•	•	•	•	•	•			•	
Solaris 2.x	•	•	•	•	•	•	•	•	•			•	
Sun/OS	•	•	•	•	•	•	•	•	•			•	
Windows®	•	•	•	•	•	•	•	•	•			•	
Windows®95	•	•	•	•	•	•	•	•	•			•	
Windows NT	•	•	•	•	•	•	•	•	•			•	
DOS	•	•	•	•	•	•	•	•	•			•	
NetWare	•	•	•	•	•	•	•	•	•			•	

3455 SOUTH WADSWORTH BOULEVARD SUITE 220 • LAKEWOOD, CO 80227 •

PHONE (303) 763-7488

TOLL FREE (800) 829-7274

E-MAIL info@choice.com

FAX (303) 763-9488

URL

HOST ADAPTERS TESTED

- APA™-348
- APA™-358
- APA™-1460
- AHA@-1510
- AHA@-1520/2
- AHA@-1530/2P
- AHA@-1540/2/F/P
- AHA@-1640
- AHA@-1740/2/4
- AHA@-2740/2/4/T/W
- AHA@-2840/2VL
- AHA@-2940/4/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

Peripheral Test Instruments, Inc.

SCSI SERVICE TOOL

The SCSI Service Tool™ is a DOS and Windows based, ASPI compliant application for diagnosing, testing, exercising and programming SCSI disk type devices. Easily set mode page parameters, download firmware and exercise any SCSI disk type drive in minutes. Capture mode parameter information from one drive and compare it to any other, as well as download mode information to a "raw" drive from a preset drive.

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
NetWare	•	•	•	•	•	•	•	•	•			•	
Windows NT	•	•	•	•	•	•	•	•	•			•	
Windows®95	•	•	•	•	•	•	•	•	•			•	
Windows®	•	•	•	•	•	•	•	•	•			•	
Solaris	•	•	•	•	•	•	•	•	•			•	
IRIX	•	•	•	•	•	•	•	•	•			•	
HP/UX	•	•	•	•	•	•	•	•	•			•	
DOS	•	•	•	•	•	•	•	•	•			•	
Sun/OS	•	•	•	•	•	•	•	•	•			•	

3455 SOUTH WADSWORTH BOULEVARD SUITE 220 • LAKEWOOD, CO 80227 •

PHONE (303) 763-7488

TOLL FREE (800) 829-7274

E-MAIL info@choice.com

FAX (303) 763-9488

URL

HOST ADAPTERS TESTED

- APA™-348
- APA™-358
- APA™-1460
- AHA@-1510
- AHA@-1520/2
- AHA@-1530/2P
- AHA@-1540/2/F/P
- AHA@-1640
- AHA@-1740/2/4
- AHA@-2740/2/4/T/W
- AHA@-2840/2VL
- AHA@-2940/4/W

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

Peripheral Test Instruments, Inc.

DR. SCSI

Dr. SCSI™ is a DOS and Windows based, ASPI compliant application for setting mode page parameters on any SCSI drive for all audio/video applications and any others that require custom mode page settings. This application easily displays the necessary mode bits in their acronym formats and default mnemonic values. No more sifting through pages of hexadecimal data to try and optimize a SCSI drive. Once a drive is setup and optimized, the mode page data can be captured and recalled at any time. Making the job of resetting drives over and over again totally obsolete. There are several performance tests that display the results of the optimization.

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
HP/UX	•	•	•	•	•	•	•	•	•				
Sun/OS	•	•	•	•	•	•	•	•	•				
DOS	•	•	•	•	•	•	•	•	•				
IRIX	•	•	•	•	•	•	•	•	•				
Solaris	•	•	•	•	•	•	•	•	•				
Windows®	•	•	•	•	•	•	•	•	•				
Windows®95	•	•	•	•	•	•	•	•	•				
Windows NT	•	•	•	•	•	•	•	•	•				
NetWare	•	•	•	•	•	•	•	•	•				

3455 SOUTH WADSWORTH BOULEVARD SUITE 220 • LAKEWOOD, CO 80227 •

PHONE (303) 763-7488

TOLL FREE (800) 829-7274

E-MAIL info@choice.com

FAX (303) 763-9488

URL

HOST ADAPTERS TESTED

- APA™-348
- APA™-358
- APA™-1460
- AHA@-1510
- AHA@-1520/2
- AHA@-1530/2P
- AHA@-1540/2/F/P
- AHA@-1740/2/4
- AHA@-2740/2/4/T/W
- AHA@-2840/2VL
- AHA@-2940/4/W

Peripheral Test Instruments, Inc.

SCSI DOWNLOADING TOOL

The SCSI Downloading Tool™ is a DOS and Windows based, ASPI compliant application for downloading firmware on to nearly every type of SCSI drive. Upgrading or feature enhancement through firmware is easily accomplished with this simple-to-use utility.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
DOS	•	•	•	•	•	•	•	•	•				
HP/UX	•	•	•	•	•	•	•	•	•				
IRIX	•	•	•	•	•	•	•	•	•				
NetWare	•	•	•	•	•	•	•	•	•				
Solaris 2.x	•	•	•	•	•	•	•	•	•				
Sun/OS	•	•	•	•	•	•	•	•	•				
Windows®95	•	•	•	•	•	•	•	•	•				
Windows NT	•	•	•	•	•	•	•	•	•				
Windows®	•	•	•	•	•	•	•	•	•				

3455 SOUTH WADSWORTH BOULEVARD SUITE 220 • LAKEWOOD, CO 80227 •

PHONE (303) 763-7488

TOLL FREE (800) 829-7274

E-MAIL info@choice.com

FAX (303) 763-9488

URL

HOST ADAPTERS TESTED

APA™-358
 APA™-1460
 AVA™-1505
 AHA@-1510
 AVA™-1515
 AHA@-1520/2
 AHA@-1530/2P
 AHA@-1540/2/F/P

Pixelab, Inc.

DATMAN

DATMAN™ is a revolutionary DAT control software which provides an MS-DOS compatible file system with up to 8-GB and a quarter million files. Unlike typical tape backup programs, most MS-DOS and Windows applications can directly read and write files on the tape. DATMAN makes the DAT drive operate very much like the familiar floppy drive. Once it is installed, it is extremely easy to use. Also, it removes the common access bottleneck to the huge online storage. With the sophisticated adaptive cache algorithm, DATMAN provides high-performance file access.

LANGUAGE(S) SUPPORTED

English, Japanese

PRODUCTS AVAILABLE IN

North America
 Pacific Rim

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

DOS	5.0-6.x	•
Windows®	3.x	•

1212 S. NAPER BLVD. STE. #119 • NAPERVILLE, IL 60540 •

PHONE (708) 369-7112
 FAX (708) 369-7113

E-MAIL sales@datman.com
 URL http://www.datman.com

HOST ADAPTERS TESTED

AHA@-1510
 AHA@-1520/2
 AHA@-1540/2/F/P
 AHA@-1640
 AHA@-1740/2/4

Plasmon Data Ltd.

DOS MANAGER!

DOS Manager! provides single or multi jukebox support for WORM, rewritable, or multifunction units. File compatibility is offered with Corel as well as ECMA. Full utilities are built in for jukebox and media management as well as worm audit features.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
DOS			•	•		•		•					
NetWare			•	•		•		•					
UNIX			•	•		•		•					
Windows®			•	•		•		•					
OS/2			•	•		•		•					

WHITING WAY • MELBOURN, HERTS SG8 6DN • ENGLAND

PHONE 44 0 1763 262963

E-MAIL

FAX 44 0 1763 264444

URL

HOST ADAPTERS TESTED

AHA®-1520/2

Rambler Systems Limited

RSPRINT

RSPRINT is a printer driver which gives easy access to the Sony® UP-D7000E color printer. The driver supports the printing of full 24-bit images in DOS and Windows. RSPRINT is compatible with Adaptec® host adapters via the ASPI interface.

LANGUAGE(S) SUPPORTED

English, French, German

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

DOS	•
Windows®	•

51 WEST BRYSON ROAD • EDINBURGH, EH11 1EH • SCOTLAND

PHONE (44) 31-3132557

E-MAIL

FAX (44) 31-3134542

URL

HOST ADAPTERS TESTED

AHA@-1510
 AHA@-1520/2
 AHA@-1540/2/F/P
 AHA@-1640
 AHA@-1740/2/4
 AHA@-2740/2/4/T/W
 AHA@-2940/4/W
 AHA@-3940/W

SHAFFSTALL Corporation

QUICKTAPE

QuickTape™ is a tape conversion/transfer software product that allows users to read/write IBM/ANSI/ISO labeled/unlabeled tapes. QuickTape supports 3480, 9-track, 8mm, 4mm DAT, QIC, AS/400, TK50 and TK85 formats. It provides format conversion, tape-to-tape, tape-to-disk, disk-to-tape transfer, EBCDIC/ASCII code conversion, and supports variable record and multi-volume tapes.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
OS/2		•			•								
Windows®95		•			•								
DOS		•			•								
Windows NT		•			•								

7901 EAST 88TH STREET • INDIANAPOLIS, IN 46256 •

PHONE (317) 842-2077
 FAX (317) 842-8294

TOLL FREE (800) 248-3475

E-MAIL sales@shaffstall.com
 URL http://www.shaffstall.com

HOST ADAPTERS TESTED

AHA@-1510
 AHA@-1520/2
 AHA@-1540/2/F/P
 AHA@-1640
 AHA@-1740/2/4
 AHA@-2740/2/4/T/W
 AHA@-2940/4/W
 AHA@-3940/W

SHAFFSTALL Corporation

QUICKCOPY

The SHAFFSTALL QuickCopy™ system supports multi-drive duplication of virtually every tape media in use today...QIC, 4mm DAT, 8mm, TK50®, AS/400®, 9-track, and IBM® 3480. QuickCopy features include tape mastering, network support, verification, error reporting, drive status, byte count, user security, and comprehensive copy status display, including number of copies and average duplication speed. It also accommodates multiple cartridge autoloaders on 3480, 4 mm, and 8 mm drives.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
Windows® 3.x		•			•								
Windows®95		•			•								
OS/2		•			•								
DOS		•			•								

7901 EAST 88TH STREET • INDIANAPOLIS, IN 46256 •

PHONE (317) 842-2077
 FAX (317) 842-8294

TOLL FREE (800) 248-3475

E-MAIL sales@shaffstall.com
 URL http://www.shaffstall.com

HOST ADAPTERS TESTED

AHA@-1520/2
 AHA@-1540/2/F/P
 AHA@-1740/2/4
 AHA@-2740/2/4/T/W
 AHA@-2840/2VL
 AHA@-2940/4/W

Spirit of Performance, Inc.

PERSONAL MEASURE

Personal Measure™ monitors the resources used by live applications running in the MS-DOS environment. It reports the usage of hardware resources and when they have been used. The PC hardware resources are classified as processor, local hard disk, LAN disk, keyboard, printer, serial port, and SCSI. Personal Measure is compatible with Windows 3.1 or later and with client software for the most popular network operating systems: NetWare, VINES, LAN Manager, and various NetBIOS-based network operating systems. Personal Measure is intended for high-level problem solving and isolation of system or application bottlenecks.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

		CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
Windows®	3.1+	•	•	•	•	•	•	•	•		•	•		
DOS	3.1+	•	•	•	•	•	•	•	•		•	•		

73 WESTCOTT ROAD • HARVARD, MA 01451-1821 •

PHONE (508) 456-3889

E-MAIL 3571400@mcimail.com

FAX (508) 456-3937

URL

HOST ADAPTERS TESTED

AHA@-1520/2
 AHA@-1540/2/F/P
 AHA@-1740/2/4
 AHA@-2740/2/4/T/W
 AHA@-2840/2VL
 AHA@-2940/4/W

Spirit of Performance, Inc.

PERSONAL MEASURE PRO

Personal Measure Pro™ adds a file usage report to Personal Measure. It is used by network analysts, hardware designers and analysts, and software development teams who need to understand exactly how files and devices are accessed. It is also used to determine the effects of access patterns on hardware systems and subsystems. Using Personal Measure Pro, an analyst can find the causes for overall system behavior within minutes.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

		CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
Windows®	3.1+	•	•	•	•	•	•	•	•		•	•		
DOS	3.1+	•	•	•	•	•	•	•	•		•	•		

73 WESTCOTT ROAD • HARVARD, MA 01451-1821 •

PHONE (508) 456-3889

E-MAIL 3571400@mcimail.com

FAX (508) 456-3937

URL

HOST ADAPTERS TESTED

AHA@-1510
AHA@-1520/2
AHA@-1540/2/F/P
AHA@-1640
AHA@-1740/2/4

Systems Enhancement Corporation

TOTAL NETWORK RECALL

Total Network Recall (TNR) is a 100% Novell SMS-compatible tape back up software package. The product features a server-based NLM; multiple auto backup sessions; and support of all Novell TSAs. TNR supports NetWare 3.1x and 4.0x. Additional features include compatibility with powermon software, built-in batch file scheduler and auto changer support.

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

UK
USA

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
DOS		•			•								
Windows®		•			•								

174 CHESTERFIELD INDUSTRIAL BLVD • CHESTERFIELD, MO 63005 • USA

PHONE (314) 532-2855

E-MAIL

FAX (314) 532-2037

URL

HOST ADAPTERS TESTED

AHA@-1510

Touchstone Software Corporation*CHECKIT PRO SET*

CheckIt Pro™ Set combines CheckIt Pro SysInfo with the Tests & Tools module. Tests & Tools' enhanced tests run from the command line or mouse driven menu and include system board, memory, serial/parallel ports, hard/floppy drive(s), video (monitor/adapter), printer, and input devices. Tools include hard drive format utilities that format all drive types, and create rescue disk. The advanced anti-virus utility scans for over 2,000 viruses, including new polymorphic viruses. Reports automatically document system status, and journals pinpoint component failures.

LANGUAGE(S) SUPPORTED

English, French, German

PRODUCTS AVAILABLE INGermany
UK
USA**PERIPHERALS SUPPORTED**

 CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

DOS

•

2124 MAIN STREET SUITE 250 • HUNTINGTON BEACH, CA 92648-+444 •

PHONE (714) 969-7746

TOLL FREE (800) 531-0450

E-MAIL

FAX (714) 960-1886

URL

HOST ADAPTERS TESTED

AHA@-1510

Touchstone Software Corporation

WINCHECKIT

WINCheckIt™ is the diagnostic utility that provides answers, not just information. It is an ideal choice for anyone who wants an easy-to-use program to assist with hardware and software purchase decisions, installing upgrades, or determining if repairs are required.

LANGUAGE(S) SUPPORTED

English, French, German

PRODUCTS AVAILABLE IN

Germany
UK
USA

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

Windows® •

2124 MAIN STREET SUITE 250 • HUNTINGTON BEACH, CA 92648-+444 •

PHONE (714) 969-7746

TOLL FREE (800) 531-0450

E-MAIL

FAX (714) 960-1886

URL

HOST ADAPTERS TESTED

AHA@-1540/2/F/P
AHA@-1740/2/4

Watergate Software, Inc.

PC-DOCTOR

PC-Doctor® has over 200 diagnostic tests, system information functions and utilities. It identifies IRQ conflicts, finds available IRQ lines, DMA channels, and I/O addresses. Network/SCSI/IDE support and identification is included. A unique Maximum System Load Test provides high-performance burn-in testing. PC-Doctor is easy-to-use and it has context-sensitive help and an on-line manual. PC-Doctor is very portable, fitting easily on a 3.5" or 5.25" diskette. PC-Doctor works with PCs from PC/XT to Pentium. It's perfect for corporate support personnel, end users and service organizations. An OEM version is available for licensing by PC manufacturers to improve their technical support.

LANGUAGE(S) SUPPORTED

English, German, Swedish, and Finnish

PRODUCTS AVAILABLE IN

Germany
USA

PERIPHERALS SUPPORTED

	CD-ROM	Tape	M-O	WORM	DAT	Jukebox	Floptical	Multifunction	Disk Array	Scanner	Printer	Disk/Hard Drive	CDR
DOS	•	•	•	•	•	•	•	•	•	•	•	•	•

2000 POWELL STREET SUITE 1200 • EMERYVILLE, CA 94608 • USA

PHONE (510) 596-1770

E-MAIL

FAX (510) 653-4784

URL

HOST ADAPTERS TESTED

AHA@-1540/2/F/P
 AHA@-1740/2/4
 AHA@-2840/2VL
 AHA@-2940/4/W
 AHA@-2940W MAC

LANGUAGE(S) SUPPORTED

English

PRODUCTS AVAILABLE IN

Worldwide

PERIPHERALS SUPPORTED

CD-ROM Tape M-O WORM DAT Jukebox Floptical Multifunction Disk Array Scanner Printer Disk/Hard Drive CDR

Windsor Technologies, Inc.

PC-TECHNICIAN

PC-Technician™ is professional-level diagnostic software for Intel-based (8088->Pentium) and compatible PCs. Written in assembly language, it has its own proprietary operating system and boot-loader program. PC-Technician will boot the target PC and directly test its hardware without interference from its native operating system (DOS, UNIX, OS/2, Windows NT, etc.). PC-Technician contains over 200 comprehensive tests and functions that can be run in single or continuous mode. PC-Technician is used by service technicians to troubleshoot a malfunctioning PC, certify a repaired PC, burn in a new PC, edit CMOS, or low-level format the fixed disk drive.

130 ALTO STREET • SAN RAFAEL, CA 94901 •

PHONE (415) 456-2200

FAX (415) 456-2244

E-MAIL pcdiags@windsortech.com

URL <http://www.windsortech.com>