

# Tru64 UNIX

---

## Master Index

Part Number: AA-RH94D-TE

**September 2002**

**Product Version:** Tru64 UNIX Version 5.1B or higher

This book contains index entries for the most commonly used manuals in the HP Tru64 UNIX documentation set.

---

© 2002 Hewlett-Packard Company

Microsoft®, Windows®, and Windows NT® are trademarks of Microsoft Corporation in the U.S. and/or other countries. Motif®, OSF/1®, UNIX®, and X/Open® are trademarks of The Open Group in the U.S. and/or other countries. All other product names mentioned herein may be the trademarks of their respective companies.

Confidential computer software. Valid license from Compaq Computer Corporation, a wholly owned subsidiary of Hewlett-Packard Company, required for possession, use, or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

None of Compaq, HP, or any of their subsidiaries shall be liable for technical or editorial errors or omissions contained herein. The information is provided "as is" without warranty of any kind and is subject to change without notice. The warranties for HP or Compaq products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty.

---

## About This Manual

The *Master Index* provides an index for the most commonly used manuals in the HP Tru64 UNIX documentation set. Manuals with index entries in the *Master Index* are listed in Table 1.

### Audience

This manual is for anyone who needs to access information about the Tru64 UNIX operating system. It can help you find a specific topic in the documentation set by pointing you to the location in the manual where the topic is discussed.

### Searching the Master Index

You can now search the HTML version of the *Master Index* using a keyword search. To open the keyword search page, click on the “Search the Master Index” subentry under *Master Index* in the General User Documents list in the Online Documentation Library.

To perform a keyword search, enter the word or phrase you want to find. The search function searches the entire *Master Index* for matches, and displays the results. When you click on an entry in the search results, the target manual opens in its own window. In most cases, the manual opens to the place in the text that is indicated by the entry.

### Conventions

In the PDF and printed versions of the *Master Index*, each master index page reference is preceded by an abbreviated manual title. For example, the following entry points to page 3–2 in the manual *Sharing Software on a Local Area Network*:

**installation**

RIS software subset, *SharingSW* 3-2

Table 1 maps the abbreviated title for each manual to its complete title.

The HTML version of the *Master Index* does not contain page numbers. Instead, the abbreviated manual title appears as a hot link. Clicking on this link takes you either to the beginning of the manual being referenced or, in many cases, to the actual location of the information in the manual. Most entries also provide section numbers, to help you further refine your search.

**Table 1: Book Title Abbreviations**

| <b>Abbreviation</b> | <b>Book Title</b>                                    |
|---------------------|--|
| AdvFSAdmin          | <i>AdvFS Administration</i>                          |
| AsmLangGde          | <i>Assembly Language Programmer's Guide</i>          |
| AsynchronousTM      | <i>Asynchronous Transfer Mode</i>                    |
| CallingStandard     | <i>Calling Standard for Alpha Systems</i>            |
| CDECompanion        | <i>CDE Companion</i>                                 |
| CLangRef            | <i>Compaq C Language Reference Manual</i>            |
| ClusAdmin           | <i>Cluster Administration</i>                        |
| ClusAvailApp        | <i>Cluster Highly Available Applications</i>         |
| ClusHWConfig        | <i>Cluster Hardware Configuration</i>                |
| ClusInstall         | <i>Cluster Installation</i>                          |
| ClusTechOver        | <i>Cluster Technical Overview</i>                    |
| CommandShellGde     | <i>Command and Shell User's Guide</i>                |
| DocOverview         | <i>Documentation Overview for Version 5.1B</i>       |
| HWMgmt              | <i>Hardware Management</i>                           |
| InstallGde          | <i>Installation Guide</i>                            |
| InstallGdeAdvTop    | <i>Installation Guide — Advanced Topics</i>          |
| InternatGde         | <i>Using International Software</i>                  |
| InternatProg        | <i>Writing Software for the International Market</i> |
| KernelDebug         | <i>Kernel Debugging</i>                              |
| KernelModules       | <i>Writing Kernel Modules</i>                        |
| LicenseManage       | <i>Software License Management</i>                   |
| NetAdminConnect     | <i>Network Administration: Connections</i>           |
| NetAdminSvcs        | <i>Network Administration: Services</i>              |
| NetProgGde          | <i>Network Programmer's Guide</i>                    |
| OncRpcProgram       | <i>Programming with ONC RPC</i>                      |
| OnlineAddRem        | <i>Managing Online Addition and Removal</i>          |
| POSIXThreads        | <i>Guide to the POSIX Threads Library</i>            |
| Prestoserve         | <i>Guide to Prestoserve</i>                          |
| ProdKitGde          | <i>Guide to Preparing Product Kits</i>               |
| ProgGde             | <i>Programmer's Guide</i>                            |

**Table 1: Book Title Abbreviations (cont.)**

| <b>Abbreviation</b> | <b>Book Title</b>                                     |
|---------------------|---|
| ProgSupTools        | <i>Programming Support Tools</i>                      |
| Realtime            | <i>Guide to Realtime Programming</i>                  |
| SecAdminGde         | <i>Security Administration</i>                        |
| SecProgGde          | <i>Security Programming</i>                           |
| SharingSW           | <i>Sharing Software on a Local Area Network</i>       |
| StorageManager      | <i>Logical Storage Manager</i>                        |
| SysConfigSup        | <i>System Configuration Supplement: OEM Platforms</i> |
| SystemAdmin         | <i>System Administration</i>                          |
| SystemTune          | <i>System Configuration and Tuning</i>                |
| TechOver            | <i>Technical Overview for Version 5.1B</i>            |
| XWinSysEnv          | <i>X Window System Environment</i>                    |

## Reader's Comments

HP welcomes any comments and suggestions you have on this and other Tru64 UNIX manuals.

You can send your comments in the following ways:

- Fax: 603-884-0120 Attn: UBPG Publications, ZKO3-3/Y32
- Internet electronic mail: `readers_comment@zk3.dec.com`

A Reader's Comment form is located on your system in the following location:

```
/usr/doc/readers_comment.txt
```

Please include the following information along with your comments:

- The full title of the manual and the order number. (The order number appears on the title page of printed and PDF versions of a manual.)
- The section numbers and page numbers of the information on which you are commenting.
- The version of Tru64 UNIX that you are using.
- If known, the type of processor that is running the Tru64 UNIX software.

The Tru64 UNIX Publications group cannot respond to system problems or technical support inquiries. Please address technical questions to your local system vendor or to the appropriate HP technical support office. Information

provided with the software media explains how to send problem reports to HP.

---

# Index

## Numbers

### 6bone

- address assignment,  
*NetAdminConnect* 3–11
- connecting to, *NetAdminConnect*  
3–56

**6to4 tunnel**, *NetAdminConnect* 3–15

## A

**abnormal termination function**,  
*ProgGde* 11–13

**access control lists**,  
*See* ACL

**access to files**, *CommandShellGde*  
5–1

### account

- adding automatically,  
*SystemAdmin* 7–17
- adding manually, *SystemAdmin*  
7–31

**account administration**,  
*SystemAdmin* 7–10

- command line utilities,  
*SystemAdmin* 7–9
- quick start, *SystemAdmin* 7–7
- SysMan Menu, *SystemAdmin* 7–8

**accountability**, *SecAdminGde* 3–1

**accounting**, *SystemAdmin* 10–2

**accounting services**  
managing, *ClusAdmin* 5–30

**acctcms command**, *SystemAdmin*  
10–28

**acctcom command**, *SystemAdmin*  
10–25

**acctdisk command**, *SystemAdmin*  
10–33

**acstdusg command**, *SystemAdmin*  
10–33

**acctmerg command**, *SystemAdmin*  
10–39

**acctprc1 command**, *SystemAdmin*  
10–29

**acctprc2 command**, *SystemAdmin*  
10–30

**acknowledged connectionless  
mode service**  
in DLPI, *NetProgGde* 2–6

### ACL

- permissions, *CommandShellGde*  
G–1

**Acrobat Reader**, *InstallGde* 8–4

**active CPUs**  
changing the number of,  
*LicenseManage* 2–18

**active page list**, *TechOver* 5–6

**activity license**, *LicenseManage* 1–5

**acucap file**, *NetAdminConnect* 8–39

### adapter,

- See also* network interface
- DE50x, *ClusHWConfig*  
6–2, *ClusInstall* B–2,  
*ClusTechOver* 7–11
- DE60x, *ClusHWConfig*  
6–2, *ClusInstall* B–2,  
*ClusTechOver* 7–11

- DEGPA-xx, *ClusHWConfig*
  - 6-2, *ClusInstall* B-3,
  - ClusTechOver* 7-11
- Ethernet, *ClusHWConfig*
  - 6-1, *ClusInstall* 3-15,
  - ClusTechOver* 7-10
- NetRAIN, *ClusInstall* 3-15
- address**
  - broadcast, *ClusInstall* 2-7
  - for 6bone testing,
    - NetAdminConnect* 3-11
  - IPv6, *NetAdminConnect* 3-2
- address autoconfiguration**
  - DHCPv6, *NetAdminConnect* 3-10
  - stateful, *NetAdminConnect* 3-10
  - stateless, *NetAdminConnect* 3-10
- address family**
  - specifying for DLI, *NetProgGde* F-15
- address format**
  - assembly language, *AsmLangGde*
    - 2-12
- address prefix**, *NetAdminConnect* 3-9
- Address Resolution Protocol**,
  - See* ARP
- address space**
  - accessing cluster Memory
    - Channel, *ClusAvailApp* 10-11
  - tuning, *SystemTune* 8-6
- adduser utility**, *SystemAdmin*
  - 7-17, 7-31
- addvol command**, *ClusAdmin* 1-4t
  - CFS warning message,
    - ClusAdmin* 11-15
  - clusters and, *ClusAdmin* 9-45
- administering a cluster**,
  - ClusAdmin* 1-2, *ClusTechOver* 9-3
- administering accounts and groups**, *SystemAdmin* 7-1
- administering disks**,
  - SystemAdmin* 5-1
- administering file systems**,
  - SystemAdmin* 6-1
- administering hardware**,
  - HWMgmt* 1-1
- administration utilities**,
  - SystemAdmin* A-1
- Advanced File System**,
  - See* AdvFS
- Advanced Printing Software**,
  - SystemAdmin* 8-4, 8-25
- Advanced Server for UNIX**,
  - See* ASU
- AdvFS**, *TechOver* 4-3
  - CFS warning message,
    - ClusAdmin* 11-15
  - configuring file system,
    - AdvFSAdmin* 1-6
  - converting from UFS,
    - AdvFSAdmin* C-1, C-5,
    - C-7
  - converting to UFS, *AdvFSAdmin*
    - C-13
  - displaying, *SystemTune* 11-18
  - documentation for separately licensed utilities,
    - DocOverview* 1-12
  - expanding cluster root,
    - ClusAdmin* 1-4t
  - improving performance,
    - SystemTune* 11-9
  - managing in a cluster, *ClusAdmin*
    - 9-43
  - storage connectivity
    - requirements, *ClusAdmin* 9-48
  - UFS command comparison,
    - AdvFSAdmin* B-4
- AdvFS backup**, *AdvFSAdmin* 4-1
- AdvFS domain**
  - placing under LSM control,
    - StorageManager* 4-36
  - removing from LSM control,
    - StorageManager* 5-38
  - unencapsulating,
    - StorageManager* 5-38
  - using LSM volume for storage,
    - StorageManager* 4-33



- AdvFS domain panic**, *ClusAdmin* 11–16
- AdvFS fileset**, *AdvFSAdmin* 2–15
- AdvFS fileset clone**, *AdvFSAdmin* 2–22
- AdvFS GUI**, *AdvFSAdmin* E–1
- AdvFS optimization**,  
*AdvFSAdmin* 5–1
- AdvFS quota**, *AdvFSAdmin* 3–1
- AdvFS troubleshooting**,  
*AdvFSAdmin* 6–1
- AES**
  - application-level interface requirements, *ProgGde* 1–2
- alias**,
  - See also* cluster alias
  - default cluster, *ClusTechOver* 6–5
- aliasd daemon**, *ClusAdmin* 3–3, 3–5
- alignment**
  - bit-field alignment, *ProgGde* 2–6
  - data type alignment, *ProgGde* 2–5
- Alpha 21264 PCI/ISA single-board computer**,  
*SysConfigSup* 1–1
- Alpha hardware architecture documentation**, *KernelDebug* 1–1
- Alpha PCI/ISA (DMCC) single-board computer**,  
*SysConfigSup* 1–1
- Alpha system**
  - Tru64 UNIX calling standard for, *CallingStandard* 1–1
- Alpha VME 2100 system**
  - configuring, *SysConfigSup* 2–2
  - restrictions, *SysConfigSup* 1–14
- Alpha VME single-board computer**, *SysConfigSup* 2–2, 2–28
  - configuring UNIVERSE II–based, *SysConfigSup* 2–28
  - configuring VIP/VIC–based, *SysConfigSup* 2–2
  - requirements and restrictions, *SysConfigSup* 1–10
- AlphaServer DS10L**, *ClusTechOver* 7–7
- AlphaServer TS202c**, *HWMgmt* 6–2
  - restrictions, *HWMgmt* 6–3
- ANSI C Standard**, *CLangRef* xiv
  - conformance summary, *CLangRef* B–1
- ANSI standards**
  - application development considerations, *ProgGde* 1–2
- API**
  - DLM, *ClusTechOver* 7–2
  - Memory Channel, *ClusTechOver* 7–7, 7–3t
- application**
  - accessing from Front Panel, *CDECompanion* 3–1
  - and RSVP, *NetProgGde* 7–8
  - cluster, *ClusAvailApp* 1–1
  - debugging, *SystemTune* 2–28
  - deleting, *ClusAdmin* 5–30
  - deleting from a cluster, *ClusAdmin* 5–30
  - distributed, *ClusAvailApp* 1–8
  - enabling the display, *CDECompanion* 5–2
  - improving performance, *SystemTune* 7–1
  - installing, *ClusAdmin* 5–30
  - integrated into CDE, *CDECompanion* 5–3
  - moving to a cluster, *ClusAvailApp* 4–1
  - multi-instance, *ClusAvailApp* 1–5
  - profiling, *SystemTune* 2–28
  - running across network, *CDECompanion* 5–2

- single-instance, *ClusAvailApp* 1–2
- use of the cluster interconnect,
  - ClusTechOver* 7–2, 7–4
- application development**
  - phases of, *ProgGde* 1–1
- Application Environment Specification,**
  - See AES
- Application Manager,**
  - CDECompanion* 4–1,
  - SystemAdmin* 1–12
  - accessing, *CDECompanion* 3–1
  - organizing applications,
    - CDECompanion* 4–5
- application program**
  - porting to XTI, *NetProgGde* 3–33
  - rewriting for XTI, *NetProgGde* 3–36
- application programming interface,** *TechOver* 6–10
  - DLI, *TechOver* 6–10
  - DLPI, *TechOver* 6–10
  - sockets, *NetProgGde* 1–4, 4–6,
    - TechOver* 6–10
  - STREAMS, *NetProgGde* 1–4, 5–6,
    - TechOver* 6–10
  - WPI, *InternatProg* A–1
  - XTI, *NetProgGde* 1–1, 3–4,
    - TechOver* 6–10
- application resource name,**
  - ClusAdmin* 8–2
- application-level protocol,**
  - TechOver* 3–3
- archive file**
  - determining section sizes,
    - ProgGde* 2–26
  - dumping selected parts of,
    - ProgGde* 2–24
- Archiver graphical interface,**
  - SystemAdmin* 9–5
- archiving services,** *SystemAdmin* 9–1
- ARP,** *TechOver* 3–18
- ARP broadcast errors**
  - when booting cluster member,
    - ClusAdmin* D–11
- arp command,** *NetAdminConnect* 11–11
- as command,** *ProgGde* 2–3
- ASCII codeset,** *CommandShellGde* C–2
- ASCII equivalence table,**
  - CLangRef* C–1
- ASE application**
  - file system partitioning,
    - ClusAvailApp* 5–15
  - moving to TruCluster Server,
    - ClusAvailApp* 5–1
  - networking considerations,
    - ClusAvailApp* 5–12
  - preparing ASE scripts to run on TruCluster Server,
    - ClusAvailApp* 5–7
  - preparing to move to TruCluster Server, *ClusAvailApp* 5–5
  - using a cluster alias to provide client access to multi-instance network services, *ClusAvailApp* 5–12
- ASE script**
  - preparing to run on TruCluster Server, *ClusAvailApp* 5–7
- Asian languages**
  - codesets that support,
    - CommandShellGde* C–2
  - documentation for working in,
    - DocOverview* 4–10
- assembly language**
  - assembler directives,
    - AsmLangGde* 5–1
  - floating-point instruction set,
    - AsmLangGde* 4–1
  - instruction set summary,
    - AsmLangGde* A–1
  - lexical conventions, *AsmLangGde* 2–1
  - main instruction set,
    - AsmLangGde* 3–1

- programming considerations,  
*AsmLangGde* 6-1
- assigning program numbers,**  
*OncRpcProgram* 1-5
- Associated Products CD-ROMs**  
documentation for separately  
licensed products,  
*DocOverview* 1-12
- ASU, *SystemAdmin*** 7-10, *TechOver*  
10-1  
documentation for, *DocOverview*  
1-12
- asynchronous I/O**  
realtime, *Realtime* 7-1
- Asynchronous Transfer Mode,**  
*See* ATM
- at command, *SystemAdmin*** 3-4
- ATM, *NetAdminConnect*** 6-1  
architecture, *AsynchronousTM* 1-1  
cells, *AsynchronousTM* 2-3  
CMM routines, *AsynchronousTM*  
A-1  
configuring, *NetAdminConnect* 6-15  
configuring with CLIP,  
*NetAdminConnect* 6-17  
configuring with IP switching,  
*NetAdminConnect* 6-22  
configuring with LANE,  
*NetAdminConnect* 6-20  
Connection Management Module,  
*AsynchronousTM* 1-3  
convergence module interface,  
*AsynchronousTM* 5-1  
device driver interface,  
*AsynchronousTM* 3-1  
error codes, *AsynchronousTM* 2-2  
features, *AsynchronousTM* 2-1  
flow control, *AsynchronousTM* 9-1  
global data structures,  
*AsynchronousTM* 2-14  
header files, *AsynchronousTM* 2-1  
locking macros, *AsynchronousTM*  
2-9  
managing connections,  
*AsynchronousTM* 6-1  
managing signaling,  
*NetAdminConnect* 6-26  
managing the environment,  
*NetAdminConnect* 6-25  
Module Management Interface,  
*AsynchronousTM* 7-1  
preparing for configuration,  
*NetAdminConnect* 6-7  
queuing guidelines,  
*AsynchronousTM* 8-1  
signaling module interface,  
*AsynchronousTM* 4-1  
troubleshooting,  
*NetAdminConnect* 10-27  
verifying kernel options,  
*NetAdminConnect* 6-6  
verifying subsets are installed,  
*NetAdminConnect* 6-6
- ATM address**  
adding, *AsynchronousTM* 5-8  
deleting, *AsynchronousTM* 5-9
- ATM address structure,**  
*See* atm\_addr structure
- ATM Configuration application,**  
*NetAdminConnect* 6-15
- ATM environment,**  
*NetAdminConnect* 6-1
- ATM LANE, *ClusHWConfig*** 6-1,  
*ClusTechOver* 7-10
- ATM subsystem**  
interfaces, *AsynchronousTM* 1-3  
types of circuits, *AsynchronousTM*  
2-13
- atmarp command,**  
*NetAdminConnect* 6-26
- atmconfig command**  
and PVCs, *AsynchronousTM* 2-6

**atmelan command**,  
*NetAdminConnect* 6–27

**atmhosts file**  
 editing for CLIP,  
*NetAdminConnect* 6–17  
 editing for LANE,  
*NetAdminConnect* 6–21

**atmifmp command**,  
*NetAdminConnect* 6–27

**atmsig command**,  
*NetAdminConnect* 6–26

**atm\_addr structure**,  
*AsynchronousTM* 2–17

**atm\_cause\_info structure**,  
*AsynchronousTM* 2–38

**atm\_cmi\_addr union**,  
*AsynchronousTM* 5–10

**atm\_cvlg\_params structure**,  
*AsynchronousTM* 5–11

**atm\_drv\_params structure**,  
*AsynchronousTM* 3–3

**atm\_esi structure**,  
*AsynchronousTM* 2–37

**ATM\_FREE macro**,  
*AsynchronousTM* 2–9

**ATM\_MALLOC macro**,  
*AsynchronousTM* 2–8

**atm\_mmi\_path structure**,  
*AsynchronousTM* 7–3

**atm\_ppa structure**,  
*AsynchronousTM* 2–35

**atm\_queue\_param structure**,  
*AsynchronousTM* 3–7

**atm\_sig\_params structure**,  
*AsynchronousTM* 4–5

**atm\_uni\_call\_ie structure**,  
*AsynchronousTM* 2–30

**atm\_vc structure**,  
*AsynchronousTM* 2–14

**atm\_vc\_services structure**,  
*AsynchronousTM* 2–21

**atm\_vc\_stats structure**,  
*AsynchronousTM* 5–9

**Atom tools**, *ProgGde* 9–1

**attribute table**  
 entry, *KernelModules* 3–2  
 get request, *KernelModules* 3–4  
 set request, *KernelModules* 3–6

**attribute-value pair**  
 install.cdf file, *InstallGdeAdvTop*  
 A–2

**audit**  
 auditable events, *SecAdminGde* 3–6

**audit subsystem**, *SecAdminGde* 3–1

**auditing**, *ClusAdmin* 1–10

**authentication**, *SecAdminGde* 1–1  
 of client, *OncRpcProgram* 2–20

**authorization**, *SecAdminGde* 1–1

**AutoFS**  
 using in a cluster, *ClusAdmin* 7–13

**autofs command**, *ClusAdmin* 7–12

**autofs daemon**, *ClusAdmin* 7–12,  
*NetAdminSvcs* 4–2  
 error messages, *NetAdminSvcs* C–10  
 troubleshooting, *NetAdminSvcs*  
 9–17

**autofsmount command**,  
*ClusAdmin* 7–12, *NetAdminSvcs*  
 A–5  
 error messages, *NetAdminSvcs* C–10

**automatic deallocation of  
 components**, *OnlineAddRem* 3–1

**automatic tunnel**,  
*NetAdminConnect* 3–14

**automount command**, *ClusAdmin*  
 7–12, *NetAdminSvcs* A–5

**automount daemon**,  
*NetAdminSvcs* 4–2  
 error messages, *NetAdminSvcs* C–6  
 starting with SysMan Menu,  
*NetAdminSvcs* 4–9

**automount map**, *NetAdminSvcs*  
3-28, 4-2, A-1

**autonegotiation**, *ClusInstall* B-2  
configuring, *ClusInstall* B-2

**availability license**,  
*LicenseManage* 1-4

**Available Server Environment  
application**,  
*See* ASE application

**awk utility**, *ProgSupTools* 2-1

**AXPvme single-board computer**  
configuring, *SysConfigSup* 2-2  
requirements and restrictions,  
*SysConfigSup* 1-14

## B

**background process**,  
*CommandShellGde* 6-6

**bandwidth comparision**  
Memory Channel and LAN  
interconnect, *ClusTechOver* 7-3t

**bandwidth management**  
network, *NetProgGde* 7-1

**basic regular expression**,  
*ProgSupTools* 1-2

**bcheckrc script**, *SystemAdmin* 3-2

**Berkeley Internet Name Domain**,  
*See* BIND, DNS

**BGP**, *TechOver* 3-5

**big-endian**  
byte ordering, *AsmLangGde* 1-2

**BIND**, *TechOver* 3-34  
*See also* DNS  
configuring cluster as client  
or server, *ClusAdmin* 7-5,  
*ClusInstall* 3-6  
supplementary documentation  
for, *DocOverview* 3-13

**binlogd daemon**, *SystemAdmin*  
12-3, 12-16

**binmail utility**, *NetAdminSvcs* 7-41

**block**, *CLangRef* 2-2

**boot**, *SystemAdmin* 2-7  
configuring parallel scanning,  
*HWMgmt* 7-2  
genvmunix, *ClusInstall* 5-4,  
*SystemAdmin* 2-8

**boot command sequence**  
during full installation,  
*InstallGde* 6-41

**boot disk**  
encapsulating, *StorageManager* 3-6  
repairing a member's boot disk,  
*ClusAdmin* 11-4  
replacing failed, *StorageManager*  
6-14

**boot partition**  
mounting, *ClusAdmin* 11-18  
repairing, *ClusAdmin* 11-18

**boot timeline**, *KernelModules* 4-1  
dispatch point, *KernelModules* 4-3

**bootable tape**, *ClusAdmin* 1-14,  
*SystemAdmin* 9-5, 9-35

**bootdef\_dev console  
environment variable**,  
*ClusHWConfig* 7-81

**booting**  
from CD-ROM, *InstallGde* 6-4  
RIS client, *SharingSW* 5-1  
without a license, *ClusAdmin* 11-1

**BOOTP**, *SharingSW* 5-1  
and DHCP, *NetAdminConnect* 7-21  
daemon, *SharingSW* 5-2  
protocol, *SharingSW* 3-3

**bootpd daemon**, *SharingSW* 3-3,  
*TechOver* 3-30

**bootptab file**

- default cluster alias and,  
*ClusAdmin* 7–28
- Border Gateway Protocol**,  
*See* BGP
- Bourne shell**, *CommandShellGde*  
7–1, 8–1  
.logout script, *CommandShellGde*  
7–24  
redirecting errors,  
*CommandShellGde* 6–4
- bridging drivers**  
BSD drivers to STREAMS  
protocol stack, *NetProgGde* 8–9  
STREAMS driver to sockets  
protocol stack, *NetProgGde* 8–2
- broadcast address**, *ClusInstall* 2–7
- broadcast RPC**, *OncRpcProgram*  
2–21, 3–17
- broadcasting and determining  
network configuration**,  
*NetProgGde* 4–73
- BSD**  
password, *SecAdminGde* 1–9
- BSD driver**  
bridging to STREAMS protocol  
stack, *NetProgGde* 8–9
- BSD socket**, *NetProgGde* 4–40  
and network addresses,  
*NetProgGde* 4–41
- bttape command**, *ClusAdmin* 1–14
- buffer cache**, *SystemTune* 12–1
- buffer size**  
calculating in DLI, *NetProgGde* F–20  
increasing for TCP sockets,  
*NetProgGde* D–2
- building a kernel**  
CDSL considerations, *ClusAdmin*  
9–3  
during installation, *InstallGde* 6–20
- building programs**,  
*See* lex program, make utility,  
yacc program

- built-in function**  
pragma counterpart, *ProgGde* 3–15
- burning a CD-ROM**, *HWMgmt* 7–11
- byte ordering**  
big-endian, *AsmLangGde* 1–2  
little-endian, *AsmLangGde* 1–2  
supported by Tru64 UNIX,  
*ProgGde* 2–4

## C

- C compiler**, *ProgGde* 2–1
- C extensions, common**, *CLangRef*  
D–1
- C function**, *CLangRef* 5–1
- C language syntax summary**,  
*CLangRef* A–1
- C lexicon**, *CLangRef* 1–1
- C preprocessor**, *ProgGde* 2–9
- C shell**, *CommandShellGde* 7–1, 8–1  
.logout script, *CommandShellGde*  
7–24  
redirecting errors,  
*CommandShellGde* 6–5
- C2 security configuration**,  
*SecAdminGde* E–1
- CAA**, *ClusAdmin* 8–1, *ClusTechOver*  
5–1  
accessing profile attributes from  
within an action script,  
*ClusAvailApp* 2–16  
balancing application  
resources, *ClusAdmin*  
8–15, *ClusAvailApp* 2–22  
checking status, *ClusAdmin* 8–2  
cluster alias and, *ClusAdmin* 3–21  
defining custom application  
resource attributes,  
*ClusAvailApp* 2–18  
environment variables accessible  
by an action script,  
*ClusAvailApp* 2–16

- reason codes, *ClusAvailApp* 2–16
- registering resources, *ClusAdmin* 8–17, *ClusAvailApp* 2–19
- relocating application
  - resources, *ClusAdmin* 8–11, *ClusAvailApp* 2–21
- resource name, *ClusAdmin* 8–2
- resource profiles, *ClusAvailApp* 2–2
- starting application resources,
  - ClusAdmin* 8–12,
  - ClusAvailApp* 2–19
- status information, *ClusAvailApp* 2–25
- stopping application resources,
  - ClusAdmin* 8–14,
  - ClusAvailApp* 2–24
- troubleshooting, *ClusAdmin* 11–1
- tutorial, *ClusAvailApp* 2–28
- using EVM with, *ClusAdmin* 8–28
- writing action scripts,
  - ClusAvailApp* 2–13
- caad daemon**, *ClusAdmin* 8–27
- caa\_register command**,
  - ClusAdmin* 8–17
- caa\_relocate command**,
  - ClusAdmin* 8–11
- caa\_stat command**, *ClusAdmin* 8–2
- cabling comparison**
  - Memory Channel and LAN interconnect, *ClusTechOver* 7–3t
- cache coherency and block devices**, *ClusAdmin* 9–37
- cache collision, data**
  - avoiding, *ProgGde* 8–12
- cache misses, data**
  - profiling for, *ProgGde* 8–12
- cache thrashing**
  - preventing, *ProgGde* 8–12
- cache usage**
  - improving with cord, *ProgGde* F–4
- CalComp DrawingBoard**
  - configuring, *HWMgmt* 8–2
- Calendar**
  - accessing, *CDECompanion* 3–1
  - converting to CDE format, *CDECompanion* 10–6
- call**,
  - See incoming call
- call chain**, *CallingStandard* 7–2
- call stack**
  - of user program, examining in crash dump, *KernelDebug* 2–8
- call-graph profiling**, *ProgGde* 8–5
- callback**
  - and RPC, *OncRpcProgram* 3–31
  - using, *KernelModules* 4–2
- caller process**, *OncRpcProgram* 1–1
- calling conventions**
  - assembly language, *AsmLangGde* 6–1
- calling standard**
  - call chain, *CallingStandard* 7–1
  - data manipulation, *CallingStandard* 4–1
  - event processing, *CallingStandard* 5–1
  - flow control, *CallingStandard* 3–1
  - procedure descriptors, *CallingStandard* 8–1
  - procedure invocations, *CallingStandard* 7–1
  - stack limits, *CallingStandard* 6–1
- callrpc routine**, *OncRpcProgram* 3–2
- canonical address**
  - and Token Ring drivers, *NetProgGde* E–2
- cat command**, *CommandShellGde* 3–5
- CBR**, *AsynchronousTM* 2–13
- CBR circuit**
  - reserving resources, *AsynchronousTM* 5–4

- cc command**
  - compilation control options, *ProgGde* 2–12
  - default behavior, *ProgGde* 2–12
  - g and -O options for profiling, *ProgGde* 8–4
- cd command**, *CommandShellGde* 3–1
- CD-ROM burner**, *HWMgmt* 7–11
- CD-ROM drive**, *ClusAdmin* 9–10
- CD-ROM file system**,  
See CDFS
- CDE**
  - administration graphical interfaces, *SystemAdmin* 1–12
  - Application Manager, *SystemAdmin* 1–12
  - description, *CDECompanion* 1–1
  - Front Panel, *CDECompanion* 1–2
  - logging in, *CDECompanion* 1–1
  - managing desktop and applications, *CDECompanion* 1–3
  - workspaces, *CDECompanion* 1–3
- CDE desktop**
  - navigating, *CDECompanion* 2–1
- CDE documentation set**,  
*CDECompanion* 1–4
  - online viewing with Netscape Navigator, *CDECompanion* 1–5
- CDE online help**, *CDECompanion* 1–6
- CDE reference pages**,  
*CDECompanion* 1–7
  - using the man command, *CDECompanion* 1–8
- CDE Window List**, *CDECompanion* 3–11
- CDF**, *SharingSW* 7–1, *TechOver* 2–2
- CDFS**, *ProdKitGde* 6–7, 7–15,  
*SystemAdmin* 6–2
  - managing in a cluster, *ClusAdmin* 9–53
  - restrictions in a cluster, *ClusAvailApp* 7–3
- CDSL**, *ClusTechOver* 2–11,  
*ProdKitGde* 2–4, *SystemAdmin* 6–11
  - backing up, *ClusAdmin* 9–53
  - Korn shell and, *ClusAdmin* 11–23
  - working with, *ClusAdmin* 9–1
- cell**
  - receiving, *AsynchronousTM* 3–2
- century, setting the**, *SystemAdmin* 2–22
- certificate**
  - IPsec, *NetAdminConnect* 4–11
- CFS**, *ClusTechOver* 2–6
  - adjusting memory usage, *ClusAdmin* 9–32
  - EMFILE errors, *ClusAdmin* 9–32
  - errors at boot time, *ClusAdmin* 11–3
  - gathering statistics, *ClusAdmin* 9–11
  - limitations on failover, *ClusAdmin* 9–11
  - managing, *ClusAdmin* 9–10
  - optimizing, *ClusAdmin* 9–27
  - partitioning file systems, *ClusAdmin* 9–35
  - read access, *ClusTechOver* 7–3
  - use of the cluster interconnect, *ClusTechOver* 7–2, 7–3
- cfsd daemon**
  - use in a cluster, *ClusAdmin* 9–11, 9–13
- cfsmgr command**, *ClusAdmin* 9–10
- cfsstat command**, *ClusAdmin* 9–11
- cfs\_async\_biod\_threads attribute**, *ClusAdmin* 9–27
- changes to the documentation set**, *DocOverview* 1–3
- changing**
  - directories, *CommandShellGde* 4–3
  - identity, *CommandShellGde* 5–17



- owners of files and directories, *CommandShellGde* 5–19
- permissions, *CommandShellGde* 5–4
- your shell, *CommandShellGde* 7–4
- chap-secrets file**, *NetAdminConnect* 8–16
- character**
  - creating and using a user-defined, *InternatGde* 1–11
- character set**, *CLangRef* 1–3, *InternatProg* 1–4
  - coded, *InternatProg* 2–3
- characteristic**
  - printer characteristic for clusters, *ClusAdmin* 7–4
- Chinese**, *See* Asian languages
- chmod command**, *CommandShellGde* 5–4, 5–8, *SecAdminGde* 2–3
- CI**, *HWMgmt* 8–2
  - configuration, *HWMgmt* 8–2
- circuit**
  - types of, *AsynchronousTM* 2–13
- Classical IP**, *See* CLIP
- client**
  - authentication, *OncRpcProgram* 2–20
  - NFS, *ClusAdmin* 7–10
  - programming with *rpcgen*, *OncRpcProgram* 2–19
  - versions of, *OncRpcProgram* 3–27
- client handle used by *rpcgen***, *OncRpcProgram* 2–7
- client/server interaction**, *NetProgGde* 4–8
- CLIP**, *NetAdminConnect* 6–2
  - configuring with ATM, *NetAdminConnect* 6–17
  - managing the environment, *NetAdminConnect* 6–26
  - planning configuration with ATM, *NetAdminConnect* 6–9
- clock**
  - realtime, *Realtime* 6–1
  - setting system, *SystemAdmin* 2–22
- Clock application**
  - accessing, *CDECompanion* 3–1
- cloned installation**, *InstallGdeAdvTop* 6–1
  - defined, *InstallGde* 1–3
- cloned system configuration**, *InstallGdeAdvTop* 7–1
- cloning**
  - disk, *SystemAdmin* 9–21
  - lack of support in clusters, *ClusAdmin* 1–15
- CLSM**, *See* LSM
- cluamgr command**, *ClusAdmin* 3–1
  - description, *ClusAdmin* 3–8
  - leaving an alias, *ClusAdmin* 3–11
  - restarting routing for cluster aliases, *ClusAdmin* 3–8
- clua\_services file**, *ClusAdmin* 3–4
  - modifying entries in, *ClusAdmin* 3–10
- CLUIF ifconfig flag**, *ClusInstall* 2–8
- cluster**
  - administering, *ClusAdmin* 1–2, *ClusTechOver* 9–3
  - CAA, *ClusAdmin* 8–1, *ClusTechOver* 5–1
  - CDSL, *ClusAdmin* 9–2, *ClusTechOver* 2–11
  - CFS, *ClusAdmin* 9–10, *ClusTechOver* 2–6
  - clusterwide file systems, *ClusTechOver* 2–1

- configuring hardware,
  - ClusHWConfig* 4–7
- configuring radially connected UltraSCSI hardware,
  - ClusHWConfig* 3–16
- connection manager,
  - ClusTechOver* 3–1
- device request dispatcher,
  - ClusTechOver* 2–8
- DLM, *ClusTechOver* 8–1
- hard partitions and,
  - ClusHWConfig* 8–2
- hardware requirements and restrictions, *ClusHWConfig* 2–1
- installing, *ClusInstall* 1–1, *ClusTechOver* 9–1
- installing software on
  - Fibre Channel storage, *ClusHWConfig* 7–84
- LSM support, *ClusTechOver* 2–17
- Memory Channel, *ClusTechOver* 7–7
- planning hardware configuration,
  - ClusHWConfig* 4–2
- supported file systems,
  - ClusTechOver* 2–3
- using hard partitions,
  - ClusHWConfig* 8–8

**cluster alias**, *ClusTechOver* 6–1

- aliasd daemon, *ClusAdmin* 3–3, 3–5
- application programming interface, *ClusAvailApp* 8–1
- binding to reserved ports, *ClusAvailApp* 8–7
- CAA and, *ClusAdmin* 3–21
- default, *ClusAdmin* 3–2, *ClusInstall* 2–4, *ClusTechOver* 6–5
- deleting, *ClusAdmin* 3–12
- extending port space, *ClusAdmin* 3–15
- handling NFS requests, *ClusAdmin* 3–21
- leaving, *ClusAdmin* 3–11
- modifying attributes of, *ClusAdmin* 3–10
- monitoring, *ClusAdmin* 3–11
- planning for, *ClusAdmin* 3–5
- port attributes, *ClusAvailApp* 8–9
- properties, *ClusAdmin* 3–2
- restarting routing for, *ClusAdmin* 3–8
- RIS and, *ClusAdmin* 7–28
- socket options, *ClusAvailApp* 8–8
- UDP applications and source addresses, *ClusAvailApp* 8–9
- use of the cluster interconnect, *ClusTechOver* 7–2, 7–5
- using with multi-instance applications in a cluster, *ClusAvailApp* 3–1
- vMAC support, *ClusAdmin* 3–16

**cluster alias attribute**

- router priority, *ClusAdmin* 3–4

**cluster application**, *ClusAvailApp* 1–1

**cluster application availability**,  
See CAA

**cluster application migration**,

- ClusAvailApp* 4–1
- blocking layered products, *ClusAvailApp* 4–9
- clusterwide and member-specific files, *ClusAvailApp* 4–1
- device naming considerations, *ClusAvailApp* 4–4
- DLM parameters, *ClusAvailApp* 4–7
- expanded PIDs, *ClusAvailApp* 4–7
- interprocess communication, *ClusAvailApp* 4–6
- licensing, *ClusAvailApp* 4–7
- member-specific resources, *ClusAvailApp* 4–7
- synchronizing access to shared data, *ClusAvailApp* 4–6

**cluster configuration**,

- ClusHWConfig* 1–5
- cluster alias, *ClusAdmin* 3–5
- DHCP, *ClusAdmin* 7–1
- fully redundant LAN, *ClusHWConfig* 6–2, 6–7, B–1, *ClusTechOver* 7–11

- importance of symmetrical,
  - ClusHWConfig* 6–12,
  - ClusTechOver* 7–12
- inetd daemon, *ClusAdmin* 7–24
- mail, *ClusAdmin* 7–24
- multi-member using hub or switch, *ClusHWConfig* 6–6
- NFS, *ClusAdmin* 7–8
- NIS, *ClusAdmin* 7–3
- NTP, *ClusAdmin* 7–6
- printing, *ClusAdmin* 7–4
- restrictions, *ClusHWConfig* 6–1, *ClusTechOver* 7–10
- supported, *ClusHWConfig* 6–4
- tools, *ClusAdmin* 2–4
- two-member, direct-connect, *ClusHWConfig* 6–5

**cluster event**, *ClusAdmin* A–1

**cluster file system**,  
See CFS

**cluster hang**  
avoiding, *ClusHWConfig* 6–10

**cluster interconnect**,  
*ClusTechOver* 7–1

- IP names and addresses, *ClusInstall* 2–6
- rules and restrictions, *ClusTechOver* 7–7
- selecting, *ClusTechOver* 7–1

**cluster Logical Storage Manager**,  
See LSM

**cluster member**, *ClusAdmin* 4–2, *ClusTechOver* 3–2

- deleting, *ClusAdmin* 5–10
- managing, *ClusAdmin* 5–1
- rebooting, *ClusAdmin* 5–9

**cluster membership transition**,  
*ClusTechOver* 7–1, 7–6

**cluster partition**, *ClusAdmin* 4–2

**cluster port space**

- implications for single-instance and multi-instance TruCluster Server applications, *ClusAvailApp* 8–6

**cluster quorum**, *ClusTechOver* 3–1

- calculating, *ClusAdmin* 4–2, *ClusTechOver* 3–4
- disk, *ClusInstall* 2–13, *ClusTechOver* 3–6

**cluster root**, *ClusAdmin* 1–4

- expanding, *ClusAdmin* 1–4t
- mirroring, *ClusAdmin* 10–1
- specifying the cluster\_root device at boot time, *ClusAdmin* 11–7
- verify command and, *ClusAdmin* 9–57

**cluster root domain**  
defined in cluster, *ClusAdmin* 1–4

**cluster size**  
cluster interconnect bandwidth requirements, *ClusTechOver* 7–6

**cluster-aware application**  
calling scripts from  
/cluster/admin/run for tasks performed at cluster creation or when adding or deleting members, *ClusAvailApp* 7–4

- testing the status of a cluster member during a rolling upgrade, *ClusAvailApp* 7–5

UDP applications and source addresses, *ClusAvailApp* 8–9

writing, *ClusAvailApp* 7–1

**clusterwide file system**  
backing up, *ClusAdmin* 9–53

**clu\_add\_member command**,  
*ClusInstall* 1–4

- configuring a LAN interconnect using, *ClusInstall* 5–3

**clu\_alias.config**

- modifying with SysMan Menu,  
*ClusAdmin* 3-2
- clu\_alias.config file**, *ClusAdmin* 3-4
- clu\_create command**, *ClusInstall* 1-3
  - configuring a LAN interconnect,  
*ClusInstall* 4-3
- clu\_delete\_member command**,  
*ClusAdmin* 5-10
  - sample log file, *ClusAdmin* C-1
- clu\_quorum command**
  - defining a quorum disk,  
*ClusAdmin* 4-13
  - displaying quorum configuration  
information using,  
*ClusAdmin* 4-16
- clu\_upgrade command**,  
*ClusInstall* 1-4
- cmsghdr data structure**,  
*NetProgGde* 4-19
- cmx exerciser**, *SystemAdmin* 11-23
- cnx\_pinger broadcast errors**
  - when booting cluster member,  
*ClusAdmin* D-11
- code page**
  - PC, *InternatProg* 2-6
- codeset**, *InternatProg* 2-3
  - Unicode, *CommandShellGde* C-2
- codeset conversion**, *InternatGde*  
1-29, *InternatProg* 7-9,  
*TechOver* 8-7
- coexistence of STREAMS and  
sockets**, *NetProgGde* 8-1
- collation**, *CommandShellGde* C-3
- collect utility**
  - gathering system information,  
*SystemTune* 2-8
- command entry aids**
  - filters, *CommandShellGde* 7-6
  - grouping commands,  
*CommandShellGde* 7-6
  - list quoting, *CommandShellGde* 7-6
  - pipes, *CommandShellGde* 7-6
  - running multiple commands,  
*CommandShellGde* 7-6
- commands**
  - cat, *CommandShellGde* 3-5
  - cd, *CommandShellGde* 3-1
  - cluster, *ClusAdmin* 1-2
  - ln, *CommandShellGde* 3-13, 3-15
  - lpq, *CommandShellGde* 3-10, 3-12
  - lpr, *CommandShellGde* 3-10
  - lprm, *CommandShellGde* 3-10, 3-13
  - ls, *CommandShellGde* 3-2
  - mkdir, *CommandShellGde* 3-1
  - more, *CommandShellGde* 3-5
  - page, *CommandShellGde* 3-5
  - passwd, *CommandShellGde* 1-7,  
1-12
  - pg, *CommandShellGde* 3-5
  - using, *CommandShellGde* 1-5
  - yppasswd, *CommandShellGde* 1-8
- comment**
  - assembly language, *AsmLangGde*  
2-1
- common C extensions**, *CLangRef*  
D-1
- Common Desktop Environment**,  
*See* CDE
- common file**,  
*See* header file
- common subnet**
  - when to use, *ClusAdmin* 3-6
- communication bridge**, *TechOver*  
3-26
- comparing files**,  
*CommandShellGde* 3-23
- comparing Memory Channel  
to LAN interconnect**,  
*ClusTechOver* 7-2
- compilation options**
  - S option, *AsmLangGde* 6-14
- compilation unit**, *CLangRef* 2-3
- completion handling**, *ProgGde* 11-5
- complex lock**, *KernelModules* 8-1

- declaring data structure,
  - KernelModules* 8–1
- initializing, *KernelModules* 8–2
- terminating, *KernelModules* 8–20
- component indictment**,
  - OnlineAddRem* 3–1
- computer virus**,
  - CommandShellGde* 5–20
- concurrent direct I/O**, *ClusAdmin* 9–28
- condition variable**, *POSIXThreads* 2–30, 4–3
- conditional compilation**,
  - CLangRef* 8–7
- config.cdf file**, *InstallGdeAdvTop* 7–1
- configuration**
  - DMS environment, *SharingSW* 11–9
  - fully redundant LAN,
    - ClusHWConfig* 6–2, 6–7, B–1,
    - ClusTechOver* 7–11
  - importance of symmetrical,
    - ClusHWConfig* 6–3, 6–12,
    - ClusTechOver* 7–12
  - kernel, *SystemAdmin* 4–1
  - multi-member using hub or switch, *ClusHWConfig* 6–6
  - network interface,
    - NetAdminConnect* 2–20
  - supported, *ClusHWConfig* 6–4
  - two-member, direct-connect,
    - ClusHWConfig* 6–5
- configuration checklist**, *TechOver* 2–9
- configuration cloning**,
  - InstallGdeAdvTop* 7–1
  - lack of support in clusters,
    - ClusAdmin* 1–15
- configuration description file**,
  - See CDF
- configuration file**
  - adding devices to, *SystemAdmin* 4–22
  - entries, *SystemAdmin* 4–35
  - keywords, *SystemAdmin* 4–35
  - rc.config file, *ClusAdmin* 5–2
- configuration options**
  - device names, *HWMgmt* 1–13
- configuration report**
  - generating with HP Insight Manager, *ClusAdmin* 2–21
- configure routine**, *KernelModules* 2–1
- configured tunnel**,
  - NetAdminConnect* 3–15
- connection**,
  - See also PPP, SLIP
  - accepting, *AsynchronousTM* 6–4
  - accepting on a socket, *NetProgGde* 4–24
  - activating, *AsynchronousTM* 4–2
  - controlling aging of,
    - AsynchronousTM* 6–6
  - deleting, *AsynchronousTM* 4–3
  - making in ATM, *AsynchronousTM* 6–1
  - making to socket, *NetProgGde* 4–23
  - outgoing, *AsynchronousTM* 6–1
  - point-to-multipoint,
    - AsynchronousTM* 6–1
  - point-to-point, *AsynchronousTM* 6–1
  - receiving notification of,
    - AsynchronousTM* 5–7
  - releasing, *AsynchronousTM* 4–3, 6–7
  - reporting a failure,
    - AsynchronousTM* 4–3
  - requesting endpoint information,
    - AsynchronousTM* 5–6
  - tearing down, *AsynchronousTM* 5–5
  - testing for IPsec,
    - NetAdminConnect* 4–16
- Connection Management Module**, *AsynchronousTM* 1–3

- connection manager**, *ClusAdmin*
  - 4–1, *ClusTechOver* 3–1
  - monitoring panics from, *ClusAdmin* 4–19
  - troubleshooting, *ClusAdmin* 4–21
  - use of the cluster interconnect, *ClusTechOver* 7–1, 7–6
- connection mode service**
  - in DLPI, *NetProgGde* 2–5
- connection-oriented application**
  - program examples, *NetProgGde* B–2
  - sample header files, *NetProgGde* B–33
  - writing, *NetProgGde* 3–22
- connectionless application**
  - program examples, *NetProgGde* B–18
  - sample header files, *NetProgGde* B–33
  - writing, *NetProgGde* 3–30
- connectionless mode service**
  - in DLPI, *NetProgGde* 2–5
- connectivity**
  - AdvFS and storage connectivity, *ClusAdmin* 9–48
- connectivity guidelines**, *StorageManager* 2–10
- console environment variable**
  - ffauto, *ClusHWConfig* 7–82
- constant**, *CLangRef* 1–13
  - and rpcgen, *OncRpcProgram* 2–24
  - assembly language, *AsmLangGde* 2–2
- constant bit rate**,
  - See CBR
- context-dependent symbolic link**,
  - See CDSL
- controlling access**, *CommandShellGde* 5–1
- convergence module**
  - flow control, *AsynchronousTM* 9–3
  - MMI, *AsynchronousTM* 7–7
  - queuing guidelines, *AsynchronousTM* 8–3
  - receiving exception notification, *AsynchronousTM* 5–2
  - registering with CMM, *AsynchronousTM* 5–1
  - requesting interface parameters, *AsynchronousTM* 5–3
  - reserving resources, *AsynchronousTM* 5–4
  - structures, *AsynchronousTM* 5–9
  - unregistering with CMM, *AsynchronousTM* 5–3
- conversion of data types**, *CLangRef* 6–27
- copying a CDSL**, *ClusAdmin* 9–2
- copying a directory**, *CommandShellGde* 4–8
- copying a disk**, *SystemAdmin* 9–21
- copying a file**, *CommandShellGde* 3–18
  - to another host, *CommandShellGde* 12–1
- cord utility**, *ProgGde* F–4
- correspondent node**
  - configuring for Mobile IPv6, *NetAdminConnect* 5–8
- cost comparison**
  - Memory Channel and LAN interconnect, *ClusTechOver* 7–3t
- cp command**, *CommandShellGde* 3–18
- cpio command**, *SystemAdmin* 9–5
- CPU**
  - improving performance, *SystemTune* 13–5
  - monitoring, *SystemTune* 13–1
- crash data collection**, *KernelDebug* 2–46, A–1
- crash dump**, *ClusAdmin* 11–19, *SystemAdmin* 12–17, 14–1

**crash dump analysis**, *KernelDebug* 1–1  
collecting data with *crashdc*,  
*KernelDebug* 2–46  
examples of, *KernelDebug* 4–1  
for SMP systems, *KernelDebug* 4–9  
guidelines for, *KernelDebug* 4–1  
specifying location of loadable  
modules for, *KernelDebug* 2–4  
viewing user program stack,  
*KernelDebug* 2–8

**crash dump file**  
analyzing, *KernelDebug* 1–5, 4–1  
invoking *dbx* debugger to  
examine, *KernelDebug* 2–2  
invoking *kdbx* debugger to  
examine, *KernelDebug* 2–12  
using *dbx* to examine,  
*KernelDebug* 4–2  
using *kdbx* to examine,  
*KernelDebug* 4–3

**crash recovery**, *SystemAdmin* 12–17

**crash-data.n file**  
explanation of contents,  
*KernelDebug* A–1

**crashdc command**  
explanation of output from,  
*KernelDebug* A–1

**crashdc utility**, *KernelDebug* 2–46

**creating a directory**,  
*CommandShellGde* 4–2

**creating a NSPOF cluster  
configuration**, *ClusHWConfig*  
1–15

**critical voting member**  
quorum loss and shutdown,  
*ClusAdmin* 5–6

**crontab command**, *SystemAdmin*  
3–14

**crossover cable**, *ClusHWConfig*  
6–2, 6–5, *ClusTechOver* 7–11

multiple, *ClusHWConfig* 6–11

**.cshrc file**, *CommandShellGde* 8–3

**.cshrc login script**,  
*CommandShellGde* 7–16  
modifying for System V Habitat,  
*CommandShellGde* 9–2

**current vote**, *ClusAdmin* 4–3, 4–6

**courses library**, *InternatProg* 4–1,  
*TechOver* 8–11

**Custom Setup utility**, *InstallGde* 7–4

**customizing mailx**,  
*CommandShellGde* D–1

**customizing pointer behavior**,  
*CDECompanion* 8–8

**customizing workstation  
environment**, *XWinSysEnv* 2–1

**Cw mail macros**, *ClusAdmin* 7–26

## D

### daemon

*aliasd*, *ClusTechOver* 6–3

*autofsd*, *ClusAdmin* 7–12,  
*NetAdminSvcs* 4–2

*automount*, *NetAdminSvcs* 4–2

*bootpd*, *TechOver* 3–30

*caad*, *ClusTechOver* 5–3

*gated*, *ClusAdmin* 3–3,  
*NetAdminConnect* 2–15,

*TechOver* 3–31

*inetd*, *ClusAdmin* 7–24,

*NetProgGde* 4–76,

*OncRpcProgram* 2–18,  
3–25

*joind*, *NetAdminConnect* 7–17

*lockd*, *ClusAdmin* 7–8

*mountd*, *NetAdminSvcs* 4–11

PC-NFS, *NetAdminSvcs* 4–8

*portmap*, *Prestoserve* 2–10

*pppd*, *NetAdminConnect* 8–15

- prestoctl\_svc, *Prestoserve* 2–11
- printer, *ClusAdmin* 7–4
- routed, *ClusAdmin* 3–3,  
*NetAdminConnect* 2–13
- rsvpd, *NetProgGde* 7–6
- rwhod, *NetAdminConnect* 2–13
- statdd, *ClusAdmin* 7–8
- xntpd, *NetAdminSvcs* 6–1
- data**
  - preserving during installation,  
*InstallGde* 6–36
  - receiving on a virtual circuit,  
*AsynchronousTM* 5–2
- data access**,  
*See* JDBC, ODBC
- data cache collision**  
avoiding, *ProgGde* 8–12
- data cache misses**  
profiling for, *ProgGde* 8–12
- data copying routines**,  
*KernelModules* 5–7
- data flow**, *TechOver* 3–25
- Data Link Interface**,  
*See* DLI
- data link interfaces**, *NetProgGde* 2–1
- Data Link Provider Interface**,  
*See* DLPI
- data manipulation**  
in calling standard for Alpha  
systems, *CallingStandard* 4–1
- data recovery**, *SystemAdmin* 9–16
- data structure**
  - ATM, *AsynchronousTM* 2–14
  - displaying value and format  
of with dbx debugger,  
*KernelDebug* 2–6
  - global, *AsynchronousTM* 2–14
  - kernel thread, *KernelModules* 9–6
  - module, *NetProgGde* 5–13
  - simple lock, *KernelModules* 7–1
  - sockets, *NetProgGde* 4–16
  - STREAMS message, *NetProgGde*  
5–14
  - used by kernel thread routines,  
*KernelModules* 9–6
- data transfer**
  - in DLI, *NetProgGde* F–20
  - with sockets, *NetProgGde* 4–26
- data type**, *CLangRef* 3–1
  - alignment in structures, *ProgGde*  
2–5
  - converting, *CLangRef* 6–27
  - types supported by Tru64 UNIX,  
*ProgGde* 2–4
  - types supported in assembly  
language, *AsmLangGde* 2–10
- database security**  
group, *CommandShellGde* 5–3
- Dataless Management Services**,  
*See* DMS
- date and time**  
setting during installation,  
*InstallGde* 6–13
- date command**, *SystemAdmin* 2–22
- date value**  
formatting rules in a locale,  
*InternatProg* 6–22
- dbx debugger**, *ProgGde* 5–1,  
*TechOver* 6–3
  - crash dump analysis with,  
*KernelDebug* 2–2, 4–2, 4–4
  - debugging kdbx extensions with,  
*KernelDebug* 3–36
  - debugging kernel threads with,  
*KernelDebug* 4–8
  - displaying call stack of user  
program after kernel crash  
with, *KernelDebug* 2–8
  - displaying preserved message  
buffer with, *KernelDebug* 2–10
  - displaying value and format of  
variable and data structure  
with, *KernelDebug* 2–6
  - examining exception frames with,  
*KernelDebug* 2–7



- identifying cause of crash on SMP system, *KernelDebug* 4–9
- identifying hardware exceptions with, *KernelDebug* 4–4
- kernel debugging with, *KernelDebug* 2–2
- DDR**, *HWMgmt* 4–2
- DE50x adapter**
  - configuring autonegotiation, *ClusInstall* B–2
- DE60x adapter**
  - configuring autonegotiation, *ClusInstall* B–2
- debugging an application**, *SystemTune* 2–28
- debugging tools**,
  - See also* dbx debugger, lint, Third Degree
  - crashdc utility, *KernelDebug* 2–46
  - dbx debugger, *KernelDebug* 2–2
  - kdbx debugger, *KernelDebug* 2–12
  - kdebug debugger, *KernelDebug* 2–39
  - supported by Tru64 UNIX, *ProgGde* 1–5
- DECevent event management utility**, *SystemAdmin* 12–1
- declaration**, *CLangRef* 4–1, *OncRpcProgram* 2–24
- DECnet protocol**, *ClusAdmin* 7–24
  - for X client/server connections, *XWinSysEnv* 3–15
- DECterm**
  - escape sequences for ruled lines, *InternatProg* C–1
- DECwindows Motif**
  - migrating to CDE, *CDECompanion* 6–1
  - migrating to CDE applications, *CDECompanion* 7–6
- default cluster alias**, *ClusAdmin* 3–2, *ClusTechOver* 6–5
- IP address, *ClusInstall* 2–4
- NFS clients using, *ClusAdmin* 7–10
- relationship to out\_alias service attribute, *ClusAdmin* 7–30
- default permissions**
  - setting, *SecAdminGde* 2–8
  - setting with umask, *CommandShellGde* 5–13
- DEFAULTALIAS keyword**, *ClusAdmin* 3–2
- deferred mode swapping**, *SystemAdmin* 3–33
- DEGPA-xx adapter**
  - configuring autonegotiation, *ClusInstall* B–3
- deleting a directory**, *CommandShellGde* 4–10
- desktop session**
  - managing, *CDECompanion* 4–1
- /dev directory**, *HWMgmt* 1–13
- Developer’s Documentation Kit**, *DocOverview* 1–12
- development environment**, *ProgGde* 1–1
- device**
  - adding support to the kernel, *SystemAdmin* 4–22
  - configuring, *HWMgmt* 1–13
  - determining device location, *ClusAdmin* 9–5
  - direct-access I/O, *ClusAdmin* 9–39
  - managing third-party storage, *ClusAdmin* 9–7
  - single-server, *ClusAdmin* 9–39
- device driver**
  - ATM structures, *AsynchronousTM* 3–3
  - interface, *AsynchronousTM* 3–1
  - LSM, *StorageManager* 3–29
  - MMI, *AsynchronousTM* 7–6

- queuing guidelines,
  - AsynchronousTM* 8–1
- registering with CMM,
  - AsynchronousTM* 3–1
- unregistering with CMM,
  - AsynchronousTM* 3–2
- device driver documentation**
  - books in set described,
    - DocOverview* 7–1
- device interface**, *StorageManager* 1–18
- device name**, *HWMgmt* 1–13
  - naming conventions, *InstallGde* A–1
  - network adapter, *ClusInstall* 3–15
- device pathname**, *SystemAdmin* 8–36
- device request dispatcher**,
  - ClusTechOver* 2–8
- device special file**, *NetProgGde* 5–25
- device special file management utility**, *ClusAdmin* 9–4
- device special file names**
  - converting old-style and new-style, *ProgGde* E–1
- df command**, *ClusAdmin* 1–4t
- DHCP**, *NetAdminConnect* 7–1
  - and security, *NetAdminConnect* 7–20
  - configuring, *ClusAdmin* 7–1
  - planning for configuration,
    - NetAdminConnect* 7–2
  - troubleshooting,
    - NetAdminConnect* 10–35
- DHCP client**
  - cluster not supported as,
    - ClusInstall* 3–7
  - monitoring, *NetAdminConnect* 7–19
- DHCP server**
  - configuring, *NetAdminConnect* 7–12
  - configuring cluster as, *ClusInstall* 3–7
- diagnostic utility support**
  - adding a diagnostic utility to the TruCluster Server environment, *ClusAvailApp* 7–3
- dial-in connection**,
  - NetAdminConnect* 8–37
- dial-out connection**,
  - NetAdminConnect* 8–39
- Differences application**
  - comparing files with,
    - CDECompanion* 5–6
- direct I/O**, *ClusAdmin* 9–28
  - gathering statistics on,
    - ClusAdmin* 9–30
  - OPS, *ClusTechOver* 7–4
- direct-access I/O device**,
  - ClusAdmin* 9–39
- directive**
  - assembler directives,
    - AsmLangGde* 5–1
  - pragma assert directives,
    - ProgGde* 3–2
  - pragma environment, *ProgGde* 3–6
  - pragma extern\_model directives,
    - ProgGde* 3–7
  - pragma extern\_prefix, *ProgGde* 3–11
  - pragma function, *ProgGde* 3–14
  - pragma inline, *ProgGde* 3–13
  - pragma intrinsic, *ProgGde* 3–14
  - pragma linkage, *ProgGde* 3–16
  - pragma member\_alignment,
    - ProgGde* 3–19
  - pragma message, *ProgGde* 3–20
  - pragma optimize, *ProgGde* 3–25
  - pragma pack, *ProgGde* 3–28
  - pragma pointer\_size, *ProgGde* 3–29
  - pragma unroll, *ProgGde* 3–31
  - pragma use\_linkage, *ProgGde* 3–31
  - pragma weak, *ProgGde* 3–32
- directory**, *CommandShellGde* 2–1, 2–7, 4–1
  - backing up, *SystemAdmin* 9–1
  - changing owner of,
    - CommandShellGde* 5–19
  - LSM, *StorageManager* 3–29

- recovering, *SystemAdmin* 9–1
- removing current,
  - CommandShellGde* 4–12
- removing empty,
  - CommandShellGde* 4–11
- removing more than one,
  - CommandShellGde* 4–11
- renaming, *CommandShellGde* 4–9
- directory permissions**,
  - CommandShellGde* 5–5,
  - 5–10, *SecAdminGde* 2–5
- dirty region log**,
  - See DRL
- dis (object file tool)**, *ProgGde* 2–26
- disk**
  - backup, *SystemAdmin* 9–3
  - cloning, *HWMgmt* 5–12,
  - SystemAdmin* 5–8
  - copying, *HWMgmt* 5–12
  - determining location, *ClusAdmin* 9–6
  - distributing I/O, *SystemTune* 9–1
  - dynamic partitioning during full installation, *InstallGde* 4–2
  - label, *HWMgmt* 5–8
  - LSM, *SystemTune* 9–5
  - managing, *SystemTune* 9–1
  - monitoring, *SystemAdmin* 6–48
  - monitoring I/O distribution,
    - SystemTune* 9–4
  - preserving data on during installation, *InstallGde* 6–36
- disk group**
  - displaying information,
    - StorageManager* 5–7
  - managing, *StorageManager* 5–7
  - moving between systems,
    - StorageManager* 7–10
- disk label**, *SystemAdmin* 6–5
- disk partition**, *HWMgmt* 5–8,
- SystemAdmin* 5–4, 6–4
- on DMS server, *SharingSW* 10–3
- disk quota**, *SystemAdmin* 6–42
- disk space**
  - DMS, *SharingSW* 10–4
  - planning, *ClusInstall* 2–16,
  - InstallGdeAdvTop* 4–1
  - planning for rolling upgrade,
    - ClusInstall* 2–18
  - reallocating, *HWMgmt* 5–8
  - RIS, *SharingSW* 3–3
- disk storage shelf**
  - BA350, *ClusHWConfig* 11–8
  - BA356, *ClusHWConfig* 11–10
  - UltraSCSI BA356, *ClusHWConfig* 11–12
- disk usage**, *HWMgmt* 5–13
- disk write**
  - CFS, *ClusTechOver* 7–2, 7–3
  - OPS, *ClusTechOver* 7–4
- disklabel command**,
  - ClusHWConfig* 7–84, *HWMgmt* 5–10, *SystemAdmin* 5–4, 5–6
- diskusg command**, *SystemAdmin* 10–32
- dispatch point callback**,
  - KernelModules* 4–1
- dispatch table**, *OncRpcProgram* 2–18
- DISPLAY environment variable**
  - setting from different shells,
    - CDECompanion* 5–3
- Display Manager**, *TechOver* 9–6
- displaying a directory**,
  - CommandShellGde* 4–7
- displaying information**
  - command status,
    - CommandShellGde* 6–8
  - differences between files,
    - CommandShellGde* 3–23
  - job status of uucp,
    - CommandShellGde* 14–25
  - process information,
    - CommandShellGde* 6–14

- variable values,  
    *CommandShellGde* 7–21
- displaying online reference pages**, *CommandShellGde* 1–13
- distance comparison**  
    Memory Channel and LAN  
    interconnect, *ClusTechOver* 7–3t
- distributed application**  
    moving to TruCluster Server,  
    *ClusAvailApp* 6–1  
    running in a cluster,  
    *ClusAvailApp* 1–8
- distributed lock manager**,  
    *See* DLM
- distributed naming services**,  
    *TechOver* 3–34  
    *See also* BIND, NIS
- distributed processing**,  
    *ClusTechOver* 7–4
- distributed system services**  
    naming services, *TechOver* 3–34  
    time services, *TechOver* 3–35
- distribution media**  
    producing for kernel products,  
    *ProdKitGde* 7–9  
    producing for user products,  
    *ProdKitGde* 6–2
- DLI**, *NetProgGde* F–1  
    and accessing the local area  
    network, *NetProgGde* F–3  
    binding a socket, *NetProgGde* F–17  
    calculating buffer size,  
    *NetProgGde* F–20  
    creating a socket, *NetProgGde* F–16  
    deactivating a socket, *NetProgGde*  
    F–21  
    filling the sockaddr\_dl structure,  
    *NetProgGde* F–17  
    services, *NetProgGde* F–2  
    setting socket options,  
    *NetProgGde* F–16  
    transferring data, *NetProgGde* F–20  
    using system calls, *NetProgGde*  
    F–15
- writing programs, *NetProgGde* F–14
- DLI program**  
    including higher-level services,  
    *NetProgGde* F–4
- DLM**, *ClusTechOver* 8–1  
    advanced locking techniques,  
    *ClusAvailApp* 9–16  
    canceling a conversion request,  
    *ClusAvailApp* 9–16  
    converting locks, *ClusAvailApp* 9–12  
    deadlock detection, *ClusAvailApp*  
    9–13  
    dequeuing locks, *ClusAvailApp* 9–15  
    functions, *ClusAvailApp* 9–2  
    identifying resources,  
    *ClusAvailApp* 9–7  
    local buffer caching,  
    *ClusAvailApp* 9–23  
    namespaces, *ClusAvailApp* 9–6  
    resource granularity,  
    *ClusAvailApp* 9–5  
    use of the cluster interconnect,  
    *ClusTechOver* 7–2  
    using locks, *ClusAvailApp* 9–8  
    using to synchronize access to  
    shared resources in a cluster,  
    *ClusAvailApp* 9–1
- DLPI**, *NetProgGde* 2–2, *TechOver* 3–27  
    addressing, *NetProgGde* 2–6  
    connection mode service,  
    *NetProgGde* 2–5  
    connectionless mode service,  
    *NetProgGde* 2–5  
    local management service,  
    *NetProgGde* 2–4  
    modes of communication,  
    *NetProgGde* 2–3  
    supported primitives, *NetProgGde*  
    2–8, 8–10  
    types of service, *NetProgGde* 2–4
- DMS**, *SharingSW* 1–1, 9–1,  
    *TechOver* 2–28  
    adding software, *SharingSW* 11–6  
    disk space planning, *SharingSW*  
    10–4  
    installing software, *SharingSW* 11–2

- lack of support in cluster,
  - ClusAdmin* 1-14t
- root area, *SharingSW* 9-2
- setting up a LAN, *SharingSW* 10-3
- setting up NFS, *SharingSW* 10-3
- troubleshooting, *SharingSW* 13-1
- updating software, *SharingSW* D-1
- DMS area**, *SharingSW* 1-1, 9-2
- DMS area maintenance**,
  - SharingSW* 12-1
- DMS client**, *SharingSW* 1-1, 9-2, 9-5, 12-1
  - area, *SharingSW* 9-5
  - building an Asian kernel,
    - SharingSW* 11-13
  - compatibility with server,
    - SharingSW* 11-1
  - preparing, *SharingSW* 10-1
  - registering, *SharingSW* 10-7
  - requirements, *SharingSW* 10-2
  - WLS setup, *SharingSW* 11-13
- DMS environment**, *SharingSW* 9-3, 12-1
  - configuring, *SharingSW* 11-9
  - on DMS server, *SharingSW* 11-1
  - software sharing environment,
    - SharingSW* 1-2
- DMS server**, *SharingSW* 1-1, 9-2
  - architecture, *SharingSW* 9-2
  - compatibility with client,
    - SharingSW* 11-1
  - creating DMS environment on,
    - SharingSW* 11-1
  - disk partitions, *SharingSW* 10-3
  - installing operating system on,
    - SharingSW* 10-7
  - managing, *SharingSW* 12-1
  - preparing, *SharingSW* 10-1
  - requirements, *SharingSW* 10-1
  - WLS setup, *SharingSW* 11-12
- DNS**, *NetAdminSvcs* 2-1
  - configuring a caching-only server,
    - NetAdminSvcs* 2-15
  - configuring a client,
    - NetAdminSvcs* 2-20
  - configuring a forward-only server, *NetAdminSvcs* 2-16
  - configuring a master server,
    - NetAdminSvcs* 2-9
  - configuring a slave server,
    - NetAdminSvcs* 2-13
  - configuring a stub server,
    - NetAdminSvcs* 2-18
  - deconfiguring, *NetAdminSvcs* 2-29
  - enabling authentication,
    - NetAdminSvcs* 2-6, 2-22
  - enabling dynamic updates,
    - NetAdminSvcs* 2-5, 2-12, 2-22
  - IPv6 data format,
    - NetAdminConnect* 3-11
  - IPv6 record type,
    - NetAdminConnect* 3-11
  - named.conf file, *NetAdminSvcs* G-1
  - resource records, *NetAdminSvcs* G-1
  - testing master servers,
    - NetAdminSvcs* 11-15
  - testing servers, *NetAdminSvcs* 11-1
  - troubleshooting, *NetAdminSvcs* 9-4, 9-5
  - updating server data files,
    - NetAdminSvcs* 2-5, 2-12, 2-31
- doconfig program**, *SystemAdmin* 4-22, 4-26, 4-28
- documentation**,
  - See also* online documentation
  - in printed form, *DocOverview* 1-9
  - on line, *DocOverview* 1-6
- Documentation CD-ROM**,
  - DocOverview* 1-7
  - mounting, *InstallGde* 8-2
- documentation kits**,
  - See* Developer's Documentation Kit, End User Documentation Kit, General User Documentation Kit,

Startup Documentation  
Kit, System and  
Network Management  
Documentation Kit, Tru64  
UNIX Documentation Kit

**documentation on the World  
Wide Web**, *DocOverview* 1–8

**dodisk shell script**, *SystemAdmin*  
10–31

**dohash utility**, *NetAdminSvcs* 7–25

**domain**  
expanding cluster root,  
*ClusAdmin* 1–4t

**Domain Name System**,  
*See* DNS

**drdmgr command**, *ClusAdmin*  
9–23, 9–38

**driver**  
bridging BSD driver to STREAMS  
protocol stack, *NetProgGde* 8–9  
bridging STREAMS driver  
to sockets protocol stack,  
*NetProgGde* 8–2  
Token Ring, *NetProgGde* E–1

**driver program**  
compiler system, *ProgGde* 2–2

**DRL**  
planning, *StorageManager* 2–4

**dsfcvt\* routines**, *ProgGde* E–1

**dsfmgr command**, *ClusAdmin* 9–4

**dtmail utility**, *NetAdminSvcs* 7–42

**dtsession**, *CDECompanion* 6–2

**dump command**, *SystemAdmin* 9–5

**dump file**,  
*See* crash dump file

**duplicating a root disk**,  
*SystemAdmin* 9–21

**DVD-ROM drive**, *ClusAdmin* 9–10

**dxaccounts GUI**, *SystemAdmin* 7–8

**dxpresto command**

monitoring Prestoserve with,  
*Prestoserve* 3–8

**dxpresto software subset**  
installing, *Prestoserve* 2–1

**Dynamic Device Recognition**,  
*See* DDR

**dynamic disk partitioning**  
during full installation,  
*InstallGde* 4–2

**Dynamic Host Configuration  
Protocol**,  
*See* DHCP

**dynamically configurable  
subsystem**  
creating, *ProgGde* C–1

## E

**EBM2n and EBM4n single-board  
computers**, *SysConfigSup* 1–1

**EBV10 and EBV12 single-board  
computers**, *SysConfigSup* 1–14

**EBV14 and EBV16 single-board  
computers**, *SysConfigSup* 1–10

**ed editor**, *CommandShellGde* B–1  
append (a) subcommand,  
*CommandShellGde* B–2  
change (c) subcommand,  
*CommandShellGde* B–20  
copying lines, *CommandShellGde*  
B–23  
creating and saving text files,  
*CommandShellGde* B–2  
delete (d) subcommand,  
*CommandShellGde* B–17  
deleting a specific line,  
*CommandShellGde* B–18  
deleting current line,  
*CommandShellGde* B–18  
deleting multiple lines,  
*CommandShellGde* B–18  
displaying the current line,  
*CommandShellGde* B–9

- edit (e) subcommand,  
    *CommandShellGde* B-7
- edit (ed) command,  
    *CommandShellGde* B-7
- edit buffer, *CommandShellGde* B-1
- global (g) operator,  
    *CommandShellGde* B-15
- insert (i) subcommand,  
    *CommandShellGde* B-21
- locating text, *CommandShellGde*  
    B-11
- moving text, *CommandShellGde*  
    B-19
- print (p) subcommand,  
    *CommandShellGde* B-3
- quit (q) subcommand,  
    *CommandShellGde* B-6
- read (r) subcommand,  
    *CommandShellGde* B-8
- removing characters,  
    *CommandShellGde* B-16
- substitute (s) subcommand,  
    *CommandShellGde* B-13
- using system commands,  
    *CommandShellGde* B-24
- write (w) subcommand,  
    *CommandShellGde* B-4
- editor**, *CommandShellGde* 2-1  
    *See also* ed editor, emacs  
    editor, mule editor, vi  
    editor
- EGP**, *TechOver* 3-4
- egrep**,  
    *See* grep utility
- eight-node cluster**, *ClusHWConfig*  
    12-1
- emacs editor**  
    multilingual, *InternatGde* 1-30
- emxmgr command**, *ClusHWConfig*  
    7-99
- enabling realtime preemption**  
    after full installation, *InstallGde*  
    7-10
- End User Documentation Kit**,  
    *DocOverview* 1-10
- endian byte ordering**  
    supported by Tru64 UNIX,  
    *ProgGde* 2-4
- endpoint**  
    adding, *AsynchronousTM* 6-4  
    creating, *AsynchronousTM* 5-5  
    dropping, *AsynchronousTM* 4-3, 5-5  
    requesting connection  
        state information,  
        *AsynchronousTM* 5-6  
    requesting information,  
    *AsynchronousTM* 4-4
- enhanced security**, *ClusAdmin* 1-10  
    NIS configuration, *ClusAdmin* 7-3  
    TruCluster, *SecAdminGde* A-22
- enumerations and rpcgen**,  
    *OncRpcProgram* 2-23
- environment variable**,  
    *CommandShellGde* 7-13
- error**  
    comparison of XTI and sockets,  
    *NetProgGde* 3-39  
    in sockets, *NetProgGde* 4-43  
    in XTI, *NetProgGde* 3-56  
    logging in STREAMS,  
    *NetProgGde* 5-26  
    reporting to CMM,  
    *AsynchronousTM* 3-2  
    solving network problem,  
    *NetAdminConnect* 10-1,  
    *NetAdminSvcs* 9-1
- error logging**, *SystemAdmin* 12-1
- error message**  
    autofsd, *NetAdminSvcs* C-10  
    autofsmount, *NetAdminSvcs* C-10  
    automount, *NetAdminSvcs* C-6  
    during member boot, *ClusAdmin*  
    11-3

- ics\_ll\_tcp NetRAIN error,
  - ClusInstall* B-5
- IPsec, *NetAdminConnect* B-1
- mail, *NetAdminSvcs* E-1
- NFS, *NetAdminSvcs* C-1
- UUCP, *NetAdminSvcs* D-1
- eSNMP**, *NetProgGde* 1-7, 6-2,
  - TechOver* 3-27
  - application interface, *NetProgGde* 6-4
  - application programming interface routines, *NetProgGde* 6-18
  - architecture, *NetProgGde* 6-3
  - components, *NetProgGde* 6-2
  - implementing a subagent, *NetProgGde* 6-12
  - method routine calling interface, *NetProgGde* 6-44
  - MIB subtree, *NetProgGde* 6-6
  - object tables, *NetProgGde* 6-8
  - SNMP versions, *NetProgGde* 6-4
  - starting, *NetProgGde* 6-15
  - stopping, *NetProgGde* 6-15
  - support routines, *NetProgGde* 6-55
- /etc/clua\_services file**, *ClusAdmin* 3-4
  - modifying entries in, *ClusAdmin* 3-10
- /etc/clu\_alias.config**
  - modifying with SysMan Menu, *ClusAdmin* 3-2
- /etc/clu\_alias.config file**, *ClusAdmin* 3-4
- /etc/exports.alias file**, *ClusAdmin* 3-5
- /etc/fstab file**
  - swap entries, *ClusAdmin* 9-54
- /etc/gated.conf file**, *ClusAdmin* 3-5
- /etc/gated.conf.member file**, *ClusAdmin* 3-5
- /etc/kitcap file**, *ProdKitGde* 6-3, 7-11
- /etc/rc.config file**, *ClusAdmin* 5-2t
- Ethernet**, *TechOver* 3-20
  - See also* Fast Ethernet, Gigabit Ethernet
  - configuring, *NetAdminConnect* 2-20
- Ethernet adapter**, *ClusHWConfig* 6-1, *ClusTechOver* 7-10
- Ethernet hub**
  - compared to Ethernet switch, *ClusHWConfig* 6-2
  - requirements, *ClusHWConfig* 6-1
- Ethernet interface**,
  - See* vb network
- Ethernet switch**
  - compared to Ethernet hub, *ClusHWConfig* 6-2
  - multiple in fully redundant LAN interconnect, *ClusHWConfig* B-1
  - requirements, *ClusHWConfig* 6-1
  - using a single, *ClusHWConfig* 6-6
  - using multiple in fully redundant LAN interconnect, *ClusHWConfig* 6-2, 6-7
- euro currency symbol**, *InternatProg* 2-16
- event**
  - cluster, *ClusAdmin* A-1
  - reporting, *SystemAdmin* 12-1
  - tracking in XTI, *NetProgGde* 3-14
- event logging**
  - crash recovery, *SystemAdmin* 12-17
  - creating daily files, *SystemAdmin* 12-8
  - in STREAMS, *NetProgGde* 5-26
- event management**, *ClusAdmin* 1-12, *SystemAdmin* 13-1, 13-32
  - CAA and, *ClusAdmin* 8-28
- Event Manager**, *SystemAdmin* 13-1
- event processing**
  - in calling standard for Alpha systems, *CallingStandard* 5-1
- ewx0\_mode console variable**, *ClusInstall* B-2



**exception**

frame-based, *ProgGde* 11–5  
receiving, *AsynchronousTM* 5–2  
structured, *ProgGde* 11–5

**exception handling**

application development  
  considerations, *ProgGde* 11–1  
header files, *ProgGde* 11–3  
POSIX Threads, *POSIXThreads* 5–1

**exception processing**

in calling standard for Alpha  
  systems, *CallingStandard* 5–1

**executable program**

creating, *ProgGde* 2–3, 2–20  
running, *ProgGde* 2–22

**exempt memory, *HWMgmt*** 6–2**expected vote**

calculating, *ClusAdmin* 4–5  
cluster, *ClusAdmin* 4–3, 4–5  
member-specific, *ClusAdmin* 4–3,  
  4–5

**exporting a CDSL, *ClusAdmin*** 9–4**exporting a file system,**

*NetAdminSvcs* 4–12

**exports file, *NetAdminSvcs*** 4–11,

4–14

**exports.aliases file, *ClusAdmin*** 3–5**expression, *CLangRef*** 6–1**extended regular expression,**

*ProgSupTools* 1–4

**extensible SNMP,**

*See eSNMP*

**extensions to kdbx debugger,**

*KernelDebug* 2–15

**Exterior Gateway Protocol,**

*See EGP*

**External Data Representation,**

*See XDR routine*

**F****factory installed software,**

*See FIS*

**failover, *ClusAdmin*** D–12

AdvFS requirements, *ClusAdmin*  
  9–48

boot partition, *ClusAdmin* 11–18

limitations on CFS failover,

*ClusAdmin* 9–11

network, *ClusAdmin* 6–3

**Fast Ethernet, *TechOver*** 3–20**fcntl.h file, *NetProgGde*** 3–6**FDDI, *ClusHWConfig*** 6–1,

*ClusTechOver* 7–10, *TechOver* 3–21

configuring, *NetAdminConnect* 2–20

**fddi\_config command,**

*NetAdminConnect* 2–36

**feedback file**

profile-directed optimization,

*ProgGde* 10–8

**FFM, *SystemAdmin*** 6–2**ffnext console environment**

variable, *ClusHWConfig* 7–82

**fgrep,**

*See grep utility*

**Fiber Distributed Data Interface,**

*See FDDI*

**Fibre Channel, *ClusHWConfig***

6–14, 7–2

cascaded switches, *ClusHWConfig*  
  7–21, *SystemTune* 1–18

cluster configurations,  
*ClusHWConfig* 7–8

configuring hardware,  
*ClusHWConfig* 7–25

determining /dev/disk/dskn  
  for cluster installation,  
*ClusHWConfig* 7–83

- installation using Fibre Channel disks, *ClusHWConfig* 7-24
- installing BOS on, *ClusHWConfig* 7-80
- installing KGPSA on, *ClusHWConfig* 7-28
- switch zoning and SSP, *ClusHWConfig* 7-18, *SystemTune* 1-16
- Fibre Channel adapter**
  - obtaining worldwide name, *ClusHWConfig* 7-35
  - setting to run on a loop, *ClusHWConfig* 7-33
  - setting to run on fabric, *ClusHWConfig* 7-29
- file**, *CommandShellGde* 2-1, 2-5, 3-1
  - backing up, *SystemAdmin* 9-1
  - comparing file differences, *CommandShellGde* 3-23
  - including, *CLangRef* 8-11
  - listing contents of subset, *InstallGde* 9-4
  - LSM, *StorageManager* 3-29
  - recovering, *SystemAdmin* 9-1
  - sorting contents of, *CommandShellGde* 3-25
- file (object file tool)**, *ProgGde* 2-25
- file access**, *CommandShellGde* 5-1
- file access resilience in a cluster**, *ClusAvailApp* 7-5
- file inclusion**, *CLangRef* 8-11
- File Manager**, *CDECompanion* 4-1
  - accessing, *CDECompanion* 3-1
  - managing directories and files, *CDECompanion* 4-1
- file name**, *CommandShellGde* 2-5
- file permissions**, *CommandShellGde* 5-5
- file synchronization**
  - realtime, *Realtime* 8-2
- file system**, *CommandShellGde* 2-5, *SystemAdmin* 6-1
  - accelerating writes to, *Prestoserve* 3-3
  - avoiding full, *ClusAdmin* 9-34
  - backing up, *ClusAdmin* 9-53
  - checking, *SystemAdmin* 6-47
  - configuring LSM volume for, *StorageManager* 4-33
  - creating in a cluster, *ClusAdmin* 9-48
  - exercising, *SystemAdmin* 11-22
  - exporting, *NetAdminSvcs* 4-12
  - free space, *HWMgmt* 5-13
  - freezing in a cluster, *ClusAdmin* 9-26
  - halting export of, *NetAdminSvcs* 4-13
  - managing AdvFS in a cluster, *ClusAdmin* 9-43
  - managing CDFS, *ClusAdmin* 9-53
  - managing in a cluster, *ClusAdmin* 9-10
  - monitoring, *SystemAdmin* 6-48
  - monitoring free space, *HWMgmt* 5-13
  - mounting, *SystemAdmin* 6-20
  - partitioning, *ClusAdmin* 9-35
  - replicated, *NetAdminSvcs* A-9
  - restoring, *ClusAdmin* 9-53, *InstallGdeAdvTop* 3-1
  - support in a cluster, *ClusTechOver* 2-3
  - tuning, *SystemAdmin* 6-51
  - UFS read/write limited support, *ClusAdmin* 1-15t
- file system layout**
  - cluster, *ClusInstall* 2-15
  - customizing during installation, *InstallGde* 6-30
  - default, *InstallGde* 4-2
  - planning manually, *InstallGdeAdvTop* 4-1
  - specifying during installation, *InstallGde* 6-22
- file system quota**, *SystemAdmin* 6-42
- File Transfer Protocol**, *See* FTP

- file type**
  - determining, *CommandShellGde* 3–28
- File-on-File Mounting File System,**  
See FFM
- finger command,**  
*CommandShellGde* 10–2
- Finger Protocol (FINGER),**  
*TechOver* 3–9
- firmware**
  - release notes, *ClusHWConfig* 4–4
  - updating, *InstallGde* 5–7
  - updating GS80/160/320,  
*ClusHWConfig* 8–18
- FIS,** *InstallGde* 1–2
  - documentation included on,  
*DocOverview* 1–6
- floating-point instruction set**
  - assembly language, *AsmLangGde* 4–1
- floating-point range and processing**
  - IEEE standard, *ProgGde* 2–5
- floppy disk**
  - UFS read-only file system and,  
*ClusAdmin* 9–10
- flow control**
  - convergence module,  
*AsynchronousTM* 9–3
  - hardware, *AsynchronousTM* 9–1
  - in calling standard for Alpha  
systems, *CallingStandard* 3–1
  - software, *AsynchronousTM* 9–2
- focus**
  - considerations in SysMan Menu,  
*ClusAdmin* 2–9
- font**
  - bitmap for local languages,  
*InternatGde* 3–4
  - local language PostScript,  
*InternatGde* 1–21
  - PostScript font renderers for X  
applications, *InternatProg* 7–11
- font cache**
  - tuning size of, *InternatGde* 3–1
- font renderer,** *InternatProg* 7–11
- font server,** *InternatGde* 3–4
- forced unmounting**
  - AdvFS, *ClusAdmin* 11–17
- foreground processes,**  
*CommandShellGde* 6–6
- foreign language,**  
See Asian languages
- format prefix,** *NetAdminConnect* 3–9
- forward delay,** *ClusHWConfig* B–4
- frame-based exception handling,**  
*ProgGde* 11–5
- framework**
  - sockets, *NetProgGde* 4–1
  - STREAMS, *NetProgGde* 5–1
- freezefs command**
  - using in a cluster, *ClusAdmin* 9–26
- Front Panel**
  - exiting a session, *CDECompanion* 3–1
  - pausing a session,  
*CDECompanion* 3–1
  - using, *CDECompanion* 3–1
- fsck command,** *SystemAdmin* 6–47
- fstab file,** *SystemAdmin* 6–20
- fsx command,** *SystemAdmin* 11–22
- FTP,** *TechOver* 3–8
- full installation,** *InstallGde* 4–1
  - boot commands, *InstallGde* 6–41
  - building kernel during, *InstallGde* 6–20
  - CD-ROM boot procedures,  
*InstallGde* 6–4
  - cluster, *ClusInstall* 1–2
  - defined, *InstallGde* 1–3

- enabling realtime preemption, *InstallGde* 7–10
- installing LSM during, *InstallGde* 4–3
- installing WLS, *InstallGde* 4–3
- preinstallation tasks, *InstallGde* 5–1
- preserving existing data, *InstallGde* 6–36
- procedures, *InstallGde* 6–1
- restarting, *InstallGde* 6–39
- special processing for LSM, *InstallGde* 6–35
- system configuration, *InstallGde* 7–1
- user-supplied files, *InstallGdeAdvTop* 5–1
- full-duplex mode**, *ClusHWConfig* 6–2, *ClusTechOver* 7–10n
- fully redundant LAN**
  - interconnect**, *ClusHWConfig* 6–2, 6–7, B–1, *ClusTechOver* 7–11
- function**, *CLangRef* 5–1
  - allowed sequence of in XTI, *NetProgGde* 3–20
  - comparison of XTI and sockets, *NetProgGde* 3–37
  - STREAMS, *NetProgGde* 5–7
- function prototype**, *CLangRef* 5–8

## G

- gated daemon**, *ClusAdmin* 3–3, *NetAdminConnect* 2–15, *TechOver* 3–31
  - configuring, *NetAdminConnect* 2–24
  - use as routing daemon in a cluster, *ClusInstall* 3–5
- gated.conf file**, *ClusAdmin* 3–5, *ClusTechOver* 6–3, *NetAdminConnect* 2–15
- gated.conf.member file**, *ClusAdmin* 3–5
- gateway**, *See* secure gateway

- gateways file**, *NetAdminConnect* 2–14
- General User Documentation Kit**, *DocOverview* 1–11
- getty command**, *SystemAdmin* 2–21, 3–8
- gettydefs file**, *SystemAdmin* 3–4
- GetWindowProperty function**, *XWinSysEnv* 3–14
- GID**, *SystemAdmin* 7–12
- Gigabit Ethernet**, *TechOver* 3–21
- GIOC\_MMI\_GETVERSION command**, *AsynchronousTM* 7–3
- GIOC\_MMI\_PATH command**, *AsynchronousTM* 7–6
- global offset table**, *See* GOT
- GOT**, *AsmLangGde* 6–2, *CallingStandard* 2–4
- gprof**, *See* profiling a program
- grep utility**, *ProgSupTools* 1–9
- group file**, *CommandShellGde* 5–1, *SystemAdmin* 7–10 and NIS, *NetAdminSvcs* 3–25
- GSS-API**, *SecProgGde* 8–1

## H

- half-duplex mode**, *ClusHWConfig* 6–2, *ClusTechOver* 7–10n
- halt command**, *ClusAdmin* 5–6, *SystemAdmin* 2–32
- hang**
  - at member boot time, *ClusInstall* B–2, B–3
  - avoiding, *ClusHWConfig* 6–10
  - due to quorum loss, *ClusAdmin* 5–6
- hard partition**
  - requirements, *ClusHWConfig* 8–2

- hardware**
    - adding support to the kernel, *SystemAdmin* 4-22
  - hardware configuration,**
    - ClusAdmin* 9-6
    - planning, *ClusHWConfig* 4-2
    - requirements and restrictions for clusters, *ClusHWConfig* 2-1
  - hardware exception**
    - debugging, *KernelDebug* 4-4
  - hardware management,** *HWMgmt* 1-1
  - header file,** *CLangRef* 1-20, 9-1
    - including, *ProgGde* 2-9
    - sockets, *NetProgGde* 4-15
    - STREAMS, *NetProgGde* 5-6
  - heap memory analyzer**
    - and profiling, *ProgGde* 8-21
  - hello time,** *ClusHWConfig* B-4
  - help,** *CommandShellGde* 1-13
  - Help Manager**
    - accessing, *CDECompanion* 3-1
  - hiprof,**
    - See profiling a program
  - host**
    - configuring for IPsec, *NetAdminConnect* 4-52
    - configuring for IPv6, *NetAdminConnect* 3-42
    - IPv6 configuration variables, *NetAdminConnect* 3-60
  - Host Resources MIB,** *NetAdminSvcs* F-1
  - hosts file,** *NetAdminConnect* 2-18, 2-27
  - hosts.equiv file,** *NetAdminConnect* 2-19, 2-27
  - HP Insight Manager,** *SystemAdmin* 1-32, *TechOver* 2-21
  - integration with SysMan, *ClusAdmin* 2-3
  - invoking, *ClusAdmin* 2-20
  - using in a cluster, *ClusAdmin* 2-19
  - web agents initialized by, *ClusAdmin* 2-17
  - HSC**
    - controller failures, *HWMgmt* 8-4
    - host sharing, *HWMgmt* 8-4
    - restrictions, *HWMgmt* 8-4
  - HSG80 controller**
    - changing failover modes, *ClusHWConfig* 7-86
    - obtaining the worldwide name of, *ClusHWConfig* 7-47
    - setting up for software installation, *ClusHWConfig* 7-36
  - HSV Element Manager**
    - accessing, *ClusHWConfig* 7-58
  - HSV110 controller**
    - requirements and restrictions, *ClusHWConfig* 2-11
    - VCS license keys, *ClusHWConfig* 7-57
  - HTML documentation,** *DocOverview* 1-7, *InstallGde* 8-1
  - hub**
    - compared to switch, *ClusTechOver* 7-10n
    - requirements, *ClusTechOver* 7-10
  - hwmgr command,** *ClusAdmin* 1-12t, 9-4
    - obtaining network adapter information, *ClusAdmin* D-4
    - view dev, *ClusHWConfig* 7-83
- I**
- I/O**

- use of the cluster interconnect, *ClusTechOver* 7-2, 7-3
- I/O barrier**, *ClusAdmin* 9-7
- I/O data caching**, *ClusAdmin* 9-28
- ICMP**, *TechOver* 3-19
- ics\_ll\_tcp**
  - ics\_ll\_tcp NetRAIN error message, *ClusInstall* B-5
  - panic message, *ClusInstall* B-4
- identification**, *SecAdminGde* 1-1
- identifier**, *CLangRef* 1-6
  - assembly language, *AsmLangGde* 2-1
- IEEE floating-point**,
  - See floating-point range and processing
- ifaccess.conf file**,
  - NetAdminConnect* 2-36
- ifconfig command**
  - enabling access filtering with, *NetAdminConnect* 2-36
  - using to monitor active LAN interconnect adapter, *ClusHWConfig* 6-12
- IMAP**, *NetAdminSvcs* 7-24, *TechOver* 3-10
  - troubleshooting, *NetAdminSvcs* 9-27
- immediate mode swapping**, *SystemAdmin* 3-33
- inactive page list**, *TechOver* 5-6
- include file**,
  - See header file
- including files**, *CLangRef* 8-11
- incoming call**
  - accepting, *AsynchronousTM* 5-8
  - receiving, *AsynchronousTM* 4-2
  - rejecting, *AsynchronousTM* 5-8
- inetd daemon**, *NetProgGde* 4-76
  - configuring, *ClusAdmin* 7-24
  - rpcgen support for, *OncRpcProgram* 2-18
  - using to start an RPC server, *OncRpcProgram* 3-25
- init command**, *ClusAdmin* 1-12, *SystemAdmin* 2-8, 2-19
  - halt and reboot, *ClusAdmin* 5-6
- init.d directory**, *SystemAdmin* 3-3
  - structure, *SystemAdmin* 3-10
- initialization**, *SystemAdmin* 2-8
  - Memory Channel API library, *ClusAvailApp* 10-5
  - Memory Channel API library for a user program, *ClusAvailApp* 10-6
- inittab file**, *SystemAdmin* 2-8, 2-19, 3-2, 3-5, 3-9
  - customizing for LAT, *NetAdminConnect* 9-9
  - initdefault entry, *SystemAdmin* 2-20
- input method**, *InternatGde* 2-1, *InternatProg* 7-2
  - handling in X application, *InternatProg* 5-19
  - starting server for, *InternatGde* 2-3, *InternatProg* 7-3
  - X resource for, *InternatProg* 7-2
- input mode (vi editor)**, *CommandShellGde* A-9
- input/output multiplexing**, *NetProgGde* 4-77
- Insight Manager**,
  - See HP Insight Manager
- install.cdf file**, *InstallGdeAdvTop* 6-1
  - attribute-value pairs, *InstallGdeAdvTop* A-1
- installation**, *InstallGde* 1-1
  - See also full installation, update installation
  - cluster, *ClusInstall* 1-1, *ClusTechOver* 9-1
  - customizing, *InstallGdeAdvTop* 5-1

**installation cloning**,  
*InstallGdeAdvTop* 6-1,  
*SharingSW* 7-1  
attribute-value pairs,  
*InstallGdeAdvTop* A-1

**installation media**, *InstallGde* 1-6

**installing a layered application**,  
*ClusAdmin* 5-30

**installing the operating system**,  
*InstallGde* 1-1

**instruction and source line profiling**, *ProgGde* 8-11

**instruction set**  
assembly language floating-point,  
*AsmLangGde* 4-1  
assembly language main  
instruction set, *AsmLangGde*  
3-1

**instructions**  
disassembling using kdbx,  
*KernelDebug* 2-21

**interconnect address**  
changing for a cluster member,  
*ClusAdmin* 5-27

**interface**,  
*See also* network interface  
ATM, *AsynchronousTM* 1-3

**interface parameter**  
requesting, *AsynchronousTM* 5-3

**international software**,  
*InstallGde* C-20  
developing, *InternatProg* 1-1  
installing, *InstallGdeAdvTop* 2-1

**internationalization**, *InternatGde*  
1-1, *SystemAdmin* 3-21,  
*TechOver* 8-1  
and software development,  
*InternatProg* 1-1  
asort command, *InternatProg* 7-5  
CDE clients, *InternatGde* 3-1  
codeset conversion, *InternatGde*  
1-29, *InternatProg* 7-9  
creating locales, *InternatProg* 6-1  
cultural data in programs,  
*InternatProg* 2-16  
curses library, *InternatProg* 4-1  
file command, *InternatGde* 1-30  
for graphical applications,  
*InternatGde* 3-1  
mail utilities, *InternatGde* 1-26  
Motif clients, *InternatGde* 3-1  
Motif widget support,  
*InternatProg* 5-7  
mule editor, *InternatGde* 1-30  
PC code-page format,  
*InternatProg* 2-6  
printing subsystem, *InternatGde*  
1-12  
supported languages, *InternatGde*  
1-3  
system administration,  
*InternatGde* 1-4  
terminal subsystem, *InternatGde*  
2-6  
text presentation and input,  
*InternatProg* 2-20  
UDCs, *InternatProg* 7-3  
Unicode support, *InternatProg* 1-7  
user-defined characters,  
*InternatGde* 1-11  
X Library, *InternatProg* 5-7  
X/Open Worldwide Portability  
Interfaces, *InternatProg* A-1

**internationalization features**,  
*CDECompanion* 9-1  
using, *CommandShellGde* C-1

**Internet**,  
*See* TCP

**Internet Boot Protocol daemon**,  
*See* BOOTP

**Internet Control Message Protocol**,  
*See* ICMP

**Internet Message Access Protocol**,

See IMAP

**Internet Protocol**,  
See IP

**Internet Protocol Security**,  
See IPsec

**Internet Protocol Version 6**,  
See IPv6

**Internet server daemon**,  
See inetd daemon

**InterNIC Registration Services**  
and IP address,  
*NetAdminConnect* 2–11

**interprocess communications**,  
See IPC

**interrupt driven socket I/O**,  
*NetProgGde* 4–80

**invocation procedure**,  
*CallingStandard* 7–1

**iostat command**, *ClusAdmin* 1–4

**IP**, *TechOver* 3–1, 3–13

**IP address**, *NetAdminConnect* 2–11  
and InterNIC Registration  
Services, *NetAdminConnect*  
2–11  
changing for a cluster, *ClusAdmin*  
5–24, 5–26  
changing for a member,  
*ClusAdmin* 5–27  
cluster alias, *ClusAdmin* 3–2,  
*ClusInstall* 2–4  
cluster interconnect, *ClusInstall* 2–6  
obtaining using DNS,  
*NetAdminSvcs* 2–31

**IP alias**, *NetAdminConnect* 2–28

**IP multicasting**, *NetProgGde* 4–66

**IP router**, *ClusAdmin* 6–4,  
*NetAdminConnect* 2–16  
configuring system as,  
*NetAdminConnect* 2–25

**IP secure mode**, *NetAdminConnect*  
4–60

**IP switching**  
characteristics,  
*NetAdminConnect* 6–4  
configuring with ATM,  
*NetAdminConnect* 6–22  
planning configuration with ATM,  
*NetAdminConnect* 6–13

**ip6rtrd.conf file**,  
*NetAdminConnect* 3–62

**ip6\_setup utility**,  
*NetAdminConnect* 3–42

**IPC**  
mechanisms used for, *ProgGde* 1–7

**IPsec**  
certificate, *NetAdminConnect* 4–11  
configuring a host,  
*NetAdminConnect* 4–52  
configuring a secure gateway,  
*NetAdminConnect* 4–56  
environment, *NetAdminConnect* 4–1  
error messages,  
*NetAdminConnect* B–1  
information required  
for configuration,  
*NetAdminConnect* 4–17  
key exchange, *NetAdminConnect*  
4–9  
monitoring, *NetAdminConnect* 4–62  
planning, *NetAdminConnect* 4–15  
sample configurations,  
*NetAdminConnect* 4–1  
secure connection,  
*NetAdminConnect* 4–3  
Security Association,  
*NetAdminConnect* 4–8  
steps for deploying,  
*NetAdminConnect* 4–16  
support required in kernel,  
*NetAdminConnect* 4–15  
troubleshooting,  
*NetAdminConnect* 10–22  
worksheets for sample  
configurations,  
*NetAdminConnect* 4–41

**ipsecd daemon**



- starting, *NetAdminConnect* 4–60
- iptunnel command**,  
    *NetAdminConnect* 3–57
- IPv4 configured tunnel**,  
    See configured tunnel
- IPv4 multicasting**, *TechOver* 3–14
- IPv6**
  - 6bone network, *NetAdminConnect* 3–56
  - address autoconfiguration,  
    *NetAdminConnect* 3–10
  - addressing, *NetAdminConnect* 3–2
  - configuring a host,  
    *NetAdminConnect* 3–42
  - configuring a router,  
    *NetAdminConnect* 3–48
  - environment, *NetAdminConnect* 3–16
  - history, *NetAdminConnect* 3–1
  - information required  
    for configuration,  
    *NetAdminConnect* 3–22
  - planning, *NetAdminConnect* 3–21
  - problem solving,  
    *NetAdminConnect* 10–9
  - sample configurations,  
    *NetAdminConnect* 3–16
  - support required in kernel,  
    *NetAdminConnect* 3–21
  - support required in kernel  
    for Mobile IPv6,  
    *NetAdminConnect* 5–7
  - terms, *NetAdminConnect* 3–2
  - types of addresses,  
    *NetAdminConnect* 3–4
- IPv6 configured tunnel**,  
    See configured tunnel
- IPv6 subsystem**  
    tuning, *NetAdminConnect* 3–63
- ISO 10646 standard**, *TechOver* 8–2
- ISO codesets**, *CommandShellGde* C–2

- ISO standards**
  - application development
  - considerations, *ProgGde* 1–2

## J

- Japanese**,  
    See Asian languages
- Java**
  - documentation for, *DocOverview* 4–9
  - SysMan Menu PC application,  
    *ClusAdmin* 2–18
- JDBC**, *TechOver* 10–1
- jobs command**, *CommandShellGde* 6–8
- joind daemon**, *NetAdminConnect* 7–17

## K

- kdbx debugger**, *KernelDebug* 2–12
  - command aliases, *KernelDebug* 2–15
  - command syntax, *KernelDebug* 2–12
  - commands, *KernelDebug* 2–13
  - compiling custom extensions to,  
    *KernelDebug* 3–35
  - crash dump analysis with,  
    *KernelDebug* 4–3, 4–7
  - debugging extensions to,  
    *KernelDebug* 3–36
  - executing extensions to,  
    *KernelDebug* 2–14
  - extensions to, *KernelDebug* 3–22
  - identifying hardware exceptions  
    with, *KernelDebug* 4–4
  - library functions for extensions  
    to, *KernelDebug* 3–2
  - using extensions to, *KernelDebug* 2–15
  - writing extensions to,  
    *KernelDebug* 3–1

**kdebug debugger**, *KernelDebug*

1–3, 2–39

invoking, *KernelDebug* 2–42

problems with setup of,

*KernelDebug* 2–44

requirements for, *KernelDebug* 2–40

setting up, *KernelDebug* 2–40

**Kerberos**

Single Sign On, *SecAdminGde* C–1

**kernel**

building during installation,

*InstallGde* 6–20

configuring, *SystemAdmin* 4–1

configuring IPv6 routing in,

*NetAdminConnect* 3–60

installing ATM options,

*NetAdminConnect* 6–6

network bootable, *HWMgmt* 6–2

preemptive vs. nonpreemptive,

*Realtime* 1–4

rebuilding after using setld,

*InstallGde* 9–11

static configuration,

*SystemAdmin* 4–21

verifying ATM options,

*NetAdminConnect* 6–6

vmunix.n file, *SystemAdmin* 14–8

**kernel attribute**

managing, *ClusAdmin* 5–3

**kernel build**

and /vmunix CDSL, *ClusAdmin* 9–3

**kernel configuration**

adding selected options,

*SystemAdmin* 4–26

**kernel configuration file**,

*SystemAdmin* 4–35

editing during full installation,

*InstallGde* 6–44

**kernel crash**

displaying call stack of user

program after, *KernelDebug* 2–8

**kernel debugging**, *KernelDebug*

1–1, 1–3, *TechOver* 5–2

debugging customized tools,

*KernelDebug* 3–36

debugging running kernel,

*KernelDebug* 1–3, 2–39

developing customized tools,

*KernelDebug* 3–1

linking kernel image for,

*KernelDebug* 1–1

using dbx debugger, *KernelDebug*

2–2

using kdbx debugger,

*KernelDebug* 2–12

using kdebug debugger,

*KernelDebug* 2–39

**kernel-level function**

STREAMS, *NetProgGde* 5–12

**kernel module**

attributes, *KernelModules* 3–1

building, *KernelModules* 10–1

choosing resources to lock,

*KernelModules* 6–13

definition of, *KernelModules* 1–1

developing, *KernelModules* 1–6

dynamically loading,

*KernelModules* 10–8

initializing, *KernelModules* 2–1, 2–4

making safe in SMP environment

using complex locks,

*KernelModules* 8–1

multithreaded programming,

*KernelModules* 9–1

statically linking, *KernelModules*

10–6

**kernel product kit**, *ProdKitGde* 7–1

kit directory structure,

*ProdKitGde* 7–3

**kernel program**

debugging, *KernelDebug* 1–3

**kernel routine**

ATM, *AsynchronousTM* A–1

**kernel subsystem**

configuring STREAMS drivers,

*NetProgGde* 5–20

configuring STREAMS modules,

*NetProgGde* 5–20

**kernel thread**

- advantages of using,  
*KernelModules* 9–1
- blocking, *KernelModules* 9–11
- creating and starting,  
*KernelModules* 9–6
- setting a timer for current,  
*KernelModules* 9–26
- terminating, *KernelModules* 9–20
- unblocking, *KernelModules* 9–18

**kernel thread routine**

- data structures, *KernelModules* 9–6

**key exchange**

- IPsec, *NetAdminConnect* 4–9

**keyboard**

- customizing settings,  
*CDECompanion* 5–8
- LK-style with PCXAL,  
*CDECompanion* 8–5
- LK201/LK401, *CDECompanion* 8–5
- PC-style with LK201/LK401,  
*CDECompanion* 8–5
- window emulation of, *InternatGde*  
1–5

**Keycaps**

- customizing keyboard,  
*CDECompanion* 5–9

**keyword, *CLangRef*** 1–8**KGPSA,**

- See Fibre Channel adapter

**kill command, *ClusAdmin*** 1–13t**Korean,**

- See Asian languages

**Korn shell, *CommandShellGde***

- 7–1, 8–1
- .logout script, *CommandShellGde*  
7–24
- pathnames and, *ClusAdmin* 11–23
- redirecting errors,  
*CommandShellGde* 6–4

**.kshrc login script,**

- CommandShellGde* 7–16

**KZPBA UltraSCSI host bus adapter**

- displaying adapter information,  
*ClusHWConfig* 10–5, 10–9
- displaying information,  
*ClusHWConfig* 4–11
- installing using external  
termination, *ClusHWConfig*  
10–2
- setting SCSI ID, *ClusHWConfig*  
4–18, 10–12
- termination resistors,  
*ClusHWConfig* 4–19,  
10–13
- using with radial configuration,  
*ClusHWConfig* 4–8

**KZPSA-BB SCSI bus adapter**

- displaying adapter information,  
*ClusHWConfig* 10–5, 10–9
- installing using external  
termination, *ClusHWConfig*  
10–2
- setting bus speed, *ClusHWConfig*  
10–12
- setting SCSI ID, *ClusHWConfig*  
10–12
- setting termination power,  
*ClusHWConfig* 10–12
- termination resistors,  
*ClusHWConfig* 10–13
- updating firmware,  
*ClusHWConfig* 10–14

**L****lagconfig command**

- lack of support for LAN  
interconnect, *ClusHWConfig*  
6–3, *ClusTechOver* 7–12

**LAN emulation,**

- See LANE

**LAN interconnect**

comparison to Memory Channel,  
*ClusTechOver* 7-2

ensuring all active adapters  
are on the same switch,  
*ClusHWConfig* 6-11

fully redundant, *ClusHWConfig*  
6-2, 6-7, B-1, *ClusTechOver*  
7-11

hardware requirements,  
*ClusHWConfig* 6-1,  
*ClusTechOver* 7-10

maintaining, *ClusHWConfig* 6-11  
migrating from Fast Ethernet to  
Gigabit Ethernet, *ClusAdmin*  
D-10

migrating from Memory Channel  
to, *ClusAdmin* D-6, D-9

monitoring, *ClusAdmin* D-6

rules and restrictions,  
*ClusHWConfig* 6-1,  
*ClusTechOver* 7-10

tuning, *ClusAdmin* D-3

**LAN setup for DMS**, *SharingSW* 10-3

**LAN setup for RIS**, *SharingSW* 3-4

**LANE**

characteristics,

*NetAdminConnect* 6-3

configuring with ATM,

*NetAdminConnect* 6-20

managing the environment,

*NetAdminConnect* 6-27

planning configuration with ATM,

*NetAdminConnect* 6-11

**language announcement**

in programs, *InternatProg* 1-1

**language support**

installing, *InstallGdeAdvTop* 2-1

**lastcomm command**,

*SystemAdmin* 10-30

**LAT**, *TechOver* 3-33

configuring with *latsetup*,  
*NetAdminConnect* 9-7

creating your own service,  
*NetAdminConnect* 9-17

dedicated tty device on a terminal,

*NetAdminConnect* 9-18

devices, *NetAdminConnect* 9-6

gateway service,

*NetAdminConnect* 9-16

host-initiated connection,

*NetAdminConnect* 9-13

outgoing connections,

*NetAdminConnect* 9-15

printer setup, *NetAdminConnect*  
9-10

troubleshooting,

*NetAdminConnect* 10-42

**latsetup command**,

*NetAdminConnect* 9-7

**layered applications**

installing and deleting,

*ClusAdmin* 5-30

**layered product**

documentation for, *DocOverview*  
1-12

**layered product kit**, *ProdKitGde* 1-1

building subsets and control files,

*ProdKitGde* 3-1

directory structure, *ProdKitGde* 2-1

producing distribution media,

*ProdKitGde* 6-2, 7-9

**ld command**, *ProgGde* 2-20**LDAP**

password, *SecAdminGde* 1-12, D-1

**learp command**, *NetAdminConnect*  
6-27**lex program**, *ProgSupTools* 4-1**lexicon**, *CLangRef* 1-1**libc.so default C library**, *ProgGde*  
2-21**libexc exception library**, *ProgGde*  
11-1**library**,

*See also* shared library

ANSI C standard, *CLangRef* 9-1

linking programs with, *ProgGde*  
2-21

run-time, *ProgGde* 2–21  
 TLI, *NetProgGde* 3–6  
 XTI, *NetProgGde* 3–6

**library call**  
 sockets, *NetProgGde* 4–10

**library function**  
 for extensions to kdbx debugger,  
*KernelDebug* 3–2

**library routine**  
 for writing kdbx extensions,  
*KernelDebug* 3–2

**libtli.a library**, *NetProgGde* 3–6

**libxti.a library**, *NetProgGde* 3–6

**license**  
 activity, *LicenseManage* 1–5  
 availability, *LicenseManage* 1–4  
 booting without, *ClusAdmin* 11–1  
 canceling, *LicenseManage* 2–10  
 cluster requirements, *ClusInstall*  
 1–5  
 deleting, *LicenseManage* 2–10  
 disabling, *LicenseManage* 2–9  
 enabling, *LicenseManage* 2–9  
 issuing, *LicenseManage* 2–10  
 loading, *LicenseManage* 2–6  
 registering, *LicenseManage* 2–2  
 unlimited, *LicenseManage* 2–2  
 unloading, *LicenseManage* 2–8  
 updating, *LicenseManage* 2–11

**license-checking function**,  
*LicenseManage* 1–2

**license database for LMF**,  
*LicenseManage* 1–1

**License Management Facility**,  
 See LMF

**license terms and conditions**,  
*LicenseManage* 1–3

**license unit**, *LicenseManage* 1–2

**License Unit Requirement Table**,  
 See LURT

**link aggregation**, *ClusHWConfig*  
 6–2, B–1, B–2, *ClusTechOver*  
 7–11, *NetAdminConnect* 2–6  
 configuring, *NetAdminConnect* 2–34

**link resiliency**, *ClusHWConfig*  
 6–2, B–2, *ClusTechOver* 7–11

**linkage**, *CLangRef* 2–11

**linking files**, *CommandShellGde* 3–13

**lint**  
 coding problem checker, *ProgGde*  
 6–1

**listing directory contents**,  
*CommandShellGde* 3–2

**.lita section**, *AsmLangGde* 6–5

**literal characters**  
 using backslash,  
*CommandShellGde* 7–11  
 using double quotes,  
*CommandShellGde* 7–12  
 using single quotes,  
*CommandShellGde* 7–12

**little-endian**  
 byte ordering, *AsmLangGde* 1–2

**LMF**, *LicenseManage* 1–1  
 activity license, *LicenseManage* 1–5  
 availability license,  
*LicenseManage* 1–4  
 commands, *LicenseManage* 2–1  
 license checking, *LicenseManage* 1–9  
 license database, *LicenseManage*  
 1–2  
 license terms and conditions,  
*LicenseManage* 1–3  
 license units, *LicenseManage* 1–2  
 license-checking function,  
*LicenseManage* 1–2, 1–9  
 LURT, *LicenseManage* 1–2  
 OSF\_USR license, *LicenseManage*  
 2–2  
 PAAM, *LicenseManage* 1–6, 2–11

- lmf reference page**,  
*LicenseManage* 1–2
- lmf utility**, *LicenseManage* 1–2
- lmfsetup script**, *LicenseManage* 1–2
- ln command**, *CommandShellGde*  
3–13, 3–15
- load balancing**, *ClusAdmin* 9–13  
alias and application, *ClusAdmin*  
3–4  
CFS, *ClusAdmin* 9–11  
cluster alias and application,  
*ClusAdmin* 3–13, 3–20
- Local Area Transport**,  
*See* LAT
- local management service**  
in DLPI, *NetProgGde* 2–4
- locale**, *CommandShellGde* C–1,  
*InternatProg* 1–2, *SystemAdmin*  
3–16, *TechOver* 8–3  
binding to run-time, *InternatProg*  
2–24  
building and testing, *InternatProg*  
6–57  
categories of, *CommandShellGde*  
C–8  
creating, *InternatProg* 6–1,  
*TechOver* 8–7  
determining which locale is set,  
*CommandShellGde* C–6  
effect on date and time format,  
*CommandShellGde* C–4  
effect on messages,  
*CommandShellGde* C–5  
effect on software,  
*CommandShellGde* C–2  
numeric and monetary format in,  
*CommandShellGde* C–5  
setting, *InternatGde* 1–3  
yes/no response strings,  
*CommandShellGde* C–5
- localization**,  
*See also* internationalization  
and software development,  
*InternatProg* 1–2
- location and area**  
setting during full installation,  
*InstallGde* 6–14
- lock**  
accessing, *CDECompanion* 3–1  
complex, *KernelModules* 8–1
- lockinfo utility**  
gathering locking statistics,  
*SystemTune* 2–12
- locking methods**  
choosing, *KernelModules* 6–9  
comparing simple and complex  
locks, *KernelModules* 6–5  
complex lock, *KernelModules* 6–1  
simple lock, *KernelModules* 6–1
- logging in**, *CommandShellGde* 1–2  
specifying a language,  
*CDECompanion* 2–7  
specifying a session,  
*CDECompanion* 2–8
- logging out**  
of a session, *CommandShellGde* 1–5
- logical partition**  
configuring, *HWMgmt* 6–11
- Logical Storage Manager**,  
*See* LSM
- login account**, *CommandShellGde*  
5–2
- .login login script**  
modifying for System V Habitat,  
*CommandShellGde* 9–2
- Login Manager**, *CDECompanion* 2–7
- login program**, *CommandShellGde*  
7–13
- login screen**  
selecting options, *CDECompanion*  
1–1
- login script**  
.cshrc script, *CommandShellGde*  
7–16  
.kshrc script, *CommandShellGde*  
7–16

- .login script, *CommandShellGde* 7-16
- .profile script, *CommandShellGde* 7-16
- logout script**, *CommandShellGde* 7-23
- loopback mount**
  - lack of support in cluster, *ClusAdmin* 7-12
- lpd daemon**, *SystemAdmin* 8-40
- lpq command**, *CommandShellGde* 3-10, 3-12
- lpr command**, *ClusAdmin* 7-4, *CommandShellGde* 3-10
  - printing files, *CommandShellGde* 3-10
- lprm command**, *CommandShellGde* 3-13
- lprsetup command**, *ClusAdmin* 1-9
- lptest command**, *SystemAdmin* 8-48
- ls command**, *CommandShellGde* 3-2
- LSM**, *TechOver* 2-13
  - addvol command and, *ClusAdmin* 1-4t
  - bootable tape utility and, *StorageManager* 3-6n
  - cluster support for, *ClusTechOver* 2-17
  - configuring during full installation, *InstallGde* 4-3
  - devices on private buses, *StorageManager* 2-10
  - DRL, *StorageManager* 2-4
  - encapsulating swap device, *StorageManager* 3-21
  - EVM and, *StorageManager* 6-1
  - improving performance, *SystemTune* 9-5
  - initializing, *StorageManager* 3-1, 3-3
  - installing, *StorageManager* 3-1
  - interlocking support restriction in a cluster, *ClusAvailApp* 7-2
  - log size, *StorageManager* 2-5
  - log subdisk sizes, *StorageManager* 2-4
  - managing objects, *StorageManager* 5-1
  - managing plexes, *StorageManager* 5-45
  - managing subdisks, *StorageManager* 5-54
  - moving disk groups between systems, *StorageManager* 7-10
  - quorum disk, *ClusAdmin* 10-2
  - RAID 5, *ClusAdmin* 10-2
  - restrictions on LSM in a cluster, *ClusAdmin* 10-1
  - special processing during full installation, *InstallGde* 6-35
  - Storage Administrator, *StorageManager* A-1
  - storage connectivity, *StorageManager* 2-10
  - troubleshooting, *StorageManager* 6-1
  - uninstalling, *StorageManager* 7-22
  - upgrading, *StorageManager* 3-1
  - verifying initialization, *StorageManager* 3-4
- LSM daemon**, *StorageManager* 3-29
  - monitoring, *StorageManager* 6-8
- LSM device driver**, *StorageManager* 3-29
- LSM directory**, *StorageManager* 3-29
- LSM disk**, *StorageManager* 1-2
- LSM file**, *StorageManager* 3-29
- LSM interface**, *StorageManager* 1-19
- LSM license**, *StorageManager* 3-2
- LSM object**, *StorageManager* 1-1
- LSM software subset**, *StorageManager* 3-1

## **LSM volume**

- configuring for a file system,  
*StorageManager* 4–33
- managing, *StorageManager* 5–18
- migrating legacy,  
*StorageManager* 7–6

**LURT**, *LicenseManage* 1–2

**lvalue**, *CLangRef* 2–23

## **M**

**m4 macro preprocessor**,

*ProgSupTools* 5–1

**macro**, *CLangRef* 8–1

*See also* m4 macro  
preprocessor

predefined, *CLangRef* 8–15

**magic number**, *ProgGde* 2–25

**mail**, *NetAdminSvcs* 7–1

accessing, *CDECompanion* 3–1

administering aliases,

*NetAdminSvcs* 7–40

aliases, *CommandShellGde* 11–16

and DECnet, *NetAdminSvcs* 7–6

configuring, *ClusAdmin* 7–24

configuring a client,

*NetAdminSvcs* 7–15

configuring a server,

*NetAdminSvcs* 7–16

configuring a standalone system,

*NetAdminSvcs* 7–14

configuring cluster as a server,

*ClusInstall* 3–7

converting to CDE format,

*CDECompanion* 10–1

customizing mail program,

*CommandShellGde* 11–15

Cw macros, *ClusAdmin* 7–26

differences between dtmail and

dxmail, *CDECompanion* A–1

enhancements for Asian

languages, *InternatGde* 1–26

error messages, *NetAdminSvcs* E–1

exiting from, *CommandShellGde*  
11–15

files, *ClusAdmin* 7–25

gateway, *NetAdminSvcs* 7–4

getting help, *CommandShellGde*  
11–14

IMAP, *NetAdminSvcs* 7–24

internationalization, *InternatGde*  
1–26

POP, *NetAdminSvcs* 7–18

troubleshooting, *NetAdminSvcs*  
9–26, 9–27

**mail conversion utility**,

*CDECompanion* 10–3

**mail protocol**

cluster support, *ClusAdmin* 7–24

**mail utility**, *NetAdminSvcs* 7–41

**mailconfig application**,

*NetAdminSvcs* 7–13

**mailq command**, *NetAdminSvcs* 7–38

**mailstats command**,

*NetAdminSvcs* 7–41

**mailusradm utility**, *NetAdminSvcs*

7–21, 7–25, 7–27

**mailx commands**,

*CommandShellGde* F–1

**mailx utility**, *NetAdminSvcs* 7–42

escape commands,

*CommandShellGde* E–1

**make utility**, *ProgSupTools* 7–1

**makedbm command**,

*NetAdminSvcs* 3–21, 3–23

**man command**,

*CommandShellGde* 1–13

**management tools**

quick start, *ClusAdmin* 2–2

**manpage**,

*See* reference page

**mapping table**, *TechOver* 3–18

**mask**

subnet, *ClusInstall* 2–7n



- maximum age**, *ClusHWConfig* B-4
- MC\_CABLE command**
  - restrictions on, *ClusAdmin* 11-23
- member**, *ClusAdmin* 4-2
  - changing IP address, *ClusAdmin* 5-27
  - managing, *ClusAdmin* 5-1
  - mounting boot partition, *ClusAdmin* 11-18
  - relocating root domain, *ClusAdmin* 9-20
  - repairing boot disk, *ClusAdmin* 11-4
  - root domain, *ClusAdmin* 1-4
- member boot disk**, *ClusInstall* 2-12
- membership**
  - monitoring, *ClusAdmin* 4-19
- memory**
  - allocating for ATM, *AsynchronousTM* 2-8
  - detecting leaks, *ProgGde* 8-21
  - displaying, *SystemTune* 12-16
  - exercising, *SystemAdmin* 11-22
  - increasing, *SystemTune* 12-24
  - operation, *SystemTune* 12-1
  - paging, *SystemTune* 12-12
  - reclaiming pages, *SystemTune* 12-9
  - shared, *SystemTune* 12-34
  - swapping, *SystemTune* 12-13
  - testing shared memory, *SystemAdmin* 11-23
- Memory Channel**, *ClusTechOver* 7-7
  - benefit for latency and distributed processing, *ClusTechOver* 7-6
  - comparison to LAN, *ClusTechOver* 7-2
  - hub installation, *ClusHWConfig* 5-7
  - installing adapter, *ClusHWConfig* 5-6
  - installing cables, *ClusHWConfig* 5-7
  - installing optical converter, *ClusHWConfig* 5-6
  - migrating from LAN interconnect to, *ClusAdmin* D-9
  - migrating to LAN interconnect from, *ClusAdmin* D-6
  - multirail model, *ClusAvailApp* 10-2
  - running diagnostics, *ClusHWConfig* 5-12
  - setting jumpers, *ClusHWConfig* 5-2
- Memory Channel adapter**
  - upgrading, *ClusHWConfig* 5-14
- Memory Channel API**, *ClusAvailApp* 10-34
- Memory Channel API library**
  - developing applications, *ClusAvailApp* 10-1
- memory file system**,
  - See MFS
- memory locking**
  - realtime, *Realtime* 4-1
- memory mapped file**, *ClusAdmin* 9-34
- memory mapped file support**,
  - See mmap
- memory trolling**
  - model, *OnlineAddRem* 6-1
- memx command**, *SystemAdmin* 11-22
- message**
  - realtime, *Realtime* 10-1
  - sending, using write command, *CommandShellGde* 11-21
- message buffer, preserved**
  - examining with dbx debugger, *KernelDebug* 2-10
- message catalog**
  - creating source files for, *InternatProg* 3-2
  - editing and translating, *InternatProg* 3-16
  - generating from message sources, *InternatProg* 3-17

- message handler (mh),**  
*NetAdminSvcs* 7-42
- message passing model**  
for developing applications based  
on the cluster Memory  
Channel API library,  
*ClusAvailApp* 10-34
- message queue**  
realtime, *Realtime* 10-1
- Message Transport System,**  
*See* MTS
- MFS, *SystemAdmin*** 6-2, 6-17  
cluster support, *ClusAdmin* 9-35
- MIB**  
Host Resources, *NetAdminSvcs* F-1
- MIB subtree**  
eSNMP, *NetProgGde* 6-6
- Microsoft RAS server,**  
*NetAdminConnect* 8-31
- migration**  
Fast Ethernet LAN to Gigabit  
Ethernet LAN, *ClusAdmin*  
D-10  
from DECwindows Motif to CDE,  
*CDECompanion* 7-1  
LAN interconnect to Memory  
Channel, *ClusAdmin* D-9  
Memory Channel to LAN  
interconnect, *ClusAdmin* D-6
- mkcdsl command, *ClusAdmin*** 9-2
- mkdir command,**  
*CommandShellGde* 3-1
- mksas command, *HWMgmt*** 6-5
- mmap, *TechOver*** 6-9
- MMI**  
calling conventions,  
*AsynchronousTM* 7-5  
connecting convergence module  
to, *AsynchronousTM* 5-3  
convergence module,  
*AsynchronousTM* 7-7  
creating path, *AsynchronousTM* 7-2  
defining ioctl commands,  
*AsynchronousTM* 7-4  
device driver, *AsynchronousTM* 7-6  
signaling module,  
*AsynchronousTM* 7-7  
verifying ioctl version,  
*AsynchronousTM* 7-3
- Mobile IPv6, *NetAdminConnect*** 5-1  
configuring a correspondent node,  
*NetAdminConnect* 5-8  
configuring a router,  
*NetAdminConnect* 5-8  
environment, *NetAdminConnect* 5-2  
history, *NetAdminConnect* 5-1  
monitoring, *NetAdminConnect* 5-9  
operation, *NetAdminConnect* 5-3  
planning for installation,  
*NetAdminConnect* 5-7  
restrictions, *NetAdminConnect* 5-1  
support required in kernel,  
*NetAdminConnect* 5-8
- modem**  
guidelines, *NetAdminConnect* 8-36  
using with SLIP,  
*NetAdminConnect* 8-3
- Module Management Interface,**  
*See* MMI
- monetary value**  
formatting rules in a locale,  
*InternatProg* 6-19
- monitoring membership,**  
*ClusAdmin* 4-19
- monitoring the system,**  
*SystemAdmin* 11-10,  
*SystemTune* 2-1
- more command,**  
*CommandShellGde* 3-5
- Motif, *TechOver*** 9-8  
internationalization,  
*InternatProg* 5-4
- Motif graphical user interface**  
enhancements for native  
languages, *InternatGde* 3-1  
widget support, *InternatProg* 5-7

**mount command**, *SystemAdmin* 6–20  
 loopback mounts lack of support,  
*ClusAdmin* 7–12  
 mounting NFS file systems on  
 cluster members, *ClusAdmin*  
 7–11  
 NFS clients using cluster alias,  
*ClusAdmin* 7–10  
 partitioning file systems,  
*ClusAdmin* 9–35  
 server\_only option, *ClusAdmin* 9–35

**mountd daemon**, *NetAdminSvcs* 4–11

**mounting a remote file system**,  
*NetAdminSvcs* 4–18

**mounting the online  
 documentation CD-ROM**,  
*InstallGde* 8–2

**moving a file**, *CommandShellGde*  
 3–21

**MPH**, *TechOver* 2–22

**msghdr data structure**,  
*NetProgGde* 4–18

**MTS**, *ClusAdmin* 7–24

**mule editor**, *InternatGde* 1–30

**multi-instance application**  
 running in a cluster,  
*ClusAvailApp* 1–5

**multicasting**, *NetProgGde* 4–66

**multihead graphic support**,  
*TechOver* 9–3

**multilanguage program**,  
*See also* internationalization  
 compiling, *ProgGde* 2–16  
 include files for, *ProgGde* 2–11

**multiple adapter support**,  
*NetAdminConnect* 2–3, 2–29

**multiple windows**  
 managing, *CDECompanion* 2–4

**multiplexing**, *NetProgGde* 4–77

**multiprocessor system**  
 enabling unattended reboots,  
*InstallGde* 7–10

**multithreaded application**,  
*See also* POSIX Threads  
 Library  
 building, *ProgGde* 12–11  
 debugging, *POSIXThreads* C–1  
 developing, *KernelModules* 9–1,  
*POSIXThreads* 1–1  
 developing libraries for, *ProgGde*  
 12–1  
 profiling, *ProgGde* 8–29

**multiuser boot**, *SystemAdmin* 2–8

**mutex**, *POSIXThreads* 2–26, 4–3

## N

**name**  
 changing for a cluster, *ClusAdmin*  
 5–24  
 changing for a member,  
*ClusAdmin* 5–27

**name services configuration file**,  
*See* svc.conf file

**name space**, *CLangRef* 2–24

**Name/Finger Protocol**,  
*See* Finger Protocol (FINGER)

**namei cache**  
 tuning, *SystemTune* 11–1

**naming services**  
 DNS, *NetAdminSvcs* 2–1  
 NIS, *NetAdminSvcs* 3–1

**naming your system**  
 during installation, *InstallGde* 6–12

**National Language Support**,  
*See* NLS

**netconfig application**,  
*NetAdminConnect* 2–20

**netconfig command**, *ClusAdmin* 6–5

**NetRAIN**, *ClusAdmin* 6–3,  
*NetAdminConnect* 2–4  
configuring an interface,  
*NetAdminConnect* 2–29  
configuring as LAN cluster  
interconnect in existing  
cluster, *ClusAdmin* D–1  
doubly defined device, *ClusInstall*  
B–5  
manual failover, *ClusAdmin* D–12  
monitoring the interface,  
*NetAdminConnect* 2–33  
tuning as a LAN interconnect,  
*ClusAdmin* D–3

**NetRAIN failover**  
consequences, *ClusHWConfig* 6–11

**Netscape Navigator**  
using to view online  
documentation, *InstallGde* 8–2

**netstat command**,  
*NetAdminConnect* 11–9,  
A–1

**network**  
administering, *NetAdminConnect*  
1–1, *NetAdminSvcs* 1–1  
bandwidth management,  
*NetProgGde* 7–1  
failover, *ClusAdmin* 6–3  
monitoring, *SystemTune* 10–1  
QoS, *NetProgGde* 7–1  
QoS architecture, *NetProgGde* 7–2  
QoS component operation,  
*NetProgGde* 7–3  
reporting problems,  
*NetAdminConnect* 12–1,  
*NetAdminSvcs* 12–1  
troubleshooting, *ClusAdmin*  
11–20, *NetAdminConnect*  
10–1, 11–1, *NetAdminSvcs*  
9–1, 10–1  
tuning, *SystemTune* 10–4  
vb, *SysConfigSup* 3–1

**network adapter**,  
*See also* network interface

device names, *ClusInstall* 3–15  
obtaining operational information  
about, *ClusAdmin* D–4  
setting mode during installation,  
*InstallGde* 5–9

**network addresses**  
and sockets, *NetProgGde* 4–41

**network administration**,  
*NetAdminConnect* 1–1,  
*NetAdminSvcs* 1–1

**network configuration**  
broadcasting and determining,  
*NetProgGde* 4–73

**Network File System**,  
*See* NFS

**Network Information Service**,  
*See* NIS

**network installation**,  
*InstallGdeAdvTop* 1–1

**network interface**,  
*NetAdminConnect* 2–1  
adding an IPv6 address to,  
*NetAdminConnect* 3–58  
configuring, *NetAdminConnect* 2–20  
configuring multiple for failover,  
*NetAdminConnect* 2–29  
deconfiguring, *NetAdminConnect*  
2–22  
deleting an IPv6 address from,  
*NetAdminConnect* 3–58  
initializing for IPv6,  
*NetAdminConnect* 3–56  
monitoring, *NetAdminConnect*  
A–1, *TechOver* 3–34  
multiple in same subnetwork,  
*NetAdminConnect* 2–3, 2–28  
removing IPv6 from,  
*NetAdminConnect* 3–57

**Network Interface Failure Finder**,  
*See* NIFF

**network partition**, *ClusHWConfig*  
6–10

**network port**

- alias and, *ClusAdmin* 3–3
- extending number in cluster, *ClusAdmin* 3–15
- network programming**
  - environment**, *TechOver* 6–10
  - application programming interfaces, *TechOver* 6–10
  - data link interface, *TechOver* 6–10
- network sockets application**
  - AF\_INET programming examples, *NetProgGde* C–1
  - AF\_INET6 programming examples, *NetProgGde* C–7
- Network Time Protocol**, *See* NTP
- network time synchronization**, *ClusAdmin* 7–6
- networks file**, *NetAdminConnect* 2–19, 2–28
- net\_wizard command**, *ClusAdmin* 6–5
- newfs command**, *SystemAdmin* 6–16
- NFS**, *ClusTechOver* 7–2, 7–5, *NetAdminSvcs* 4–1
  - and BIND, *NetAdminSvcs* 4–1
  - and NIS, *NetAdminSvcs* 4–1
  - and superuser mail, *NetAdminSvcs* 4–15
  - autofs, *NetAdminSvcs* 4–2
  - automount, *NetAdminSvcs* 4–2
  - configuring, *ClusAdmin* 7–8
  - configuring cluster as client or server, *ClusInstall* 3–7
  - environment, *Prestoserve* 1–3
  - error messages, *NetAdminSvcs* C–1
  - forcibly unmounting file systems, *ClusAdmin* 7–13, 7–14
  - improving file security, *NetAdminSvcs* 4–11
  - interaction with cluster aliases, *ClusAdmin* 3–21
  - limitations on, *ClusAdmin* 7–12
  - loopback mount, *ClusAdmin* 7–12
  - monitoring system load, *NetAdminSvcs* 4–16
  - mounting a remote file system, *NetAdminSvcs* 4–18
  - mounting file systems, *ClusAdmin* 7–13, 7–14
  - network problems, *Prestoserve* 1–4
  - over TCP transport, *TechOver* 3–8
  - Prestoserve impact on performance, *Prestoserve* 1–8
  - troubleshooting, *NetAdminSvcs* 9–12, 9–15
  - tuning, *SystemTune* 5–1
  - unmounting a remote file system, *NetAdminSvcs* 4–19
  - using in a cluster, *ClusAdmin* 7–12
- NFS client**
  - configuring, *NetAdminSvcs* 4–9
  - managing, *NetAdminSvcs* 4–17
  - mounting a remote file system, *NetAdminSvcs* 4–18
  - problems, *Prestoserve* 1–5, *SystemTune* 5–13
  - unmounting a remote file system, *NetAdminSvcs* 4–19
  - using correct alias, *ClusAdmin* 7–10
- NFS file system**
  - mounting via CDSLs, *ClusAdmin* 7–11
- NFS mounted RIS area**, *SharingSW* 4–8
- NFS server**
  - configuring, *NetAdminSvcs* 4–8
  - exporting file systems, *NetAdminSvcs* 4–12
  - halting export of file systems, *NetAdminSvcs* 4–13
  - managing, *NetAdminSvcs* 4–11
  - monitoring ports, *NetAdminSvcs* 4–16
  - problems, *Prestoserve* 1–6

**NFS setup for DMS**, *SharingSW* 10–3

**nfconfig application**,  
*NetAdminSvcs* 4–8

**nfsstat command**, *NetAdminSvcs*  
 4–16

**NIFF**, *ClusAdmin* 6–3

**nifdd daemon**, *NetAdminConnect* 11–5

**NIS**, *ClusAdmin* 7–3, *NetAdminSvcs*  
 3–1

- adding groups to a domain,  
*NetAdminSvcs* 3–25
- adding users to a domain,  
*NetAdminSvcs* 3–24
- changing a password,  
*NetAdminSvcs* 3–32
- configuring, *ClusAdmin* 7–3
- configuring cluster as client or  
 server, *ClusInstall* 3–7
- databases distributed by,  
*NetAdminSvcs* 3–2
- enhanced security and NIS  
 configuration, *ClusAdmin* 7–3
- modifying *svc.conf*,  
*NetAdminSvcs* 3–19
- obtaining map information,  
*NetAdminSvcs* 3–32
- password, *SecAdminGde* 1–12
- security, *NetAdminSvcs* 3–30
- troubleshooting, *NetAdminSvcs*  
 9–6, 9–9
- updating maps, *NetAdminSvcs* 3–26
- Yellow Pages, *ClusAdmin* 7–3

**NIS client**

- configuring, *NetAdminSvcs* 3–17
- managing, *NetAdminSvcs* 3–31

**NIS server**

- configuring a master server,  
*NetAdminSvcs* 3–11
- configuring a slave server,  
*NetAdminSvcs* 3–15
- managing, *NetAdminSvcs* 3–20
- update scripts, *NetAdminSvcs* B–1

**nissetup command**, *NetAdminSvcs*  
 3–10

**NLS**, *SystemAdmin* 3–16

**nm (object file tool)**, *ProgGde* 2–25

**node vote**, *ClusAdmin* 4–3

**nr interface**, *NetAdminConnect* 2–4

**nslookup command**,  
*NetAdminSvcs* 2–32, 11–20

**NSPOF**, *ClusAdmin* D–2,  
*ClusHWConfig* B–1

**NTP**

- authentication, *NetAdminSvcs* 6–6
- configuring, *ClusAdmin* 7–6,  
*NetAdminSvcs* 6–6
- configuring cluster as client or  
 server, *ClusInstall* 3–6
- displaying status, *NetAdminSvcs*  
 6–9
- external servers, *ClusAdmin* 7–7
- Internet time servers,  
*NetAdminSvcs* 6–4
- reference clock, *NetAdminSvcs* 6–4
- troubleshooting, *NetAdminSvcs*  
 9–23

**ntp command**, *NetAdminSvcs* 6–10

**ntpdate command**, *NetAdminSvcs*  
 6–10

**ntpq command**, *NetAdminSvcs* 6–9

**ntpsetup command**,  
*NetAdminSvcs* 6–6

**numeric data**

- formatting rules in a locale,  
*InternatProg* 6–22

## O

**object file**

- determining section sizes,  
*ProgGde* 2–26
- disassembling into machine code,  
*ProgGde* 2–26
- dumping selected parts of,  
*ProgGde* 2–24

**object file tools**, *ProgGde* 2–24

**object hierarchy**, *StorageManager* 1–1

**object table**  
eSNMP, *NetProgGde* 6–8

**ODBC**, *TechOver* 10–1

**odump (object file tool)**, *ProgGde* 2–24

**OEM platforms**, *SysConfigSup* 1–1  
vb network configuration,  
*SysConfigSup* 3–1  
VMEbus configuration,  
*SysConfigSup* 2–1

**ogated daemon**, *ClusInstall* 3–5

**on-link prefix**  
adding a route for,  
*NetAdminConnect* 3–59

**ONC RPC**,  
*See* RPC

**online addition and removal**,  
*OnlineAddRem* 1–1

**online documentation**, *InstallGde* 8–1  
copying to disk, *InstallGde* 8–6

**Open Shortest Path First**,  
*See* OSPF

**OpenMP directive**, *ProgGde* 13–1

**OpenVMS**  
enabling display, *CDECompanion* 5–3

**operating system**  
overview of, *CommandShellGde* 1–1

**operating system patches**,  
*See* patches

**operating system processes**,  
*CommandShellGde* 6–1

**operator**, *CLangRef* 1–9, 6–1

**OPS**

direct-I/O disk write,  
*ClusTechOver* 7–4

### optimization

CFS, *ClusAdmin* 9–27  
compilation options, *ProgGde* 2–20  
profile-directed, *ProgGde* 10–8, F–2  
techniques, *ProgGde* 10–1  
with -om and cord, *ProgGde* F–1  
with spike, *ProgGde* 10–6

### option

XTI, *NetProgGde* 3–43

**options file**, *NetAdminConnect* 8–27, 8–34

### Oracle database

tuning, *SystemTune* 4–1

### Oracle Parallel Server

moving to TruCluster Server,  
*ClusAvailApp* 6–3  
running on TruCluster Server,  
*ClusAvailApp* 6–2

**orderly release**, *NetProgGde* 3–9

**OS unit ID**, *ClusHWConfig* 2–12

**OSF\_USR license**, *LicenseManage* 2–2

**OSPF**, *ClusAdmin* 6–4, *TechOver* 3–6

### out-of-band data

handling in the socket framework,  
*NetProgGde* 4–64

### overlapping disk partitions

checking for, *HWMgmt* 5–13

## P

**PAAM**, *LicenseManage* 1–6  
current business policy,  
*LicenseManage* 2–11

**pac command**, *SystemAdmin* 10–34

### page command

*CommandShellGde* 3–5

- page faulting**, *SystemTune* 12–7
- paging**, *SystemTune* 12–12
- PAK**, *LicenseManage* 1–6
  - fields on, *LicenseManage* 1–7e
  - obtaining, *LicenseManage* 1–6
  - sample PAK license fields, *LicenseManage* 1–7e
- PALcode**
  - instruction summaries, *AsmLangGde* D–1
- panic**
  - accessing boot partition after, *ClusAdmin* 11–18
  - from connection manager, *ClusAdmin* 4–20
  - ics\_ll\_tcp panic message, *ClusInstall* B–4
  - when boot partition is already mounted, *ClusAdmin* 11–19
- pap-secrets file**, *NetAdminConnect* 8–16
- parallel processing**
  - OpenMP directives, *ProgGde* 13–1
  - pre-OpenMP style, *ProgGde* D–1
- parallel scanning**, *HWMgmt* 7–2
- partition, cluster**, *ClusAdmin* 4–2
- passwd command**, *CommandShellGde* 1–7
- passwd file**, *SystemAdmin* 7–10
  - and NIS, *NetAdminSvcs* 3–24
- password**, *CommandShellGde* 1–7
  - changing in NIS, *NetAdminSvcs* 3–32
  - common, *CommandShellGde* 1–7
  - file, *CommandShellGde* 5–1
- patches**
  - cluster, *ClusInstall* 7–3
  - lists of for operating system versions, *DocOverview* 5–2
- PATH environment variable**, *CommandShellGde* 7–23
  - setting for System V Habitat, *CommandShellGde* 9–2
- pathname**, *CommandShellGde* 2–8
- pathname conventions (UUCP)**, *CommandShellGde* 14–1
- pax command**, *SystemAdmin* 9–5
- PC code page**,
  - See also codeset conversion
  - locale, *InternatProg* 2–6
- PC-NFS daemon**, *NetAdminSvcs* 4–8
- PCI/ISA (DMCC) Alpha single-board computer**, *SysConfigSup* 1–1
- PCI/ISA Alpha 21264 single-board computer**, *SysConfigSup* 1–1
- PCMCIA card**
  - configuring, *HWMgmt* 8–1
- PDF documentation**, *DocOverview* 1–7, *InstallGde* 8–1
- performance**,
  - See also tuning
  - application, *SystemTune* 7–1
  - avoiding nearly full file systems, *ClusAdmin* 9–34
  - CFS load balancing, *ClusAdmin* 9–11
  - characterizing a workload, *SystemTune* 1–30
  - CPU, *SystemTune* 13–5
  - diagnosing problems, *SystemTune* 2–1
  - measuring, *SystemTune* 1–2
  - memory operation, *SystemTune* 12–1
  - monitoring, *SystemTune* 2–1, 2–26
  - network, *SystemTune* 10–1
  - optimizing CFS, *ClusAdmin* 9–27
  - system resources, *SystemTune* 8–1
  - tuning Internet servers, *SystemTune* 6–1
  - tuning network file systems, *SystemTune* 5–1



- tuning Oracle database,  
  *SystemTune* 4-1
- performance history**  
  monitoring, *SystemAdmin* 11-13
- permanent virtual circuit**,  
  *See* PVC
- permissions**, *CommandShellGde* 5-1  
  ACL, *CommandShellGde* G-1  
  changing, *CommandShellGde* 5-4  
  setting default,  
    *CommandShellGde* 5-13,  
    *SecAdminGde* 2-8  
  setting file and directory,  
    *CommandShellGde* 5-8,  
    *SecAdminGde* 2-3  
  setting with octal numbers,  
    *CommandShellGde* 5-11,  
    *SecAdminGde* 2-7
- Personal Applications subpanel**,  
  *CDECompanion* 3-4
- PFS**, *TechOver* 4-9
- pg command**, *CommandShellGde* 3-5
- ping command**, *NetAdminConnect*  
  11-7  
  troubleshooting with, *ClusAdmin*  
  11-20
- pipe character**,  
  *CommandShellGde* 7-8
- pipeline**  
  using, *CommandShellGde* 7-8
- pixie**,  
  *See* profiling a program
- point-to-multipoint**,  
  *See* connection
- point-to-point**,  
  *See* connection
- Point-to-Point Protocol**,  
  *See* PPP
- pointer size**  
  conversion, *ProgGde* A-1
- POP**, *NetAdminSvcs* 7-18, *TechOver*  
  3-10  
  troubleshooting, *NetAdminSvcs*  
  9-27
- port**  
  cluster alias and network,  
    *ClusAdmin* 3-3  
  extending number in cluster,  
    *ClusAdmin* 3-15
- port monitoring**, *NetAdminSvcs* 4-16
- portable application**  
  developing applications to  
  run either in a cluster or  
  on a standalone system,  
    *ClusAvailApp* 7-2
- porting applications to XTI**,  
  *NetProgGde* 3-33
- portmap daemon**  
  Prestoserve, *Prestoserve* 2-10
- portmap network service**,  
  *OncRpcProgram* 1-3
- POSIX shell**, *CommandShellGde*  
  7-1, 8-1  
  .logout script, *CommandShellGde*  
  7-24  
  redirecting errors,  
    *CommandShellGde* 6-4
- POSIX signal functions**, *Realtime*  
  5-2
- POSIX standards**  
  application development  
  considerations, *ProgGde* 1-2  
  realtime, *Realtime* 1-17
- POSIX Threads exception**  
  package, *POSIXThreads* 5-1
- POSIX Threads Library**,  
  *KernelModules* 9-1,  
  *POSIXThreads* 1-1

- condition variables,
  - POSIXThreads* 2–30, 4–3
- considerations for Tru64 UNIX systems, *POSIXThreads* A–1
- error reporting, *POSIXThreads* 3–23
- exceptions, *POSIXThreads* 5–1
- mutexes, *POSIXThreads* 2–26, 4–3
- objects, *POSIXThreads* 2–1
- operations, *POSIXThreads* 2–1
- programming, *POSIXThreads* 3–1
- pthread routines, *POSIXThreads* pthread–1
- thread-safe libraries, *POSIXThreads* 4–1
- tis routines, *POSIXThreads* tis–1
- POSIX Threads Library**
  - debugger**, *POSIXThreads* C–1
- Post Office Protocol**,
  - See POP
- postload file**, *InstallGdeAdvTop* 5–1
- postreboot file**, *InstallGdeAdvTop* 5–1
- power management**,
  - SystemAdmin* 3–24
- PPA**
  - adding, *AsynchronousTM* 4–4
  - binding to, *AsynchronousTM* 5–6
  - data structure, *AsynchronousTM* 2–35
  - deleting, *AsynchronousTM* 4–4
  - unbinding, *AsynchronousTM* 5–8
- PPP**, *NetAdminConnect* 8–11
  - See also connection, SLIP
  - and gateways, *NetAdminConnect* 8–33
  - configuring dial-in system, *NetAdminConnect* 8–33
  - configuring dial-out system, *NetAdminConnect* 8–26
  - guidelines for running pppd, *NetAdminConnect* 8–30
  - Microsoft RAS server, *NetAdminConnect* 8–31
  - security, *NetAdminConnect* 8–15
  - troubleshooting, *NetAdminConnect* 10–40
- pppd daemon**, *NetAdminConnect* 8–15
- pragma**
  - assert directive, *ProgGde* 3–2
  - environment, *ProgGde* 3–6
  - extern\_model directive, *ProgGde* 3–7
  - extern\_prefix, *ProgGde* 3–11
  - function, *ProgGde* 3–14
  - inline, *ProgGde* 3–13
  - intrinsic, *ProgGde* 3–14
  - linkage, *ProgGde* 3–16
  - member\_alignment, *ProgGde* 3–19
  - message, *ProgGde* 3–20
  - optimize, *ProgGde* 3–25
  - pack, *ProgGde* 3–28
  - pointer\_size, *ProgGde* 3–29
  - preprocessor directive, *CLangRef* 8–12
  - unroll, *ProgGde* 3–31
  - use\_linkage, *ProgGde* 3–31
  - weak, *ProgGde* 3–32
- prdaily shell script**, *SystemAdmin* 10–41
- preinstall file**, *InstallGdeAdvTop* 5–1
- preprocessing**, *CLangRef* 2–24, 8–1
- preprocessor directive**, *CLangRef* 2–24, 8–1
- preserved message buffer**
  - examining with dbx debugger, *KernelDebug* 2–10
- presto command**, *Prestoserve* 3–3
- prestoctl\_svc daemon**
  - Prestoserve*, *Prestoserve* 2–11
- Prestoserve**
  - adding kernel support, *Prestoserve* 2–4
  - creating generic control device, *Prestoserve* 2–9
  - improving NFS server performance, *Prestoserve* 1–6

- installing dxpresto subset,
  - Prestoserve* 2-1
- lack of support in cluster,
  - ClusAdmin* 1-6t
- managing, *Prestoserve* 3-3
- monitoring, *Prestoserve* 3-3, 3-8
- pseudodevice driver, *Prestoserve* 1-2, 3-1
- recovering from failures,
  - Prestoserve* 4-1
- setting up, *Prestoserve* 2-6
- speeding up synchronous writes,
  - Prestoserve* 1-1
- prestosetup command**
  - setting up *Prestoserve*,
  - Prestoserve* 2-6
- Print Manager**
  - accessing, *CDECompanion* 3-1
- print server**
  - configuring cluster as, *ClusInstall* 3-8
- printed documentation,**
  - See *Tru64 UNIX*
  - Documentation Kit
- printer,** *SystemAdmin* 8-1
  - device special file name,
  - SystemAdmin* 8-36
  - lpc command, *SystemAdmin* 8-27
  - setting up, *SystemAdmin* 8-13
  - support for local languages,
  - InternatGde* 1-12
  - troubleshooting, *SystemAdmin* 8-48
  - using with LAT,
  - NetAdminConnect* 9-10
- printer daemon,** *ClusAdmin* 7-4
- printf routine,** *KernelModules* 5-15
- printing**
  - configuring, *ClusAdmin* 7-4
  - internationalized, *InternatGde* 1-12
  - reference pages,
  - CommandShellGde* 1-14
  - spool file, *ClusAdmin* 7-4
- priority**
  - realtime, *Realtime* 2-1
- /proc File System,**
  - See *PFS*
- procedure descriptor**
  - in calling standard for Alpha
  - systems, *CallingStandard* 8-1
- procedure invocation,**
  - CallingStandard* 7-1
- process,** *CommandShellGde* 6-1
  - initializing, *SystemAdmin* 2-8
- process control**
  - kill command, *ClusAdmin* 1-13t
- process information,**
  - CommandShellGde* 6-14
- processing text files,**
  - See *awk* utility, *m4* macro
  - preprocessor
- Product Authorization**
  - Amendment,**
  - See *PAAM*
- Product Authorization Kit,**
  - See *PAK*
- prof,**
  - See profiling a program
- .profile login script,**
  - CommandShellGde* 7-16
  - modifying for System V Habitat,
  - CommandShellGde* 9-2
- profile set,** *SharingSW* 7-1
- profiling a program,** *ProgGde* 8-1
- profiling an application,**
  - SystemTune* 2-28
- program number assignment,**
  - OncRpcProgram* 1-5
- programming languages**
  - supported by Tru64 UNIX,**
  - ProgGde* 1-4

**protocol**  
selecting in sockets, *NetProgGde*  
4-61

**prototype**, *CLangRef* 5-8

**prtacct shell script**, *SystemAdmin*  
10-40

**pseudodevice driver**  
Prestoserve, *Prestoserve* 1-2, 3-1

**pseudoterminal**, *NetProgGde* 4-82  
and sockets, *NetProgGde* 4-82

**pthread routine**, *POSIXThreads*  
pthread-1

**punctuator**, *CLangRef* 1-10

**PVC**  
creating, *AsynchronousTM* 6-9

## Q

**QoS**, *NetAdminConnect* 2-41,  
*NetProgGde* 7-1  
component operation, *NetProgGde*  
7-3  
components, *NetProgGde* 7-2  
modifying, *AsynchronousTM* 5-6

**quality of service**,  
*See* QoS

**queue**  
convergence module guidelines,  
*AsynchronousTM* 8-3  
device driver guidelines,  
*AsynchronousTM* 8-1

**Quick Setup utility**, *InstallGde*  
7-3, *TechOver* 2-9

**quickstart**, *TechOver* 6-5

**quit (q) command**  
vi editor, *CommandShellGde* A-4

**quorum**, *ClusTechOver* 3-4  
calculating, *ClusAdmin* 4-5  
single-user mode and, *ClusAdmin*  
4-4, 5-9

**quorum algorithm**, *ClusAdmin* 4-5

**quorum disk**, *ClusHWConfig* 6-5,  
*ClusInstall* 2-13, *ClusTechOver*  
3-6

configuring, *ClusAdmin* 4-14,  
*ClusHWConfig* 6-11  
LSM and, *ClusAdmin* 4-14, 10-2  
replacing, *ClusAdmin* 4-16  
trusted, *ClusAdmin* 4-15  
using, *ClusAdmin* 4-10  
votes, *ClusAdmin* 4-4

**quorum information**  
displaying, *ClusAdmin* 4-16

**quorum loss**, *ClusAdmin* 4-6  
preventing during member  
shutdown, *ClusAdmin* 5-6

**quorum vote**, *ClusAdmin* 4-6  
calculating, *ClusAdmin* 4-5

**quotas**  
supported in a cluster, *ClusAdmin*  
9-46

**quoting conventions**,  
*CommandShellGde* 7-11

## R

**RAID**, *SystemTune* 1-4  
improving performance,  
*SystemTune* 9-6

**RAID 5**  
LSM, *ClusAdmin* 10-2

**RAID 5 log**  
planning, *StorageManager* 2-5

**RAPI**, *NetProgGde* 7-6  
debugging applications,  
*NetProgGde* 7-8  
routines, *NetProgGde* 7-7  
support for, *NetProgGde* 7-1  
testing applications, *NetProgGde*  
7-8

**raw I/O**, *ClusAdmin* 9-28

**raw RPC**, *OncRpcProgram* 3-14

- rc directory structure**,  
*SystemAdmin* 3–9
- rc.config file**, *ClusAdmin* 5–2t
  - IPv6 variables, *NetAdminConnect* 3–60
- rc0 script**, *SystemAdmin* 3–3
- rc2 script**, *SystemAdmin* 3–3
- rc3 script**, *SystemAdmin* 3–3
- rcmgr command**, *ClusAdmin* 5–2t,  
*SystemAdmin* 3–3
- rcn.d directory**, *SystemAdmin* 3–3
- rcp command**, *ClusAdmin* 5–5
- RCS**, *ProgSupTools* 6–1
- rdump command**, *SystemAdmin* 9–5
- read access**
  - CFS, *ClusTechOver* 7–3
- read-ahead thread**, *ClusAdmin* 9–27
- realtime**, *Realtime* 1–1
  - asynchronous I/O, *Realtime* 7–1
  - capabilities of the operating system, *Realtime* 1–4, A–1
  - clocks, *Realtime* 6–1
  - environments, *TechOver* 6–9
  - memory locking, *Realtime* 4–1
  - message queues, *Realtime* 10–1
  - messages, *Realtime* 10–1
  - performance tuning, *Realtime* 11–1
  - POSIX standards, *Realtime* 1–17
  - preemptive kernel, *Realtime* 1–4
  - priorities, *Realtime* 2–1
  - scheduling, *Realtime* 2–1
  - semaphores, *Realtime* 9–1
  - shared memory, *Realtime* 3–1
  - signal handling, *Realtime* 5–1
  - synchronized I/O, *Realtime* 8–2
  - system tuning, *Realtime* 11–3
  - timers, *Realtime* 6–1
- realtime preemption**
  - enabling after full installation, *InstallGde* 7–10
- reboot**
  - enabling unattended reboots, *InstallGde* 7–10
- reboot command**, *ClusAdmin* 5–6
- recording a CD-ROM**, *HWMgmt* 7–11
- redirecting input/output**,  
*CommandShellGde* 6–2
- redundancy**
  - LAN interconnect compared to Memory Channel, *ClusTechOver* 7–3t
- Redundant Array of Independent Disks**,  
*See* RAID 5
- redundant LAN interconnect**,  
*ClusHWConfig* 6–2, 6–7, B–1,  
*ClusTechOver* 7–11
- reference page**,  
*CommandShellGde* 1–13
  - in printed books, *DocOverview* 6–2
  - overview of sections, *DocOverview* 6–3
  - processing a translated, *InternatGde* 1–28,  
*InternatProg* 7–6
  - reading on line, *DocOverview* 6–1
- registerrpc routine**,  
*OncRpcProgram* 3–4
- regular expression**, *ProgSupTools* 1–1
- remote debugging**, *KernelDebug* 2–39
- remote file**, *NetAdminConnect* 8–41
- remote file system**
  - accessed through cluster interconnect, *ClusTechOver* 7–2
- remote host**
  - working on, *CommandShellGde* 13–1
- Remote Installation Services**,  
*See* RIS

- remote procedure call**,  
  *See* RPC
- remote system**  
  requesting connection to,  
    *AsynchronousTM* 5–5
- removing a directory**,  
  *CommandShellGde* 4–10,  
  4–11  
  current directory,  
    *CommandShellGde* 4–12
- removing a file**,  
  *CommandShellGde* 3–26
- renaming a directory**,  
  *CommandShellGde* 3–21,  
  4–9
- renaming a file**,  
  *CommandShellGde* 3–21
- rendezvous port**, *ClusAdmin* D–12
- replicated file system**,  
  *NetAdminSvcs* A–9
- resilient link**, *ClusHWConfig* 6–2,  
  B–1, *ClusTechOver* 7–11
- resource**  
  checking status of, *ClusAdmin* 8–2  
  releasing, *AsynchronousTM* 5–4  
  reserving, *AsynchronousTM* 5–4
- resource name**, *ClusAdmin* 8–2
- Resource ReSerVation Protocol**,  
  *See* RSVP
- restart completion**  
  reporting to CMM,  
    *AsynchronousTM* 4–4
- restart installation**, *InstallGde* 6–39
- restart nogui command**,  
  *InstallGde* 6–39
- restore command**, *SystemAdmin* 9–5
- restore configuration**  
  using config.cdf file,  
    *InstallGdeAdvTop* 7–1
- Restricted Bourne shell**,  
  *CommandShellGde* 7–1, 7–4
- restrictions**  
  Mobile IPv6, *NetAdminConnect* 5–1
- Revision Control System**,  
  *See* RCS
- /.rhosts file**, *ClusAdmin* 5–5
- RIP**, *TechOver* 3–6
- RIS**, *ClusAdmin* 7–28, *SharingSW* 1–1  
  architecture, *SharingSW* 2–1  
  planning disk space, *SharingSW* 3–3  
  product environment, *SharingSW*  
    2–4  
  setting default alias, *ClusAdmin*  
    7–28  
  setting up a LAN, *SharingSW* 3–4  
  software sharing environment,  
    *SharingSW* 1–2
- RIS area**, *SharingSW* 1–1  
  existing area software  
    installation, *SharingSW*  
      4–5  
  mounting on NFS, *SharingSW* 4–8  
  new area software installation,  
    *SharingSW* 4–1
- RIS client**, *SharingSW* 1–1  
  booting, *SharingSW* 5–1  
  characteristics, *SharingSW* 2–5  
  compatibility with server,  
    *SharingSW* 3–1  
  managing, *SharingSW* 6–1  
  registering, *SharingSW* 2–5
- RIS server**, *SharingSW* 1–1  
  compatibility with client,  
    *SharingSW* 3–1  
  installing from, *InstallGdeAdvTop*  
    1–1  
  installing operating system on,  
    *SharingSW* 3–3  
  preparing, *SharingSW* 3–1  
  setting up, *SharingSW* 4–1
- RIS troubleshooting**, *SharingSW* 8–1
- rlogin command**, *ClusAdmin* 5–5,  
  *CommandShellGde* 13–1  
  troubleshooting, *ClusAdmin* 11–20  
  using, *CommandShellGde* 13–1

- rmvol command**
  - CFS warning message, *ClusAdmin* 11–15
  - clusters and, *ClusAdmin* 9–45
- rolling upgrade**, *ClusInstall* 7–1
  - disk space requirements, *ClusInstall* 2–18
- root file system**, *ClusAdmin* 1–4
  - backing up clusterwide, *ClusAdmin* 9–53
  - relocating member, *ClusAdmin* 9–20
- root mirroring**, *ClusAdmin* 10–1
- root password**
  - setting during installation, *InstallGde* 6–14
- root user**
  - tasks performed by, *CommandShellGde* 5–18
- route**
  - adding for an on-link prefix, *NetAdminConnect* 3–59
  - static, *NetAdminConnect* 2–17, 2–26
- routed daemon**, *ClusInstall* 3–5, *NetAdminConnect* 2–13
  - configuring, *NetAdminConnect* 2–23
- router**
  - configuring for IPv6, *NetAdminConnect* 3–48
  - configuring for Mobile IPv6, *NetAdminConnect* 5–8
  - IPv6 configuration variables, *NetAdminConnect* 3–60
- router priority attribute**, *ClusAdmin* 3–4
- routes file**, *NetAdminConnect* 2–17, 2–26
- routine**
  - commonly used by kernel modules, *KernelModules* 5–1
  - data copying, *KernelModules* 5–7
  - kernel-related, *KernelModules* 5–14
- routing**, *NetAdminConnect* 2–13, 2–15, 2–17, 2–26
  - alias and virtual subnet, *ClusAdmin* 3–9
  - cluamgr and, *ClusAdmin* 3–5
  - IP, *ClusAdmin* 6–4
- Routing Information Protocol**, *See* RIP
- routing loop**
  - mechanisms for avoiding, *ClusHWConfig* B–1
- routing protocol**, *TechOver* 3–4
- RPC**, *OncRpcProgram* 1–1, 3–1
  - See also* rpcgen protocol compiler
  - broadcast, *OncRpcProgram* 2–21, 3–17
  - debugging, *OncRpcProgram* 2–16
  - language, *OncRpcProgram* 2–22
  - layers, *OncRpcProgram* 3–1
  - raw, *OncRpcProgram* 3–14
  - registration, *OncRpcProgram* 1–5, 1–6
  - supported transports, *OncRpcProgram* 1–4
  - using TCP transport, *OncRpcProgram* 3–28
- RPC language**, *OncRpcProgram* 1–1
- RPC messages**
  - batching, *OncRpcProgram* 3–18
- RPC program**
  - modifications required to run in a cluster, *ClusAvailApp* 7–1
- RPC programming**, *OncRpcProgram* 3–1
- rpcgen protocol compiler**, *OncRpcProgram* 2–1
  - declarations, *OncRpcProgram* 2–24
  - programming with, *OncRpcProgram* 2–17

**rrestore command**, *SystemAdmin* 9–5

**rsh command**, *ClusAdmin* 5–5

**RSVP**, *NetAdminConnect* 2–41,  
*NetProgGde* 7–5, *TechOver* 3–11  
 application programming  
   interface, *NetProgGde* 7–6  
 implementing in applications,  
   *NetProgGde* 7–8  
 system roles, *NetProgGde* 7–3

**RSVP application programming interface**,  
 See RAPI

**rsvpd daemon**, *NetProgGde* 7–6

**rsvpstat command**, *NetProgGde* 7–8

**rt\_post\_callout routine**,  
*SysConfigSup* 2–27, 2–66

**run level**, *SystemAdmin* 2–19  
 defaults, *SystemAdmin* 3–5

**run-time library, supported**,  
*TechOver* 6–6

**runacct shell script**, *SystemAdmin* 10–36

**ruptime command**,  
*CommandShellGde* 10–5

**rvalue**, *CLangRef* 2–23

**rwhod daemon**, *NetAdminConnect* 2–13  
 configuring, *NetAdminConnect* 2–22

## S

**-S compilation option**,  
*AsmLangGde* 6–14

**.s files**, *AsmLangGde* 6–14

**SA**  
 monitoring, *NetAdminConnect* 4–60

**sa command**, *SystemAdmin* 10–26

**savecore command**, *SystemAdmin* 14–8

**SCCS**, *ProgSupTools* 6–1

**sccs command**, *ProgSupTools* 6–17  
 -d option, *ProgSupTools* 6–8

**sched\_stat utility**  
 gathering CPU usage and process  
 statistics, *SystemTune* 2–14

**scheduling**  
 realtime, *Realtime* 2–1

**scope**, *CLangRef* 2–3

**SCSI**, *SystemTune* 1–6  
 See also shared SCSI bus  
 device name, *HWMgmt* 1–13  
 standards supported, *HWMgmt* 4–2

**searching for text with grep**,  
*ProgSupTools* 1–9

**secondary swap space**,  
*StorageManager* 4–21

**secure connection**  
 IPsec, *NetAdminConnect* 4–3

**secure gateway**  
 configuring for IPsec,  
*NetAdminConnect* 4–56

**Secure Shell**, *SecAdminGde* B–1

**security**, *ClusAdmin* 1–10,  
*TechOver* 7–1  
 and DHCP, *NetAdminConnect* 7–20  
 audit subsystem, *SecAdminGde* 3–1  
 C2 configuration, *SecAdminGde* E–1  
 considerations,  
   *CommandShellGde* 5–20  
 group, *CommandShellGde* 5–2  
 NIS configuration with enhanced  
   security, *ClusAdmin* 7–3  
 troubleshooting, *SecAdminGde* A–27  
 user, *CommandShellGde* 5–2

**Security Association**  
 IPsec, *NetAdminConnect* 4–8

**Security Integration Architecture**, *SecProgGde* 6–1

**security programming**,  
*SecProgGde* 1–1  
 ACLs and, *SecProgGde* 7–1



- audit record generation,
  - SecProgGde* 5-1
- authentication, *SecProgGde* 4-1
- authentication database and,
  - SecProgGde* 3-1
- GSS-API and, *SecProgGde* 8-1
- SIA and, *SecProgGde* 6-1
- techniques, *SecProgGde* 2-1
- select system call**
  - using on the server side,
    - OncRpcProgram* 3-16
- selection weight attribute,**
  - ClusAdmin* 3-4
- semaphore**
  - realtime, *Realtime* 9-1
- sendmail utility,** *NetAdminSvcs* 7-41
- Serial Line Internet Protocol,**
  - See SLIP
- server**
  - NFS daemons, *NetAdminSvcs* 4-4
  - programming of, *OncRpcProgram* 2-21
  - versions of, *OncRpcProgram* 3-25
- server process,** *OncRpcProgram* 1-1
- server/client interaction,**
  - NetProgGde* 4-8
- server\_only option to mount command,** *ClusAdmin* 9-35
- service tools,** *OnlineAddRem* 5-1
- service types in DLPI,** *NetProgGde* 2-4
- service, quality of,**
  - See QoS
- session**
  - ending, *CDECompanion* 2-9
  - pausing, *CDECompanion* 2-8
  - restoring settings,
    - CDECompanion* 8-9
  - specifying a language,
    - CDECompanion* 8-8
- Session Manager**
  - customizing in CDE,
    - CDECompanion* 8-1
- setld utility,** *InstallGde* 9-1
  - building a new kernel after using,
    - InstallGde* 9-11
  - removing software, *InstallGde* 9-5
  - testing subsets with, *ProdKitGde* 5-10
- setting a locale,**
  - CommandShellGde* C-6
- setup utilities,** *TechOver* 2-9
- shared bus,**
  - See also shared SCSI bus
  - configuring for shared tape,
    - ClusHWConfig* 9-1
  - daisy-chaining storage shelves,
    - ClusHWConfig* 11-17
  - DS-BA35X-DA personality
    - module, *ClusHWConfig* 11-4
  - DWZZA signal converter,
    - ClusHWConfig* 11-1
  - DWZZB signal converter,
    - ClusHWConfig* 11-1
  - preparing storage for use with
    - external termination,
      - ClusHWConfig* 11-13
    - radial configurations with
      - non-UltraSCSI RAID array
        - controllers, *ClusHWConfig* 11-1
  - terminating, *ClusHWConfig* 11-5
  - using external termination,
    - ClusHWConfig* 11-1
  - using UltraSCSI hardware,
    - ClusHWConfig* 3-1
- shared file**
  - memory mapping, *ClusAdmin* 9-34
- shared library,** *ProgGde* 4-1,
  - TechOver* 6-5
  - and TLI, *NetProgGde* 3-6
  - and XTI, *NetProgGde* 3-6
  - loading at run time, *ProgGde* 4-15
  - profiling, *ProgGde* 8-5, 8-26

- quickstart, *ProgGde* 4–9
- shared memory**
  - realtime, *Realtime* 3–1
- shared memory model**
  - for developing applications based on the cluster Memory Channel API library, *ClusAvailApp* 10–34
- shared memory, testing with *shm***, *SystemAdmin* 11–23
- shared SCSI bus**
  - configuration requirements, *ClusHWConfig* 3–2
  - terminating when using UltraSCSI hubs, *ClusHWConfig* 3–7
- sharing software on a local area network**, *SharingSW* 1–1
- shell**, *CommandShellGde* 8–1
  - default shell, *CommandShellGde* 7–1
- shell script**, *CommandShellGde* 7–25
  - compatibility with System V, *CommandShellGde* 9–4
  - internationalizing, *InternatProg* 3–25
- shm exerciser**, *SystemAdmin* 11–23
- showfssets command**
  - stale information, *ClusAdmin* 1–6t
- shutdown**, *ClusAdmin* 5–6, *SystemAdmin* 2–1
  - CAA applications and, *ClusAdmin* 8–27
  - member failure to shut down, *ClusAdmin* 11–1
  - stopping cluster shutdown, *ClusAdmin* 5–6
  - to single-user mode, *ClusAdmin* 5–9
- shutdown command**, *ClusAdmin* 5–6, *SystemAdmin* 2–25
- SIA**, *SecAdminGde* 1–14, *SecProgGde* 6–1
- signal**
  - process groups and IDs, *NetProgGde* 4–81
- signal converter**
  - termination, *ClusHWConfig* 11–3
- signaling module**
  - MMI, *AsynchronousTM* 7–7
  - registering with CMM, *AsynchronousTM* 4–2
- simple lock**
  - asserting exclusive access on resource, *KernelModules* 7–4
  - declaring data structure, *KernelModules* 7–1
  - initializing, *KernelModules* 7–2
  - releasing previously asserted, *KernelModules* 7–6
  - terminating, *KernelModules* 7–12
  - trying to obtain, *KernelModules* 7–9
  - using spl routines, *KernelModules* 7–15
- simple lock routine**, *KernelModules* 7–1
- Simple Mail Transfer Protocol**, *See* SMTP
- Simple Network Management Protocol**, *See* SNMP
- single-instance application**
  - running in a cluster, *ClusAvailApp* 1–2
  - using CAA for application availability, *ClusAvailApp* 2–1
- single-server device**, *ClusAdmin* 9–39
- single-user boot**, *SystemAdmin* 2–8
- single-user mode**, *ClusAdmin* 4–4
  - shutting down to, *ClusAdmin* 5–9
- size**
  - cluster, *ClusTechOver* 7–6, 7–3t
- size (object file tool)**, *ProgGde* 2–26
- slhosts file**, *NetAdminConnect* 8–7

- SLIP**, *NetAdminConnect* 8–1
  - See also* connection, PPP and gateways, *NetAdminConnect* 8–8
  - configuring dial-in system, *NetAdminConnect* 8–8
  - configuring dial-out system, *NetAdminConnect* 8–9
  - modem guidelines, *NetAdminConnect* 8–3
  - troubleshooting, *NetAdminConnect* 10–38
- SMARTengine/Alpha 21264 PCI/ISA single-board computer**, *SysConfigSup* 1–1
- SMP**, *SystemAdmin* 2–22
  - rebooting failed processor, *SystemAdmin* 2–22
  - unattended reboots, *SystemAdmin* 2–22
- SMP environment**, *KernelModules* 6–1
  - locking, *KernelModules* 5–28, 6–4
  - making kernel module safe using complex locks, *KernelModules* 8–1
- SMP system**
  - debugging on, *KernelDebug* 2–10
  - determining on which CPU a panic occurred, *KernelDebug* 4–9
- SMTP**, *ClusAdmin* 7–24, *TechOver* 3–9
- SNMP**, *NetAdminSvcs* 8–1, *TechOver* 3–9
  - See also* eSNMP
  - Host Resources MIB, *NetAdminSvcs* F–1
  - supported versions, *NetProgGde* 6–4
- SNMP agent**, *TechOver* 3–30
- sockaddr data structure**, *NetProgGde* 4–16, 4–48
- sockaddr\_dl data structure**, *NetProgGde* F–6
  - and the 802.2 substructure, *NetProgGde* F–10
  - and the Ethernet substructure, *NetProgGde* F–7
- sockaddr\_in6 data structure**, *NetProgGde* 4–18
- sockaddr\_storage data structure**, *NetProgGde* 4–17, 4–48
- sockaddr\_un data structure**, *NetProgGde* 4–17
- socket interface**
  - supported types, *NetProgGde* 4–1
- sockets**
  - advanced topics, *NetProgGde* 4–44
  - and handling out-of-band data, *NetProgGde* 4–64
  - application programming interface, *NetProgGde* 4–6
  - binding in DLI, *NetProgGde* F–17
  - binding names to, *NetProgGde* 4–22
  - BSD, *NetProgGde* 4–40
  - calculating buffer size in DLI, *NetProgGde* F–20
  - closing, *NetProgGde* 4–30
  - coexistence with STREAMS, *NetProgGde* 8–1
  - common errors, *NetProgGde* 4–43
  - communication properties, *NetProgGde* 4–3
  - comparison with XTI, *NetProgGde* 3–36
  - creating, *NetProgGde* 4–20
  - creating in DLI, *NetProgGde* F–15
  - deactivating in DLI, *NetProgGde* F–21
  - establishing client connections, *NetProgGde* 4–23
  - establishing new server connections, *NetProgGde* 4–24

- filling the sockaddr\_dl structure, *NetProgGde* F-17
  - getting socket options, *NetProgGde* 4-26
  - header files, *NetProgGde* 4-15
  - I/O multiplexing, *NetProgGde* 4-77
  - increasing buffer size limit, *NetProgGde* D-2
  - library calls, *NetProgGde* 4-10
  - modes of communication, *NetProgGde* 4-7
  - process groups and IDs, *NetProgGde* 4-81
  - programming TCP socket buffer sizes, *NetProgGde* D-1
  - raw (IPv6), *NetProgGde* 4-54
  - rewriting applications for XTI, *NetProgGde* 3-36
  - selecting protocols, *NetProgGde* 4-61
  - setting DLI options, *NetProgGde* F-16
  - setting socket options, *NetProgGde* 4-25
  - shutting down, *NetProgGde* 4-30
  - system calls, *NetProgGde* 4-9
  - TCP-specific programming information, *NetProgGde* D-1
  - transferring data, *NetProgGde* 4-26
- sockets client**
- connection-oriented program, *NetProgGde* B-6
  - connectionless program, *NetProgGde* B-22
- sockets framework**, *NetProgGde* 1-4, 4-1
- components, *NetProgGde* 4-2
  - interaction with STREAMS, *NetProgGde* 1-7
  - relationship to XTI, *TechOver* 4-1
- sockets I/O**
- interrupt driven, *NetProgGde* 4-80
- sockets protocol stack**
- bridging to STREAMS driver, *NetProgGde* 8-2
- sockets server**
- connection-oriented program, *NetProgGde* B-2
  - connectionless program, *NetProgGde* B-18
- software**
- base operating system subsets, *InstallGde* C-1
  - installing, *InstallGde* 6-16
  - installing after an installation, *InstallGde* 9-1
  - listing files in a subset, *InstallGde* 9-4
  - listing installed, *InstallGde* 9-4
  - managing with setld utility, *InstallGde* 9-1
  - managing with SysMan Menu, *InstallGde* 9-1
  - removing after an installation, *InstallGde* 9-5
  - removing from a cluster, *InstallGde* 9-5
  - worldwide language support, *InstallGde* C-20
- sorting file contents**, *CommandShellGde* 3-25
- Source Code Control System**, *See* SCCS
- source file**
- controlling access to, *ProgGde* 1-5
- source line and instruction profiling**, *ProgGde* 8-11
- source routing**
- enabling, *NetProgGde* E-1
- Spanning Tree Protocol**, *See* STP
- specifying default run shell**, *CommandShellGde* 7-27
- srconfig command**, *NetAdminConnect* 2-38
- SSSU utility**, *ClusHWConfig* 7-91
- stack limit**, *CallingStandard* 6-1
- stack of user program**

- examining in crash dump, *KernelDebug* 2–8
- stack organization**, *AsmLangGde* 6–7
- standalone system**
  - restoring from a cluster, *ClusAdmin* 5–12
- standard error**, *CommandShellGde* 6–1
- standard input**, *CommandShellGde* 6–1
- standard library, ANSI C**, *CLangRef* 9–1
- standard output**, *CommandShellGde* 6–1
- standards**,
  - See also* ANSI standards, POSIX standards, X/Open standards
  - and XTI, *NetProgGde* 3–1
  - programming considerations, *ProgGde* 1–2
- starting the ed editor**, *CommandShellGde* B–2
- startppp command**, *NetAdminConnect* 8–33
- startslip command**, *NetAdminConnect* 8–5
- Startup Documentation Kit**, *DocOverview* 1–10
- state**
  - comparing XTI and sockets, *NetProgGde* 3–39
  - managing in XTI, *NetProgGde* 3–22
- statement**
  - assembly language, *AsmLangGde* 2–5
- static route**, *NetAdminConnect* 2–17, 2–26
- status enquiry**
  - reporting to CMM, *AsynchronousTM* 4–4
- stdump (object file tool)**, *ProgGde* 2–27
- stopping a command**, *CommandShellGde* 1–7
- storage**
  - managing third-party devices, *ClusAdmin* 9–7
- Storage Administrator**
  - managing disk groups, *StorageManager* A–15
  - managing disks, *StorageManager* A–6
  - managing subdisks, *StorageManager* A–22
  - managing volumes, *StorageManager* A–26
- storage class**, *CLangRef* 2–13
- storage connectivity**
  - AdvFS requirements, *ClusAdmin* 9–48
- storage management**, *HWMgmt* xi
- storage system scripting utility**, *See* SSSU utility
- StorageWorks Management Appliance**, *See* SWMA
- STP**, *ClusHWConfig* 6–2, B–1, B–3, *ClusTechOver* 7–11
  - problems when enabled on NetRAIN ports, *ClusAdmin* D–11
- strcmp routine**, *KernelModules* 5–2
- strepyp routine**, *KernelModules* 5–4
- STREAMS**
  - application programming interface, *NetProgGde* 5–6
  - coexistence with sockets, *NetProgGde* 8–1

- components, *NetProgGde* 5–2
- configuring drivers, *NetProgGde* 5–20
- configuring modules, *NetProgGde* 5–20
- device special files, *NetProgGde* 5–25
- driver and module processing
  - routines, *NetProgGde* 5–15
- error logging, *NetProgGde* 5–26
- event logging, *NetProgGde* 5–26
- functions, *NetProgGde* 5–7
- header files, *NetProgGde* 5–6
- kernel-level functions,
  - NetProgGde* 5–12
- message data structures,
  - NetProgGde* 5–14
- messages, *NetProgGde* 5–5
- module data structures,
  - NetProgGde* 5–13
- synchronization mechanism,
  - NetProgGde* 5–19
- STREAMS driver**, *NetProgGde* 8–3
  - bridging to sockets protocol stack, *NetProgGde* 8–2
- STREAMS framework**,
  - NetProgGde* 1–4, 5–1, *TechOver* 3–26
  - interaction with sockets, *NetProgGde* 1–7
- STREAMS protocol stack**
  - bridging to BSD driver, *NetProgGde* 8–9
- string literal**, *CLangRef* 1–12
- string routine**, *KernelModules* 5–1
- strlen routine**, *KernelModules* 5–6
- strncmp routine**, *KernelModules* 5–3
- strncpy routine**, *KernelModules* 5–5
- strong symbol**, *ProgGde* 2–27
- structured exception handling**,
  - ProgGde* 11–5
- Style Manager**, *CDECompanion* 4–1
  - accessing, *CDECompanion* 3–1
  - customizing environment, *CDECompanion* 4–6
- subagent**
  - implementing, *NetProgGde* 6–12
- subdirectory**, *CommandShellGde* 2–7
- subnet**
  - common, *ClusAdmin* 3–6
  - virtual, *ClusAdmin* 3–6, 3–18
- subnet mask**, *ClusInstall* 2–7n, *NetAdminConnect* 2–12
- subset control program**,
  - ProdKitGde* 4–1
- substitution, global**
  - in vi editor, *CommandShellGde* A–19
- subsystem**
  - traffic control, *NetProgGde* 7–2
- superuser**, *CommandShellGde* 5–17
- superuser authority**
  - tasks, *CommandShellGde* 5–18
- Supplementary Documentation**,
  - DocOverview* 5–1
- svc.conf file**, *NetAdminSvcs* 3–19, *TechOver* 3–34
- svcsetup command**,
  - NetAdminSvcs* 2–30
- svrcfstok\_max\_percent kernel attribute**, *ClusAdmin* 9–32
- swap**
  - configuring, *ClusAdmin* 9–54
  - member boot disk, *ClusAdmin* 11–4
- swap space**
  - allocating, *SystemAdmin* 3–32
  - displaying with kdbx, *KernelDebug* 2–32
  - estimating requirements, *SystemAdmin* 3–33
- swap space planning**,
  - InstallGdeAdvTop* 4–1
- swapping**, *SystemTune* 12–13

**switch**

compared to hub, *ClusTechOver* 7-10n  
requirements, *ClusTechOver* 7-10  
using multiple in fully  
redundant LAN interconnect,  
*ClusTechOver* 7-11

**SWMA**, *ClusHWConfig* 7-58

logging in, *ClusHWConfig* 7-58  
Open SAN Manager,  
*ClusHWConfig* 7-58

**symbol table**

ANSI name space cleanup,  
*ProgGde* 2-27

**symmetric multiprocessing**,

*See* SMP

**synchronization**

hardware issues related to,  
*KernelModules* 6-1

**synchronization mechanism**

in STREAMS, *NetProgGde* 5-19

**synchronized I/O**

realtime, *Realtime* 8-2

**synchronous writes**

speeding up with Prestoserve,  
*Prestoserve* 1-1

**sys\_check utility**

gathering configuration  
information, *SystemTune* 2-11

**sysconfig command**

syntax, *SystemAdmin* 4-9

**sysconfigtab file**, *SystemAdmin* 4-17**syslogd daemon**, *SystemAdmin* 12-2**SysMan**

available interface options,  
*ClusAdmin* 2-6

**SysMan application**,

*CDECompanion* 5-9  
accessing, *CDECompanion* 3-1

**SysMan command line**,

*ClusAdmin* 2-8  
using in a cluster, *ClusAdmin* 2-18

**SysMan Java Applet**

using in a cluster, *ClusAdmin* 2-16

**SysMan Menu**, *ClusAdmin* 2-6,

*SystemAdmin* 1-1, 1-20,  
*TechOver* 2-14

administrative utilities,

*SystemAdmin* 1-12

cluster alias configuration,

*ClusAdmin* 3-1

hardware management tasks,

*HWMgmt* 2-1

installing software using,

*InstallGde* 9-1

using in a cluster, *ClusAdmin* 2-8

utilities, *SystemAdmin* A-6

**SysMan Station**, *ClusAdmin* 2-7,

*SystemAdmin* 1-26

hardware management, *HWMgmt*

2-1

status options, *SystemAdmin* 1-28

using in a cluster, *ClusAdmin* 2-11

views, *SystemAdmin* 1-28

**sysman\_clone command**

lack of support in clusters,

*ClusAdmin* 1-15

**system**

crash dump information created  
during reboot, *SystemAdmin*  
14-8

customizing, *SystemAdmin* 3-1

displaying information about

with kdbx, *KernelDebug* 2-32

monitoring and testing,

*SystemAdmin* 11-1

monitoring utilities,

*SystemAdmin* 11-3

requesting connection to remote,

*AsynchronousTM* 5-5

startup files, *SystemAdmin* 3-2

**system administration**

- cluster, *ClusAdmin* 1–2
  - Configure International Software utility, *TechOver* 8–9
  - internationalization and, *InternatGde* 1–4
  - SysMan Menu, *SystemAdmin* 1–1
  - System and Network Management Documentation Kit**, *DocOverview* 1–11
  - system call**
    - and DLI, *NetProgGde* F–15
    - sockets, *NetProgGde* 4–9
  - system clock, setting**, *SystemAdmin* 2–22
  - System Communication Architecture (SCA)**, *HWMgmt* 8–3
  - system configuration**
    - after full installation, *InstallGde* 7–1
    - dynamic, *SystemAdmin* 4–9, *TechOver* 2–27
    - restoring with config.cdf file, *InstallGdeAdvTop* 7–1
    - static, *SystemAdmin* 4–21
  - system crash**
    - process of, *KernelDebug* 1–5
    - reasons for, *KernelDebug* 1–5
    - using crashdc command to collect data from, *KernelDebug* 2–46
    - using dbx to find the cause of, *KernelDebug* 2–2
    - using kdbx to find the cause of, *KernelDebug* 2–12
  - system file**
    - initializing, *SystemAdmin* 3–2
  - system initialization**, *SystemAdmin* 2–20
  - system memory**, *SystemAdmin* 11–22
  - system monitoring**, *SystemAdmin* 11–10
  - system partition**, *HWMgmt* 6–11
    - encapsulating, *StorageManager* 3–6
  - system setup**
    - after full installation, *InstallGde* 7–1
  - System Setup utility**, *InstallGde* 7–1
  - system shutdown**, *SystemAdmin* 2–1
  - system startup**, *SystemAdmin* 2–7
  - system time**
    - working with, *KernelModules* 5–23
  - System V Habitat**, *CommandShellGde* 9–1
    - accessing, *CommandShellGde* 9–2
    - command summary, *CommandShellGde* 9–4
    - location of, *CommandShellGde* 9–3
    - setting PATH for, *CommandShellGde* 9–2
  - System V IPC**, *ProgGde* 1–7
- T**
- tape**
    - backup, *SystemAdmin* 9–3
    - bootable, *SystemAdmin* 9–5
  - tape device**, *ClusAdmin* 9–8
  - tape drive**
    - configuring for shared bus, *ClusHWConfig* 9–1
  - tar command**, *SystemAdmin* 9–5
  - target state**, *ClusAdmin* 8–3
  - taso (truncated address support option)**, *ProgGde* A–2
  - TCP**, *TechOver* 3–1, 3–8, 3–12
    - and RPC, *OncRpcProgram* 3–28
    - error recovery, *NetProgGde* D–3
    - PAWS option, *NetProgGde* D–3
    - programming information, *NetProgGde* D–1
    - round-trip time, *NetProgGde* D–3
    - SACK option, *NetProgGde* D–3
    - sequence numbers, *NetProgGde* D–3
    - throughput, *NetProgGde* D–1
    - timestamp option, *NetProgGde* D–3
    - window size, *NetProgGde* D–1



**tcpdump command**,  
*NetAdminConnect* 11–14

**TELNET**, *TechOver* 3–9  
 using, *CommandShellGde* 13–3

**telnet command**  
 troubleshooting, *ClusAdmin* 11–20

**terminal communications**  
**system, testing with cmx**,  
*SystemAdmin* 11–23

**terminal driver subsystem**,  
*TechOver* 8–11

**terminal emulator**,  
*CDECompanion* 9–2

**terminal interface**  
 enhancements for Asian  
 languages, *InternatGde* 2–6

**termination handler**  
 how to code, *ProgGde* 11–12

**TERMINFO environment**  
**variable**, *SystemAdmin* 3–9

**testing kernel programs**,  
*KernelDebug* 2–39

**testing subsets with the setld**  
**utility**, *ProdKitGde* 5–10

**testing the system**, *SystemAdmin*  
 11–1

**text editor**, *CommandShellGde* 2–1  
 accessing, *CDECompanion* 3–1

**TFTP**, *SharingSW* 5–1, *TechOver* 3–9

**Thai**,  
 See Asian languages

**Third Degree**, *ProgGde* 7–1

**Thread Independent Services**,  
*ProgGde* 12–6

**thread operation**, *POSIXThreads* 2–1

**thread-safe code**  
 how to write, *ProgGde* 12–5

**thread-safe library**,  
*POSIXThreads* 4–1

**thread-safe routine**  
 characteristics, *ProgGde* 12–3

**threads**, *ProgGde* 12–1  
 See also POSIX Threads  
 Library  
 profiling multithreaded  
 applications, *ProgGde*  
 8–29  
 programming with,  
*POSIXThreads* 3–1  
 visual, *TechOver* 6–8

**tic command**, *SystemAdmin* 3–8

**time drift**  
 managing NTP, *ClusAdmin* 7–7

**time synchronization**, *ClusAdmin*  
 7–6

**time value**  
 formatting rules in a locale,  
*InternatProg* 6–22

**time zone**, *SystemAdmin* 3–21  
 setting during full installation,  
*InstallGde* 6–14

**time, setting the**, *SystemAdmin* 2–22

**timeout change**, *OncRpcProgram*  
 2–20

**timeout routine**, *KernelModules* 5–17

**timer**  
 realtime, *Realtime* 6–1

**tip command**, *NetAdminConnect*  
 8–27, 8–37

**tis routine**, *POSIXThreads* tis–1

**tiuser.h file**, *NetProgGde* 3–6

**TLI**  
 and XTI, *NetProgGde* 3–1  
 compatibility with XTI,  
*NetProgGde* 3–35  
 contrast with XTI, *NetProgGde* 3–35

- library and header files,  
  *NetProgGde* 3–6
- /tmp file**, *ClusAdmin* 11–22
- Token Ring**  
  configuring, *NetAdminConnect* 2–20
- Token Ring driver**  
  and canonical addresses,  
    *NetProgGde* E–2  
  enabling source routing,  
    *NetProgGde* E–1
- tools for managing a cluster**,  
  *ClusAdmin* 2–1  
  *See also* HP Insight Manager,  
    SysMan Menu, SysMan  
    Station  
  available tools and interfaces,  
    *ClusAdmin* 2–3  
  configuration report, *ClusAdmin*  
    2–21  
  configuration tools and interfaces,  
    *ClusAdmin* 2–4  
  HP Insight Manager, *ClusAdmin*  
    2–3, 2–19  
  HP Insight Manager XE,  
    *ClusAdmin* 2–3  
  PC application, *ClusAdmin* 2–18  
  quick start, *ClusAdmin* 2–2  
  SysMan command line,  
    *ClusAdmin* 2–8  
  SysMan command-line interface,  
    *ClusAdmin* 2–18  
  SysMan Java applets, *ClusAdmin*  
    2–16  
  SysMan Menu, *ClusAdmin* 2–6  
  SysMan Station, *ClusAdmin* 2–7,  
    2–11
- traceroute command**,  
  *NetAdminConnect* 11–11
- traffic control**, *NetAdminConnect*  
  2–42
- traffic control subsystem**,  
  *NetProgGde* 7–2  
  tasks, *NetProgGde* 7–5
- translation**  
  of message text, *InternatProg* 3–17
- Transmission Control Protocol**,  
  *See* TCP
- Transport Layer Interface**,  
  *See* TLI
- Transport-Level Protocols**,  
  *TechOver* 3–11
- Trash Can**  
  accessing, *CDECompanion* 3–1
- Trivial File Transfer Protocol**,  
  *See* TFTP
- troubleshooting**  
  a cluster, *ClusAdmin* 11–1  
  ATM, *NetAdminConnect* 10–27  
  AutoFS, *NetAdminSvcs* 9–17  
  cluster Memory Channel  
    configurations, *ClusAvailApp*  
      10–8  
  DHCP, *NetAdminConnect* 10–35  
  DMS, *SharingSW* 13–1  
  DNS client, *NetAdminSvcs* 9–5  
  DNS server, *NetAdminSvcs* 9–4  
  IMAP, *NetAdminSvcs* 9–27  
  IPsec, *NetAdminConnect* 10–22, B–1  
  IPv6, *NetAdminConnect* 10–9  
  LAT, *NetAdminConnect* 10–42  
  mail, *NetAdminSvcs* 9–26, 9–27, E–1  
  network, *NetAdminConnect* 10–1,  
    11–1, *NetAdminSvcs* 9–1, 10–1  
  NFS client, *NetAdminSvcs* 9–15,  
    C–1  
  NFS server, *NetAdminSvcs* 9–12,  
    C–1  
  NIS client, *NetAdminSvcs* 9–9  
  NIS server, *NetAdminSvcs* 9–6  
  NTP, *NetAdminSvcs* 9–23  
  POP, *NetAdminSvcs* 9–27  
  PPP, *NetAdminConnect* 10–40  
  printer, *SystemAdmin* 8–48  
  RIS, *SharingSW* 8–1  
  security, *SecAdminGde* A–27  
  SLIP, *NetAdminConnect* 10–38  
  UUCP, *NetAdminSvcs* 9–21, D–1

- Tru64 UNIX Documentation Kit**,  
*DocOverview* 1–9
- TruCluster Server application**,  
*See* cluster application
- TruCluster Server Memory Channel**  
cluster information functions,  
*ClusAvailApp* 10–32  
cluster signals, *ClusAvailApp* 10–31  
clusterwide locks, *ClusAvailApp*  
10–28
- truncated address support option**,  
*See* taso
- trunking**,  
*See* link aggregation
- try...except statement**  
use in exception handler, *ProgGde*  
11–5
- try...finally statement**  
use in termination handler,  
*ProgGde* 11–13
- tty subsystem**, *TechOver* 8–11
- tunefs command**, *SystemAdmin* 6–51
- tuning**  
class scheduler, *SystemTune* 13–6  
cluster Memory Channel  
configurations, *ClusAvailApp*  
10–6  
LAN interconnect, *ClusAdmin* D–3  
memory, *SystemTune* 12–1  
namei cache, *SystemTune* 11–1  
networks, *SystemTune* 10–4  
NFS, *SystemTune* 5–1  
Oracle database, *SystemTune* 4–1  
port space, *ClusAdmin* 3–15  
realtime performance, *Realtime*  
11–1  
UBC, *SystemTune* 11–1  
UFS, *SystemTune* 11–32
- tunnel**  
6to4, *NetAdminConnect* 3–15  
automatic, *NetAdminConnect* 3–14  
configured, *NetAdminConnect* 3–15  
creating, *NetAdminConnect* 3–57
- type conversion**, *CLangRef* 6–27
- typedef**  
using with rpcgen,  
*OncRpcProgram* 2–23
- ## U
- UBC**, *TechOver* 5–5  
least recently used page list,  
*TechOver* 5–6  
tuning, *SystemTune* 11–1
- UBR**, *AsynchronousTM* 2–13
- UCS-4 encoding format**, *TechOver*  
8–2  
*See also* Unicode
- UDC**  
creating and using, *InternatProg* 7–3
- UDP**, *TechOver* 3–1, 3–8, 3–11
- uerf command**, *SystemAdmin* 11–21
- UFS**  
cluster support, *ClusAdmin* 9–35  
displaying, *SystemTune* 11–29  
floppy disks and, *ClusAdmin* 9–10  
improving performance,  
*SystemTune* 11–26  
tuning, *SystemTune* 11–32
- UFS file system**, *SystemAdmin* 6–1  
setting file system quotas,  
*SystemAdmin* 6–42
- UID**, *SystemAdmin* 7–12
- UIL compiler**, *TechOver* 8–13
- uiomove routine**, *KernelModules*  
5–13
- UltraSCSI hub**, *ClusHWConfig* 3–9
- Unicode**, *InternatProg* 1–7,  
*TechOver* 8–8

**Unified Buffer Cache**,  
*See* UBC

**Universal Character Set**,  
*InternatProg* 1–7

**UNIX File System**,  
*See* UFS

**UNIX shell**, *InstallGdeAdvTop* 3–1

**UNIX-to-UNIX Copy Program**,  
*See* UUCP

**unlimited license**  
 registering after installation or  
 upgrade, *LicenseManage* 2–2

**unspecified bit rate**,  
*See* UBR

**unsupported features**, *ClusAdmin*  
 1–13

**untimeout routine**, *KernelModules*  
 5–17

**upadmin utility**, *InstallGde* 3–23

**update installation**, *InstallGde* 2–1  
 cluster, *ClusInstall* 7–1  
 defined, *InstallGde* 1–3  
 layered products, *InstallGde* 3–11  
 procedures, *InstallGde* 3–1  
 update paths, *InstallGde* 2–3  
 user-supplied files,  
*InstallGdeAdvTop* 5–1

**update installation cleanup  
 utility**, *InstallGde* 3–23

**update\_postload file**,  
*InstallGdeAdvTop* 5–1

**update\_preinstall file**,  
*InstallGdeAdvTop* 5–1

**uprofile**,  
*See* profiling a program

**User Datagram Protocol**,  
*See* UDP

**user environment**,  
*CommandShellGde* 7–12

**user information**  
 preserving data on during  
 installation, *InstallGde* 6–36

**User Interface Language compiler**,  
*See* UIL compiler

**user mask**, *CommandShellGde*  
 5–13, *SecAdminGde* 2–8

**user product kit**, *ProdKitGde* 6–1

**user-defined character**,  
*InternatGde* 1–11

**user-supplied file**  
 customizing an installation,  
*InstallGdeAdvTop* 5–1

**using commands**,  
*CommandShellGde* 1–5

**using mailx commands**,  
*CommandShellGde* F–1

**using variables**,  
*CommandShellGde* 7–18

**/usr/spool directory**, *ClusAdmin* 7–4

**UTF-8 encoding format**, *TechOver*  
 8–2  
*See also* Unicode

**utilupdate utility**, *SharingSW* C–1

**uucico command**, *NetAdminSvcs*  
 5–15

**UUCP**, *ClusAdmin* 7–24,  
*NetAdminSvcs* 5–1, *TechOver* 3–33  
 cleaning spooling directories,  
*NetAdminSvcs* 5–19  
 cleaning system log files,  
*NetAdminSvcs* 5–22  
 configuring, *NetAdminSvcs* 5–12  
 error messages, *NetAdminSvcs* D–1  
 initiating calls to remote hosts,  
*NetAdminSvcs* 5–24  
 limiting remote executions,  
*NetAdminSvcs* 5–23  
 monitoring the transfer queue,  
*NetAdminSvcs* 5–17  
 polling remote hosts,  
*NetAdminSvcs* 5–25

- required hardware,
  - NetAdminSvcs* 5-2
- scheduling jobs, *NetAdminSvcs* 5-23
- transmitting files,
  - CommandShellGde* 14-20
- troubleshooting, *NetAdminSvcs* 9-21
- viewing log files, *NetAdminSvcs* 5-21
- uucpsetup command**,
  - NetAdminSvcs* 5-12
- uudemon.admin script**,
  - NetAdminSvcs* 5-18
- uudemon.cleanu script**,
  - NetAdminSvcs* 5-20
- uudemon.hour script**,
  - NetAdminSvcs* 5-23, 5-24
- uudemon.poll script**,
  - NetAdminSvcs* 5-25
- uulog command**,
  - CommandShellGde* 14-28,
  - NetAdminSvcs* 5-22
- uumonitor command**,
  - CommandShellGde* 14-29
- uusched command**, *NetAdminSvcs* 5-23
- uustat command**,
  - CommandShellGde* 14-25,
  - NetAdminSvcs* 5-17
- uuto command**
  - using with uupick,
  - CommandShellGde* 14-23
- uutry command**, *NetAdminSvcs* 10-1
- uux command**
  - run from remote host (UUCP),
  - CommandShellGde* 14-16

## V

- variable**
  - displaying with dbx debugger,
  - KernelDebug* 2-6
- VAX C extension**, *CLangRef* E-1
- vb interface**,
  - See vb network
- vb network**
  - configuration, *SysConfigSup* 3-1
  - driver, *SysConfigSup* 3-1
  - Ethernet interface, *SysConfigSup* 3-1
- VC**
  - activating, *AsynchronousTM* 4-2
  - controlling aging of,
    - AsynchronousTM* 5-6
  - creating permanent,
    - AsynchronousTM* 6-9
  - creating signaling,
    - AsynchronousTM* 6-10
  - modifying parameters,
    - AsynchronousTM* 5-6
  - modifying QoS parameters,
    - AsynchronousTM* 5-6
  - requesting status for,
    - AsynchronousTM* 4-5
  - restarting, *AsynchronousTM* 4-3
  - transmitting data on,
    - AsynchronousTM* 5-6
- VC status**
  - reporting to CMM,
  - AsynchronousTM* 4-4
- verify command**, *ClusAdmin* 9-56
- versioning**,
  - See shared library
- vi editor**, *CommandShellGde* 2-2, A-1
  - customizing your environment,
  - CommandShellGde* A-21
  - editing text, *CommandShellGde* A-12

- ex line editor commands,
    - CommandShellGde* A-18
  - global substitution,
    - CommandShellGde* A-19
  - moving within a file,
    - CommandShellGde* A-6
  - opening text files,
    - CommandShellGde* A-4
  - quit (q) command,
    - CommandShellGde* A-4, A-15
  - saving part of a file,
    - CommandShellGde* A-20
  - saving your customizations,
    - CommandShellGde* A-23
  - undo (u) command,
    - CommandShellGde* A-14
  - using advanced techniques,
    - CommandShellGde* A-15
  - viewing documents**,
    - CDECompanion* 5-7
  - virtual address space**, *SystemTune* 12-5
  - virtual circuit**,
    - See VC
  - virtual memory subsystem**,
    - See VM subsystem
  - virtual subnet**
    - alias and, *ClusAdmin* 3-9
    - using same for more than one cluster, *ClusAdmin* 3-18n
    - when to use, *ClusAdmin* 3-6
  - virus**, *CommandShellGde* 5-20
  - visibility**, *CLangRef* 2-6
  - visible vote**, *ClusAdmin* 4-3
  - Visual Threads**, *ProgGde* 8-29
  - VM subsystem**, *TechOver* 5-5
    - paging operation, *TechOver* 5-7
    - swapping operation, *TechOver* 5-8
  - vMAC**, *ClusAdmin* 3-16
  - VMEbus**
    - configuring, *SysConfigSup* 2-2, 2-28
  - interrupt handling with
    - rt\_post\_callout*,
    - SysConfigSup* 2-27, 2-66
  - master block transfers,
    - SysConfigSup* 2-24, 2-63
  - networking over, *SysConfigSup* 3-1
  - operating system support,
    - SysConfigSup* 2-1
  - slave block transfers,
    - SysConfigSup* 2-23, 2-63
  - VMEbus backplane network**,
    - See vb network
  - voldisk list command**
    - in a cluster, *ClusAdmin* 10-2
  - volstat command**
    - in a cluster, *ClusAdmin* 10-2
  - volume**
    - cluster member swap space,
      - StorageManager* 4-21
    - creating, *StorageManager* 4-9
    - troubleshooting, *StorageManager* 6-17
  - vote**
    - configuring for fully redundant LAN interconnect,
      - ClusHWConfig* 6-11
    - current, *ClusAdmin* 4-6
    - expected, *ClusAdmin* 4-3
    - node, *ClusAdmin* 4-3
    - quorum, *ClusAdmin* 4-6
    - quorum disk, *ClusAdmin* 4-4
    - visible, *ClusAdmin* 4-3
  - VPN**, *ClusHWConfig* 6-1, *ClusTechOver* 7-10
- ## W
- wakeup routine**, *KernelModules* 5-16
  - wall command**, *ClusAdmin* 1-7
  - WAN**, *ClusHWConfig* 6-3, *ClusTechOver* 7-12
  - wchar\_t data type**, *TechOver* 8-2

- weak symbol**, *ProgGde* 2–27
  - WEBES service applications**,  
*OnlineAddRem* 5–1
  - what command**, *ProgSupTools* 6–21
  - who command**, *CommandShellGde*  
10–1
  - whois command**, *NetAdminSvcs* 2–32
  - wide character**, *InternatProg* 1–5
  - wildcard character**  
removing multiple directories  
using, *CommandShellGde* 4–11
  - window**  
using, *CDECompanion* 2–3
  - windowing environment**,  
*See* CDE
  - Windows 2000 Single Sign-On**,  
*SystemAdmin* 7–44
  - Windows NT for Alpha**  
migrating to Tru64 UNIX,  
*InstallGde* 5–5
  - wired page list**, *TechOver* 5–6
  - WLS**  
DMS client setup for, *SharingSW*  
11–13  
DMS server setup for, *SharingSW*  
11–12  
installing, *InstallGdeAdvTop* 2–1  
installing during full installation,  
*InstallGde* 4–3  
software subsets, *InstallGde* C–20
  - working on a remote host**,  
*CommandShellGde* 13–1
  - workspace**  
accessing, *CDECompanion* 3–1
  - World Wide Web**,  
*See* documentation on the  
World Wide Web
  - worldwide language support**,  
*See* WLS
  - worldwide name**,  
*See* WWN
  - write access**  
CFS, *ClusTechOver* 7–3
  - write-behind thread**, *ClusAdmin*  
9–27
  - wwidmgr command**,  
*ClusHWConfig* 7–76
  - WWN**, *ClusHWConfig* 7–65
  - WWW**,  
*See* documentation on the  
World Wide Web
- X**
- X client**, *CDECompanion* 6–1,  
*TechOver* 9–8
  - X client library**, *TechOver* 9–3
  - X environment**  
bypassing the login manager,  
*XWinSysEnv* 2–19  
greeter module, *XWinSysEnv* 3–12  
programming updates,  
*XWinSysEnv* 3–14  
resource definitions, *XWinSysEnv*  
2–1  
using an X session script,  
*XWinSysEnv* 2–16  
using command-line options,  
*XWinSysEnv* 2–4  
using resource definitions,  
*XWinSysEnv* 2–6  
using utilities for customization,  
*XWinSysEnv* 2–9
  - X server**, *CDECompanion* 6–1,  
*TechOver* 9–3  
font-cache tuning, *InternatGde* 3–1
  - X server extensions**, *TechOver*  
9–3, *XWinSysEnv* 3–1  
locations of, *XWinSysEnv* 1–12

- X window**
  - configuration, *XWinSysEnv* 1–1
  - managing the environment, *XWinSysEnv* 1–1
- X Window application**
  - displaying remotely, *ClusAdmin* 7–30
- X Window System,**
  - CDECompanion* 6–1
  - choosing xdm or dtlogin, *XWinSysEnv* 1–1
  - documentation for developers, *DocOverview* 4–11
  - graphics adapters, *XWinSysEnv* 1–16
  - location of files on Tru64 UNIX systems, *XWinSysEnv* 1–2
  - managing the font server, *XWinSysEnv* 1–18
  - managing the X server, *XWinSysEnv* 1–12
  - managing X terminals, *XWinSysEnv* 1–23
  - security and xdm authorization, *XWinSysEnv* 1–9
  - solving login problems, *XWinSysEnv* 1–10
  - X server memory utilization, *XWinSysEnv* 1–24
- X.25,** *ClusAdmin* 7–24
- X/Open standards**
  - and internationalization, *InternatProg* 1–1
  - application development considerations, *ProgGde* 1–2
- X/Open Transport Interface,**
  - See XTI
- X11 shared libraries,** *TechOver* 6–5
- X11R6 software**
  - internationalization features, *InternatProg* 5–1
- XAPPLRESDIR environment variable,** *XWinSysEnv* 2–3
- Xauthority file**
  - security, *XWinSysEnv* 1–10
- XChangeProperty function,** *XWinSysEnv* 3–14
- Xdefaults file**
  - location for resource definitions, *XWinSysEnv* 2–2
- xdm display manager,** *XWinSysEnv* 1–1
- xdm utility,** *XWinSysEnv* 1–4
- XDM-AUTHORIZATION-1**
  - Display Manager, *TechOver* 9–7
- xdm-config file,** *XWinSysEnv* 1–8
- XDR library,** *OncRpcProgram* A–5
- XDR library primitive,** *OncRpcProgram* A–7, A–18
- XDR routine,** *OncRpcProgram* 2–9, A–1
  - enumerations, *OncRpcProgram* 2–23
  - generating with rpgen, *OncRpcProgram* 2–9
- XDR stream,** *OncRpcProgram* A–19
- XDR structure,** *OncRpcProgram* 2–25
- XDR union,** *OncRpcProgram* 2–26
- XENVIRONMENT environment variable**
  - pointer to resource definition file, *XWinSysEnv* 2–2
- XFILESEARCHPATH environment variable,** *XWinSysEnv* 2–3
- xhost program**
  - using to enable access to display, *CDECompanion* 5–2
- xjoin utility,** *NetAdminConnect* 7–12
- xmodmap keymap format**
  - Display Manager, *TechOver* 9–6
- xntpd daemon,** *NetAdminSvcs* 6–1
- xntpd command,** *NetAdminSvcs* 6–9
- Xserver.conf file**



- specifying X server extensions in, *XWinSysEnv* 1–12
  - Xsession**, *CDECompanion* 6–2
  - xsession-errors file**, *XWinSysEnv* 1–10
  - XTI**, *NetProgGde* 3–1, *ProgGde* 1–7, *TechOver* 3–24
    - and network programming environment, *NetProgGde* 3–2
    - and standards, *NetProgGde* 3–1
    - and TLI, *NetProgGde* 3–1
    - application programming interface, *NetProgGde* 3–4
    - code migration XNS4.0 to XNS5.0, *NetProgGde* 3–41
    - code migration XPG3 to XNS4.0, *NetProgGde* 3–41
    - configuring *xtiso*, *NetProgGde* 3–57
    - contrast with TLI, *NetProgGde* 3–35
    - differences between XNS4.0 and XNS5.0, *NetProgGde* 3–39
    - differences between XPG3 and XNS4.0, *NetProgGde* 3–39
    - execution modes, *NetProgGde* 3–4
    - handling errors, *NetProgGde* 3–56
    - interoperability of XNS4.0 and XNS5.0, *NetProgGde* 3–43
    - interoperability of XPG3 and XNS4.0, *NetProgGde* 3–43
    - library and header files, *NetProgGde* 3–6
    - phase-independent functions, *NetProgGde* 3–32
    - porting applications to, *NetProgGde* 3–33
    - rewriting socket applications for, *NetProgGde* 3–36
    - sequencing functions, *NetProgGde* 3–20
    - service modes, *NetProgGde* 3–4
    - synchronization of multiple processes, *NetProgGde* 3–19
    - writing connection-oriented applications, *NetProgGde* 3–22
  - XTI client**
    - connection-oriented program, *NetProgGde* B–14
    - connectionless program, *NetProgGde* B–29
  - XTI event**, *NetProgGde* 3–10
    - map of, *NetProgGde* 3–16
    - tracking, *NetProgGde* 3–14
  - XTI function**, *NetProgGde* 3–7
    - map of, *NetProgGde* 3–16
  - XTI option**, *NetProgGde* 3–43
  - XTI server**
    - connection-oriented program, *NetProgGde* B–9
    - connectionless program, *NetProgGde* B–25
  - XTI state**, *NetProgGde* 3–13
    - management by transport providers, *NetProgGde* 3–22
    - map of, *NetProgGde* 3–16
  - xti.h header file**, *NetProgGde* 3–6
    - and *t\_errno* variable, *NetProgGde* 3–56
  - xtiso option**
    - configuring, *NetProgGde* 3–57
- ## Y
- yacc program**, *ProgSupTools* 4–16
  - year, setting the**, *SystemAdmin* 2–22
  - Yellow Pages**,  
See NIS
  - ypcat command**, *NetAdminSvcs* 3–32
  - ypmatch command**,  
*NetAdminSvcs* 3–32
  - yppasswd command**,  
*CommandShellGde* 1–8,  
*NetAdminSvcs* 3–32

**ypwhich command,**  
*NetAdminSvcs* 3-32