

FEATURES

Compaq Professional Workstation 8000

Compaq Professional Workstation 8000
Model 6200

System Unit

| | |
|-----------------------|---|
| Microprocessor | Two Intel Pentium® Pro 200-MHz |
| Processors Supported | Four Intel Pentium Pro |
| Cache | 512 KB write-back, four-way, set associative secondary L2 cache |
| Architecture | PCI/ISA |
| Slots | |
| Shared ISA/PCI | 4 |
| PCI (total/available) | 2/1 |
| Total | 6 |
| Bays | |
| Internal | 6 |
| External | 4 |
| Total | 10 |
| RAM | |
| Standard | 128 MB |
| Maximum | 3 GB |

Intelligent Manageability

| | |
|---|----------|
| AssetControl | Standard |
| Fault Management | Standard |
| Security Management | Standard |
| Pre-failure alerting on Hard Drives, Memory and Processors | Standard |
| Version Control | Standard |
| Threshold Alerts | Standard |
| Remote Cold/Warm Reboot | Standard |
| Data Collection and Reporting | Standard |
| Error Logs for Critical Errors, Memory Errors and POST Errors | Standard |
| Critical Temperature Alert | Standard |
| Out-of-band Management via PPP | Standard |

Compaq Professional Workstation 8000
Model 6200

Network Interface Controller

| | |
|------------------------------------|----------|
| Netelligent 10/100 TX Embedded UTP | Standard |
| 10/100Base-T PCI Ethernet | Optional |
| 10Base-T PCI Ethernet | Optional |
| 10Base-T ISA Ethernet | Optional |
| 4/16 PCI IBM Token Ring | Optional |
| 4/16 PCI Token Ring | Optional |
| 4/16 ISA Token Ring | Optional |

Storage

| | |
|-----------------|--|
| Diskette Drives | |
| Standard | 1.44-MB |
| CD-ROM Drives | |
| Standard | Internal 16X (IDE) |
| Hard Drives | |
| Standard | 4.3-GB Wide-Ultra SCSI SMART (4GB Models) |
| Optional | 2.1-, 4.3-, 9.1-GB Wide-Ultra SCSI SMART |
| Tape Drives | |
| Optional | 2/4-GB DAT, 4/16-GB TurboDAT, 4/1-GB DAT, 15/30-GB DLT, 35/70-GB DLT |
| External | |
| Optional | ProLiant Storage System Model F1 and F2 |
| Controllers | |
| Standard | Wide-Ultra SCSI-3 |
| Optional | Wide-Ultra SCSI-3, SMART-2/P, SMART-2DH, SMART-2SL |

Interfaces

| | |
|-------------------------|---|
| Parallel | 1 |
| USB | 2 |
| Serial | 2 |
| SCSI (68 pin) | 1 |
| Pointing Device (mouse) | 1 |
| Video | 1 |
| RJ-45/AUI | 1 |
| Line-in | 1 |
| Line-out | 1 |
| Headphones | 1 |
| Microphone | 2 |
| Keyboard (PS/2) | 1 |

FEATURES *(cont'd)*

**Compaq Professional Workstation 8000
Model 6200**

Graphics

| | |
|--------------------------|-----------------------|
| Matrox MGA Millennium II | Standard (2D Models) |
| Diamond Fire GL 4000 | Standard (3D+ Models) |

Monitors

| | |
|-------------------|----------|
| V50 Color | Optional |
| P50 Color | Optional |
| V70 Color | Optional |
| P70 Color | Optional |
| QVision 210 Color | Optional |
| TFT500 Flat Panel | Optional |

Keyboard

| | |
|--|----------|
| Erase-Ease Keyboard (with Windows Keys) | Standard |
|--|----------|

Multimedia

| | |
|--------------------|----------|
| PremierSound Audio | Standard |
|--------------------|----------|

**Supported System
Software**

| | |
|-----------------------------|--|
| Included Software | Compaq Diagnostics, Setup and Inspect for Workstations, Compaq Insight Manager, Compaq Systems Management Toolkit |
| SmartStart for Workstations | Standard |
| Windows NT Workstation 4.0 | Standard |

¹One License for the Compaq Insight Manager console and Compaq Insight Management Agents for Windows NT is included with the workstation. Upgrades are available from Compaq with the purchase of an upgrade subscription.