

How to use table elements

A simple table, 3 columns, 4 rows

this is normal text. this is normal text.

good	bad	ugly
nice	dice	vice
literature	music	art
java	perl	python

this is normal text. this is normal text.

A table with borders

this is normal text. this is normal text.

good	bad	ugly
nice	dice	vice
literature	music	art
java	perl	python

this is normal text. this is normal text.

A table with thick borders

this is normal text. this is normal text.

good	bad	ugly
nice	dice	vice
literature	music	art
java	perl	python

this is normal text. this is normal text.

A table with borders around the cells

this is normal text. this is normal text.

good	bad	ugly
nice	dice	vice
literature	music	art
java	perl	python

this is normal text. this is normal text.

2 tables with thick borders around the cells

this is normal text. this is normal text.

good	bad	ugly
nice	dice	vice
literature	music	art
java	perl	python

this is normal text. this is normal text.

good	bad	ugly
nice	dice	vice
literature	music	art
java	perl	python

this is normal text. this is normal text.

5 tables with borders

this is normal text. this is normal text.

pad

pad

pad

pad

this is normal text. this is normal text.

A Contents table

- A) What is FOP?
- B) Downloading FOP
- C) Running FOP
- D) Embedding FOP
- E) What's Implemented?
- F) Limitations
- G) Bugs
- H) Compiling FOP
- I) Getting involved
- J) FOP Relevant Specifications
- K) Licence